(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
15 February 2001 (15.02.2001)

PCT

(10) International Publication Number
WO 01/11074 A2

(51) International Patent Classification[7]: C12Q

(21) International Application Number: PCT/US00/21223

(22) International Filing Date: 3 August 2000 (03.08.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/369,364 6 August 1999 (06.08.1999) US

(71) Applicant *(for all designated States except US)*: **THE CLEVELAND CLINIC FOUNDATION** [US/US]; 9500 Euclid Avenue, Cleveland, OH 44195 (US).

(71) Applicants and
(72) Inventors: **APTE, Suneel, S.** [IN/US]; 19917 Malvern Road, Shaker Hts., OH 44122 (US). **HURSKAINEN, Tiina, L.** [FI/FI]; Onnelantie 3A, FIN-90230 Oulu (FI). **HIROHATA, Satoshi** [JP/US]; 6809 Mayfield Road, #859, Mayfield Hts., OH 44124 (US).

(74) Agent: **DOCHERTY, Pamela, A.**; Calfee, Halter & Griswold LLP, Suite 1400, 800 Superior Avenue, Cleveland, OH 44114 (US).

(81) Designated States *(national)*: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— *Without international search report and to be republished upon receipt of that report.*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NUCLEIC ACIDS ENCODING ZINC METALLOPROTEASES



(57) Abstract: Isolated mammalian proteins having disintegrin-like and metalloprotease domains with thrombospondin type I motifs, i.e., ADAMTS proteins, are provided. The proteins are ADAMTS-5, ADAMTS-6, ADAMTS-7, ADAMTS-8, ADAMTS-9 and ADAMTS-10, collectively referred to as "ADAMTS-N". The present invention also provides isolated polynucleotides which encode an ADAMTS-N protein or a variant thereof, polynucleotide sequences complementary to such polynucleotides, vectors containing such polynucleotides, and host cells transformed or transfected with such vectors. The present invention also relates to antibodies which are immunospecific for one or more of the ADAMTS-N proteins. The present invention also relates to a protein referred to hereinafter as ADAMTS-R1 (ADAM-TS Related protein-1) and the polynucleotides which encode such protein.

WO 01/11074 A2

NUCLEIC ACIDS ENCODING ZINC METALLOPROTEASES

Background of the Invention

This invention relates to isolated nucleic acid -molecules which encode proteins belonging to a zinc metalloprotease family. The zinc metalloproteases have been implicated in a variety of diseases and development disorders that involve* enhanced or depressed proteolysis of components of the extracellular matrix, receptors, or other extracellular molecules.

More particularly, the invention relates to isolated nucleic acid molecules encoding proteins belonging to a subfamily of zinc metalloproteases referred to as "ADAMTS", an abbreviation for A Disintegrin-like And Metalloprotease domain with ThromboSpondin type I motifs. Proteins in the ADAMTS subfamily all possess a Zn protease catalytic site consensus sequence (HEXXH+H), which suggests an intact catalytic activity for each of these proteins. The ADAMTS proteins also have putative N-terminal signal peptides and lack transmembrane domains, which suggests that the proteins in this subfamily are secreted. The proteins in the ADAMTS subfamily also possess at least one thrombospondin type (TSP1) motif, which suggests a binding of these proteins to components of the extracellular matrix (ECM) or to cell surface components.

Members of the ADAMTS subfamily of proteins are ADAMTS-1, ADAMTS-2, ADAMTS-3, and ADAMTS-4. ADAMTS-1 protein is selectively expressed in colon 26 adenocarcinoma cachexigenic sublines. ADAMTS-1 mRNA is induced by the inflammatory cytokine interleukin-1 in vitro and by intravenous administration of lipopolysaccharide in vivo. Thus, the ADAMTS-1 protein is believed to play a role in tumor cachexia and inflammation.

The ADAMTS-2 protein is also known as procollagen I/H amino-propetide processing enzyme or PCINP. The ADAMTS-2 protein catalyzes

cleavage of native triple-helical procollagen I and procollagen II. The ADAMTS-2 protein also has an affinity for collagen XIV. Lack of the ADAMTS-2 protein is known to cause dermatosparaxis in cattle, or Ehlers-Danlos syndrome type VIIC (EDS-VIIC) in humans. EDS-VIIC is characterized clinically by severe skin fragility, and biochemically by the presence in skin of procollagen which is incompletely processed at the amino terminus. Thus, it is believed that the ADAMTS-2 protein plays a role in processing of procollagen to mature collagen, an essential step for correct assembly of collagen into collagen fibrils. The ADAMTS-3 protein is similar in sequence to ADAMTS-2 and may have similar function.

The ADAMTS-4 protein catalyzes cleavage of the core protein of the extracellular matrix proteoglycan, aggrecan. Aggrecan degradation is an important factor in the erosion of articular cartilage in arthritic disease. Aggrecan fragments have been identified in cultures undergoing cartilage matrix degradation and in arthritic synovial fluids. Therefore, overexpression or activation of ADAMTS-4 protein may be related to both inflammatory and non-inflammatory arthritis.

On the basis of the structure, location, and the demonstrated proteolytic activity of ADAMTS proteins 1-4, it is expected that other members of the ADAMTS subfamily play a role in the cleavage of proteoglycan core proteins that are found in the extracellular matrix, such as, for example, versican, brevican, neuracan, NG-2, aggrecan, as well as molecules such as collagen. It is also expected that other members of the ADAMTS subfamily play a role in embryogenesis, implantation of a fertilized egg, angiogenesis, arthritic degradation of cartilage, inflammation, nerve regeneration, tumor growth, and metastases.

Thus, it is desirable to have other members of the ADAMTS

subfamily of proteins, the nucleic acids that encode such proteins, and antibodies that are specific for such proteins. Such molecules are useful research tools for studying development of the extracellular matrix during embryogenesis and fetal development, and for studying disorders or diseases that are characterized by improper development of the extracellular matrix or enhanced or reduced destruction of the extracellular matrix. Such molecules, particularly the nucleic acids and the antibodies, are also useful tools for diagnosing such diseases or for monitoring the efficacy of therapeutic agents that have been developed to treat such diseases.

Summary of the Invention

The present invention provides novel, isolated, and substantially purified proteins having the characteristics of an ADAMTS protein. The novel proteins are referred to hereinafter individually as "ADAMTS-5", "ADAMTS-6", "ADAMTS-7", "ADAMTS-8", "ADAMTS-9" and "ADAMTS-10", and collectively as "ADAMTS-N". In one embodiment, the ADAMTS-5 protein is a mature mouse protein which comprises amino acid 231 through amino acid 930 of the sequence set forth set forth in SEQ ID NO: 2. In another embodiment, ADAMTS-5 is a human ADAMTS-5 protein which comprises amino acid 1 through amino acid 518 of the sequence set forth in SEQ ID NO: 4. In one embodiment, mature human ADAMTS-6 protein comprises amino acid 245 through amino acid 860 of SEQ ID NO: 6. In one embodiment, mature human ADAMTS-7 protein comprises amino acid 233 through amino acid 997 of the sequence set forth in SEQ ID NO: 8. In one embodiment, mature ADAMTS-8 protein is a mouse protein which comprises amino acid 229 through amino acid 905 of the sequence set forth in SEQ ID NO: 10. In another embodiment, ADAMTS-8 protein is a human protein which comprises amino acid 1 through amino acid 245 of the sequence set forth in SEQ ID NO: 12. In one embodiment, mature ADAMTS-9 protein

BNSDOCID: <WO___0111074A2_I_>

is a human protein which comprises amino acid 236 through amino acid 1882 of the sequence set forth in SEQ ID NO: 14. In another embodiment, ADAMTS-9 protein is a mouse protein which comprises amino acid 1 through amino acid 974 of the sequence set forth in SEQ ID NO: 16. In one embodiment, mature ADAMTS 10 protein is a human protein which comprises amino acid 212 through amino acid 1081 of the sequence set forth in SEQ ID NO: 18. In another embodiment, ADAMTS-10 protein is a mouse protein which comprises amino acid 1 through amino acid 547 of the sequence set forth in SEQ ID NO: 20.

The present invention also provides isolated polynucleotides which encode an ADAMTS-N protein or a variant thereof, polynucleotide sequences complementary to such polynucleotides, vectors containing such polynucleotides, and host cells transformed or transfected with such vectors. The present invention also relates to antibodies which are immunospecific for one or more of the ADAMTS-N proteins. The present invention also relates to a protein referred to hereinafter as ADAMTS-R1 (ADAM-T-S Related protein-1) and the polynucleotides which encode such protein. In one embodiment, the ADAMTS-R1 protein comprises amino acid 1 through amino acid 525 of the sequence set forth in SEQ. ID NO: 22.

Brief Description of the Drawings

Figure 1 shows an amino acid sequence (SEQ ID NO:2) of a full-length mouse ADAMTS-5 protein and a nucleic acid sequence (SEQ ID NO: 1) which encodes such protein.

Figure 2 shows an amino acid sequence (SEQ ID NO:4) of a partial human ADAMTS-5 protein and a nucleic acid sequence (SEQ ID NO: 3) which encodes such protein.

Figure 3 shows an amino acid sequence (SEQ ID NO:6) of a full-length human ADAMTS-6 protein and a nucleic acid sequence (SEQ ID NO:5) which encodes such protein.

Figure 4 shows an amino acid sequence (SEQ ID NO:8) of a full-length human ADAMTS-7 protein and a nucleic acid sequence (SEQ ID NO:7) which encodes such protein.

Figure 5 shows an amino acid sequence (SEQ ID NO: 10) of a full-length mouse ADAMTS-8 protein and a nucleic acid sequence (SEQ ID NO:9) which encodes such protein.

Figure 6 shows an amino acid sequence (SEQ ID NO: 12) of a partial human ADAMTS-8 protein and a nucleic acid sequence (SEQ ID NO: 11) which encodes such amino acid sequence.

Figure 7 shows an amino acid sequence (SEQ ID NO: 14), of a full-length human ADAMTS-9 protein and a nucleic acid sequence (SEQ ID NO: 13) Which encodes such protein.

Figure 8 shows an amino acid sequence (SEQ ID NO: 16) of a partial mouse ADAMTS-9 protein and a nucleic acid sequence (SEQ ID NO: 15) which encodes such amino acid sequence.

Figure 9 shows an amino acid sequence (SEQ ID NO:18) of a full-length human ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 17) which encodes such protein.

Figure 10 show's an amino acid sequence (SEQ ID NO:20) of a partial mouse ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 19) which encodes such amino acid sequence.

Figure 11 shows an amino acid sequence (SEQ ID NO:22) of a full length ADAMTS-R1 protein and a nucleic acid sequence (SEQ ID NO: 21) which encodes such protein.

Figure 12 depicts the cloning strategy used for isolation of a. mouse and human ADAMTS-5 cDNAs b. human ADAMTS-6 cDNA and c. human ADAMTS-7 cDNA. The domain organization of each protein relative to the cDNA clones (thin line) is shown as is the extent of overlap between clones. The original I.M.A.G.E. clones are underlined. Intronic regions of incompletely spliced transcripts are shown by the angled

BNSDOCID: <WO___0111074A2_I_>

dotted lines. DNA scale marker (in bp) and amino acid scale marker are at upper right. Location of the probe used for *in situ* hybridization (ISH) is shown in a.

Figure 13 shows the predicted amino acid sequences of a. the mouse and human ADAMTS-5 proteins (alignment shows mouse sequence above, partial human sequence below) b. ADAMTS-6, and c. ADAMTS-7. The active-site sequences and proposed Met-turn are enclosed in boxes. Potential furin cleavage site(s) are indicated by arrows. Thrombospondin type-1 modules are underlined. Potential sites for N-inked glycosylation are overlined. Cysteine residues within the context of an MMP-like "cysteine switch" are indicated by the solid circles. Other cysteine residues are indicated by asterisks. The prodomain extends until the furin cleavage site, and the catalytic domain extends from the furin cleavage site to the approximate start of the disintegrin-like sequence (Dis). The start of the spacer domain is indicated; the region between the N-terminal TS domain and the spacer domain is the cysteine-rich domain. The single letter amino acid code is used.

Figure 14 shows Northern analysis of expression of ADAMTS-5, 6 and 7. RNA kilobase markers are shown at left of each autoradiogram, and tissue origin is indicated above each lane. a. Mouse embryo northern blots. b. Human multiple adult tissue northern blots.

Figure 15 is a schematic representation of the domain structure of ADAMTS-R1 protein as compared to ADAMTS-1 protein.

Figure 16 shows an amino acid sequence (SEQ ID NO: 24) of an alternative embodiment of a full-length human ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 23) which encodes such protein.

Figure 17 shows an amino acid sequence (SEQ ID NO: 26) of an alternative embodiment of human ADAMTS-9, which is a full-length protein designated as human ADAMTS-9b and a nucleic acid sequence

(SEQ ID NO: 25) which encodes such protein.

Figure 18 is a schematic representation of the domain structure of human ADAMTS-9b protein as compared to human and mouse ADAMTS-9 protein.

Detailed Description of the Invention

ADAMTS-N Proteins

The present invention relates to novel, isolated, substantially purified, mammalian proteins belonging to the ADAMTS subfamily of metalloproteases. As used herein, the term "substantially purified" refers to a protein that is removed from its natural environment, isolated or separated, and at least 60% free, preferably 75% free, and most preferably 90% free from other components with which it is naturally associated.

The novel mammalian proteins are ADAMTS-5, ADAMTS-6, ADAMTS-7, ADAMTS-8, ADAMTS-9 and ADAMTS-10, collectively ADAMTS-N. In one embodiment, the ADAMTS-5 protein is a mature mouse protein which comprises amino acid 231 through amino acid 930 of the sequence set forth in SEQ ID NO: 2. In another embodiment, the ADAMTS-5 protein is a human protein which comprises amino acid 1 through amino acid 518 of the sequence set forth in SEQ ID NO: 4. In one embodiment, ADAMTS-6 protein is a mat-Lire human protein which comprises amino acid 245 through amino acid 860 of SEQ ID NO:6. In one embodiment, the ADAMTS-7 protein is a mature human protein which comprises amino acid 233 through amino acid 997 of the sequence set forth in SEQ ID NO: 8. In one embodiment, the ADAMTS-8 protein is a mature mouse protein which comprises amino acid 229 through amino acid 905 of the sequence set forth in SEQ ID NO: 10. In another embodiment, the ADAMTS-8 protein is a human protein which comprises amino acid 1 through amino acid 245 of the sequence set forth in SEQ ID NO: 12. In one embodiment, the ADAMTS-9 is a mature human protein which comprises amino acid 236 through amino acid 1882 of the sequence set

BNSDOCID: <WO___0111074A2_I_>

forth in SEQ ID NO: 14. In another embodiment, the ADAMTS-9 protein is a mouse protein which comprises amino acid 1 through amino acid 874 of the sequence set forth in SEQ ID NO: 16. In another embodiment, the ADAMTS-9 designated ADAMTS-9b is a human protein which is comprised of 1934 amino acids as set forth in SEQ ID NO 26. In one embodiment, the ADAMTS-10 protein is a mature human protein which comprises amino acid 212 through amino acid 1081 of the sequence set forth in SEQ ID NO: 18. In another embodiment the ADAMTS- 10 protein is a mouse protein which comprises amino acid 1 through amino acid 525 of the sequence set forth in SEQ ID NO:20. In another embodiment, the ADAMTS-10 protein is a human protein which is comprised of 1072 amino acids as set forth in SEQ ID NO 24.

All of the novel ADAMTS-N proteins starting at the amino terminus comprise a signal sequence followed by a putative pro region which contains a consensus sequence for furin cleavage (except for ADAMTS-10), a catalytic domain, a domain of 60-90 residues with 35 to 45% similarity to snake venom disintegrins, a TS module, a cysteine rich domain containing multiple conserved cysteine residues, a spacer domain, and one or multiple C terminal TS modules. (See Figure 12.) As determined using the BLAST software from the National Center for Biotechnology Information, the predicted mature forms of the ADAMTS-N proteins show an overall 20-30% similarity to each other and to ADAMTS-1-4, although this may be considerably higher or lower for individual domains as described below.

The ADAMTS-N proteins also encompass variants of the ADAMTS-N proteins shown in Figs. 1-10. A "variant" as used herein, refers to a protein whose amino acid sequence is similar to one of the amino acid sequences shown in Figs. 1-10, hereinafter referred to as the reference amino acid sequence, but does not have 100% identity with the reference sequence. The variant protein has an altered sequence

in which one or more of the amino acids in the reference sequence is deleted or substituted, or one or more amino acids are inserted into the sequence of the reference amino acid sequence. As a result of the alterations, the variant protein has an amino acid sequence which is at least 95% identical to the reference sequence, preferably, at least 97% identical, more preferably at least 98% identical, most preferably at least 99% identical to the reference sequence. Variant sequences which are at least 95% identical have no more than 5 alterations, i.e. any combination of deletions, insertions or substitutions, per 100 amino acids of the reference sequence. Percent identity is determined by comparing the amino acid sequence of the variant with the reference sequence using MEGALIGN project in the DNA STAR program. Sequences are aligned for identity calculations using the method of the software basic local alignment search tool in the BLAST network service (the National Center for Biotechnology Information, Bethesda, MD) which employs the method of Altschul, S. F., Gish, W., Miller, W., Myers, E. W. & Lipman, D. J. (1990) *J. Mol. Biol.* 215, 403-410. Identities are calculated by the Align program (DNAstar, Inc.) In all cases, internal gaps and amino acid insertions in the candidate sequence as aligned are not ignored when making the identity calculation.

While it is possible to have nonconservative amino acid substitutions, it is preferred that the substitutions be conservative amino acid substitutions, in which the substituted amino acid has similar structural or chemical properties with the corresponding amino acid in the reference sequence. By way of example, conservative amino acid substitutions involve substitution of one aliphatic or hydrophobic amino acids, e.g. alanine, valine, leucine and isoleucine, with another; substitution of one hydroxyl-containing amino acid, e.g. serine and threonine, with another; substitution of

one acidic residue, e.g. glutamic acid or aspartic acid, with another; replacement of one amide-containing residue, e.g. asparagine and glutamine, with another; replacement of one aromatic, residue, e.g. phenylalanine and tyrosine, with another; replacement of one basic residue, e.g. lysine, arginine and histidine, with another; and replacement of one small amino acid, e.g., alanine, serine, threonine, methionine, and glycine, with another.

The alterations are designed not to abolish the immunoreactivity of the variant protein with antibodies that bind to the reference protein. Guidance in determining which amino acid residues may be substituted, inserted or deleted without abolishing immunoreactivity of the variant protein with an antibody specific for the respective reference protein are found using computer programs well known in the art, for example, DNASTAR software.

The ADAMTS-N proteins also encompass fusion proteins comprising an ADAMTS-N protein and a tag, i.e., a second protein or one or more amino acids, preferably from about 2 to 65 amino acids, more preferably from about 34 to about 62 amino acids, which are added to the amino terminus of, the carboxy terminus of, or any point within the amino acid sequence of an ADAMTS-N protein, or a variant of such protein. Typically, such additions are made to stabilize the resulting fusion protein or to simplify purification of an expressed recombinant form of the corresponding ADAMTS-N protein or variant of such protein. Such tags are known in the art. Representative examples of such tags include sequences which encode a series of histidine residues, the epitope tag FLAG, the Herpes simplex glycoprotein D, beta-galactosidase, maltose binding protein, or glutathione S-transferase.

The ADAMTS-N proteins also encompass ADAMTS-N proteins in which one or more amino acids, preferably no more than 10 amino acids, in

the respective ADAMTS-N protein are altered by posttranslation processes or synthetic methods. Examples of such modifications include, but are not limited to, acetylation, amidation, ADP-ribosylation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or a lipid, cross-linking gamma-carboxylation, glycosylation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, sulfation, and transfer-RNA mediated additions of amino acids to proteins such as arginylation and ubiquitination.

The ADAMTS-N proteins are immunogenic and, thus, are useful for preparing antibodies. Such antibodies are useful for identifying and diagnosing disorders which are associated with decreased expression or activity or increased expression of an ADAMTS-N protein. The ADAMTS-N protein may also be useful for treating such disorder.

Diseases involving enhanced or depressed proteolyisis of the core proteins of the extracellular may involve enhanced expression or activity or decreased expression or activity of one or more ADAMTS-N proteins. Thus, ADAMTS-N proteins may be used to identify drugs, polypeptides, auto-antibodies, or other natural compounds which bind to an ADAMTS-N protein with sufficient affinity to block or facilitate its activity. The activity of the ADAMTS-N protein is assayed in the presence and the absence of the putative inhibitor or facilitator using any of a variety of protease assays known in the art. In general, the activity of the ADAMTS-N protein is assayed through the use of a peptide or protein substrate having a known or putative cleavage site for the ADAMTS-N protein. To detect cleavage or to monitor the extent of cleavage, the substrate is tagged in a manner which provides a detectable signal upon cleavage. For example, the substrate may be tagged with a fluorescent group on one

side of the cleavage site and with a fluorescence-quenching group on the opposite side of the cleavage site. Upon cleavage by the substrate, quenching is eliminated and a detectable signal is produced. Alternatively, the substrate is tagged with a colorimetric leaving group that more strongly absorbs upon cleavage. Agents which block ADAMTS-N-catalyzed cleavage of a protein substrate may be administered to a subject to block proteolysis of the corresponding protein substrate.

ADAMTS-R1 Protein

The present invention also relates to a protein, referred to hereinafter as "ADAMTS-R1". From its amino to its carboxyl terminus, ADAMTS-R1 comprises a signal peptide sequence, a TS1 module, a cysteine-rich domain, a spacer domain, and three TS1 modules. Thus, ADAMTS-R1 has a structure which is related to or similar to an ADAMTS-N protein, but which lacks a catalytic domain and a disintegrin-like domain. In one embodiment, ADAMTS-R1, protein comprises amino acid 1 through amino acid 525 of the amino acid sequence, SEQ ID N0:22, shown in Fig. 11. Such protein has a 30-40% overall sequence identity with similar regions of the ADAMTS-N proteins. The ADAMTS-R1 proteins also encompass variants of the amino acid sequence shown in Fig. 11 and fusion proteins which contain the amino acid sequence shown in Fig. 11 or a variant thereof. On the basis of its domain organization, it is expected that ADAMTS-R1 can bind to extracellular matrix or cell surface molecules, including ADAMTS-N substrates. Thus, it is expected that ADAMTS-R1 can be used as an cell-matrix or cell-cell adhesion molecule or an ADAMTS-N competitive inhibitor. The ADAMTS-R1 proteins are also useful for preparing antibodies. Such antibodies are useful for identifying tissues where ADAMTS-R1 is expressed and for diagnosing disorders which are associated with decreased

expression or increased expression of. an ADAMTS-R1 protein.

Polynucleotides

The present invention also provides isolated polynucleotides which encode the mammalian ADAMTS-N proteins and the mammalian ADAMTS-R1 protein. Figure 1 shows one embodiment of a polynucleotide, SEQ ID NO: 1, which encodes the full-length mouse ADAMTS-5 protein. Figure 2 shows one embodiment of a polynucleotide; SEQ ID NO: 3, which encodes a partial human ADAMTS-5 protein. Figure 3 shows one embodiment of a polynucleotide; SEQ ID NO: 5, which encodes a full-length human ADAMTS-6 protein. Figure 4 shows one embodiment of a polynucleotide; SEQ ID NO: 7, which encodes a full-length human ADAMTS-7 protein. Figure 5 shows one embodiment of a polynucleotide; SEQ ID NO: 9, which encodes a full-length mouse ADAMTS-8 protein. Figure 6 shows one embodiment of a polynucleotide; SEQ ID NO: 11, which encodes a partial human ADAMTS-8 protein. Figure 7 shows one embodiment of a polynucleotide; SEQ ID NO: 13, which encodes a full-length human ADAMTS-9 protein. Figure 8 shows one embodiment of a polynucleotide; SEQ ID NO: 15, which encodes a partial ADAMTS-9 protein. Figure 9 shows one embodiment of a polynucleotide; SEQ ID NO: 17, which encodes a full-length human ADAMTS-10 protein. Figure 10 shows one embodiment of a polynucleotide; SEQ ID NO: 19, which encodes a partial mouse ADAMTS-10 protein. Figure 11 shows one embodiment of a polynucleotide; SEQ ID NO: 21, which encodes a full-length ADAMTS-R1 protein.

Due to the known degeneracy of the genetic code wherein more than one codon can encode the same amino acid, a DNA sequence may vary from that shown in SEQ ID NO: 1 and still encode an ADAMTS-5 protein having the amino acid sequence of SEQ ID NO: 2. Similarly, a DNA sequence may vary from that shown in SEQ ID NO:5, and still encode an ADAMTS-6 protein having the amino acid sequence set forth

in SEQ ID NO:6. Similarly a DNA sequence may vary from that shown in SEQ ID NOS: 7, 9, 11, and 13, and still encode the amino acid sequences shown in SEQ ID NOS: 8, 10, 12, and 14, respectively. Such variant DNA sequence may result from silent mutations, such as for example those that occur during PCR amplification or from deliberate mutagenesis of a native sequence.

The present polynucleotides also encompass polynucleotides having sequences that are capable of hybridizing to the nucleotide sequences of FIGS 1 - 11 under stringent conditions, preferably highly stringent conditions. Hybridization conditions are based on the melting temperature™ of the nucleic acid binding complex or probe, as described in Berger and Kimmel (1987) Guide to Molecular Cloning Techniques, Methods in Enzymology, vol 152, Academic Press. The term "stringent conditions, as used herein, is the "stringency" which occurs within a range from about Tm-5 (5° below the melting temperature of the probe) to about 20° C below Tm. As used herein "highly stringent" conditions employ at least 0.2 x SSC buffer and at least 65° C. As recognized in the art, stringency conditions can be attained by varying a number of factors such as the length and nature, i.e., DNA or RNA, of the probe; the length and nature of the target sequence, the concentration of the salts and other components, such as formamide, dextran sulfate, and polyethylene glycol, of the hybridization solution. All of these factors may be varied to generate conditions of stringency which are equivalent to the conditions listed above.

The present polynucleotides also encompasses alleles of the ADAMTS-N and ADAMTS-R1 encoding sequences. As used herein, an allele or allelic sequence is an alternative form of an ADAMTS-N or ADAMTS-R1 encoding sequence which is present at the same gene locus. The allele may result from one or more mutations in the ADAMTS-N or

ADAMTS-R1 encoding sequence. Such mutations typically arise from natural addition, deletion of substitution of nucleotides in the open reading frame sequences. Any gene which encodes an ADAMTS-N protein or ADAMTS-RI protein may have none, one, or several allelic forms. Such alleles are identified using conventional techniques, such as for example screening libraries with probes having sequences identical to or complementary with one or more ADAMTS-N polynucleotides.

The present polynucleotides also encompass altered polynucleotides which encode ADAMTS-N proteins, ADAMTS-R1 proteins, and variants thereof. Such alterations include deletions, additions, or substitutions. Such alterations may produce a silent change and result in an ADAMTS-N protein having the same amino acid sequence as the ADAMTS-N protein encoded by the unaltered polynucleotide. Such alterations may produce a nucleotide sequence possessing non-naturally occurring codons. For example, codons preferred by a particular prokaryotic or eucaryotic host may be incorporated into the nucleotide sequences showing Figures 1 -11 to increase the rate of expression of the proteins encoded by such sequences. Such alterations may also introduce new restriction sites into the sequence or result in the production of an ADAMTS-N or ADAMTS-RI variant. Typically, such alterations are accomplished using site-directed mutagenesis.

The polynucleotides are useful for producing ADAMTS-N or ADAMTS-R1 proteins. For example, an RNA molecule encoding an ADAMTS-N protein is used in a cell-free translation systems to prepare such protein. Alternatively, a DNA molecule encoding an ADAMTS-N protein is introduced into an expression vector and used to transform cells. Suitable expression vectors include for example chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of

SV40, bacterial plasmids, phage DNAs; yeast plasmids, vectors derived from combinations of plasmids and phage DNAs, viral DNA such as vaccinia, adenovirus, fowl pox virus, pseudorabies, baculovirus, and retrovirus. The DNA sequence is introduced into the expression vector by 5 conventional procedures.

Accordingly, the present invention also relates to recombinant constructs comprising one or more of the present polynucleotide sequences. Suitable constructs include, for example, vectors, such as a plasmid, phagemid, or viral vector, into which a sequence that encodes an ADAMTS-N protein or an ADAMTS-R1 protein has been inserted. In the expression vector, the DNA sequence which encodes the ADAMTS-N protein is operatively linked to an expression control sequence, i.e., a promoter, which directs mRNA synthesis. Representative examples of such promoters, include the LTR or SV40 promoter, the *E. coli* lac or trp, the phage lambda PL promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or in viruses. The promoter may also be the natural promoter of the ADAMTS-N encoding sequence. The expression vector, preferably, also contains a ribosome binding site for translation initiation and a transcription terminator. Preferably, the recombinant expression vectors also include an origin of replication and a selectable marker, such as for example, the ampicillin resistance gene of *E. coli* to permit selection of transformed cells, i.e. cells that are expressing the heterologous DNA sequences. The polynucleotide sequence encoding the ADAMTS-N protein is incorporated into the vector in frame with translation initiation and termination sequences.

The polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein are used to express recombinant protein using techniques well known in the art. Such techniques are described in Sambrook, J. et al

(1989) Molecular Cloning A Laboratory Manual, Cold Spring Harbor Press, Plainview, N.Y. and Ausubel, F. M. et al. (1989) Cuurent Protocols in Molecular Biology, John Wile & Sons, New York, NY.

Polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein may also be used for diagnostic purposes. The polynucleotides may be used to detect and quantify ADAMTS-N or ADAMTS-R1 gene transcripts in biopsied tissues in which enhanced expression or reduced expression of the corresponding ADAMTS-N or ADAMTS-RI gene is correlated with a disease. The diagnostic assay may be used to determine whether expression is absent, present, or altered and to determine whether certain therapeutic agents modulate expression of the corresponding ADAMTS-N or ADAMTS-R1 gene.

Also encompassed by the present invention, are single stranded polynucleotides, hereinafter referred to as antisense polynucleotides, having sequences which are complementary to the DNA and RNA sequences which encode the ADAMTS-N or ADAMTS-R1 proteins. The term complementary as used herein refers to the natural binding of the polynucleotides under permissive salt and 5 temperature conditions by base pairing.

The present invention also encompasses oligonucleotides that are used as primers in polyrnerase chain reaction (PCR) technologies to amplify transcripts of the genes which encode the ADAMTS-N and ADAMTSR-1 proteins or portions of such transcripts. Preferably, the primers comprise 18-30 nucleotides, more preferably 19-25 nucleotides. Preferably, the primers have a G+C content of 40% or greater. Such oligonucleotides are at least 98% complementary with a portion of the DNA strand, i.e., the sense strand, which encodes the respective ADAM-TS family protein or a portion of its corresponding antisense strand. Preferably, the primer has at least 99% complementarity, more preferably 100% complementarity, with such

BNSDOCID: <WO__0111074A2_I_>

sense strand or its corresponding antisense strand. Primers which are which have 100% complementarity with the antisense strand of a double-stranded DNA molecule which encodes an ADAMTS-N protein have a sequence which is identical to a sequence contained within the sense strand. The identity of primers which are 15 nucleotides in length and have full complementarity with a portion of the antisense strand of a double-stranded DNA molecule which encodes the ADAMTS-N protein is determined using the nucleotide sequences, shown in FIG I - 11 and described by the general formula a-b; where a is any integer between I and the position number of the nucleotide which is located 15 residues upstream of the 3' end of the sense or antisense strand of the cDNA sequences shown in FIG 1 -11; where b is equal to a+14; and where both a and b correspond to the positions of nucleotide residues of the cDNA sequences shown in FIGS 1 - 11.

The present invention also encompasses oligonucleotides that are useful as hybridization probes for for isolating and identifying cDNA clones and genomic clones encoding the ADAMTS-N or ADAMTS-R1 protein or allelic forms thereof. Such hybridization probes are also useful for detecting transcripts of the genes which encode the ADAMTS-N family proteins or for mapping of the genes which encode the ADAMTS-N proteins Preferably, such oligonucleotides comprise at least 210 nucleotides, more preferably at least 230, most preferably from about 210 to 280 nucleotides. Such hybridization probes have a sequence which is at least 90% complementary with a sequence contained within the sense strand of a DNA molecule which encodes an ADAMTS-N protein or ADAMTS-R1 protein or with a sequence contained within its corresponding antisense strand. Such hybridization probes bind to the sense strand under stringent conditions. The term "stringent conditions" as used herein is the binding which occurs within a range from about Tin 5'C (5'C below the melting temperature

Tm of the probe) to about 20°C to 25°C below Tm. The probes are used in Northern assays to detect transcripts of ADAMTS-N homologous genes and in Southern assays to detect ADAMTS-N homologous genes. The identity of probes which are 200 nucleotides 5 in length and have full complementarity with a portion of the antisense strand of a double-stranded DNA molecule which encodes the ADAMTS-N protein is determined using the nucleotide sequences shown in FIG 1 - 10 and described by the general formula a-b; where a is any integer between I and the position number of the nucleotide which is located 200 residues upstream of the 3' end of the sense or antisense strand of the cDNA sequences shown in FIG 1 -10; b is equal to a +200; and where both a and b correspond to the positions of nucleotide residues of the cDNA sequences shown in FIG 1-10.

Such probes or primers are also useful for identifying tissues or cells in which the corresponding ADAMTS-N or ADAMTS-R1 gene is preferentially expressed either constitutively or at particular state of tissue differentiation or development or in disease states. Expression of the ADAMTS-N or ADAMTS-R1 gene in a particular tissue or group of cells is determined using conventional procedures including, but not limited to, Northern analysis, in situ hybridization to RNA or RT-PCR amplification. Isolated polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein are also useful as chromosome markers to map linked gene positions, to identify chromosomal aberrations such as translocations, inversions and trisomies, to compare with endogenous DNA sequences in patients to identify potential genetic disorders, and as probes to hybridize and thus discover novel, related DNA sequences. For use in such studies and assays, the probes may be labeled with radioisotopes, fluorescent labels, or enzymatic labels. The assays include, but are not limited to, Southern blot, in situ hybridization to DNA in cells

and chromosomes, PCR, and allele specific hybridization.

Antibodies

In another aspect, the present invention relates to antibodies which are specific for and bind to the ADAMTS-5 protein, the ADAMTS-6 protein, the ADAMTS-7 protein, the ADAMTS-8 protein, the ADAMTS-9 protein, the ADAMTS-10 protein, or the ADAMTS-R1 protein. Such antibodies are useful research tools for identifying *tissues that contain elevated levels of the respective protein and for purifying the respective protein from cell or tissue extracts, medium of cultured cells, or partially purified preparations of intracellular and extracellular proteins by affinity chromatography. Such antibodies are also useful for identifying and diagnosing diseases associated with elevated or reduced levels of an ADAMTS-N protein or ADAMTS-R1 protein. Such antibodies are also useful for monitoring the effect of therapeutic agents on the synthesis and secretion of ADAMTS-N proteins by cells in vitro and in vivo. Such antibodies may also be employed in procedures, such as co-immunoprecipitation and co-affinity chromatography, for identifying other proteins, activators and inhibitors which bind to an ADAMTS-N or ADAMTS-R1 protein.

The present invention also provides a method for detecting an ADAMTS-N or ADAMTS-R1 protein, in a bodily sample from a patient using antibodies immunospecific for an ADAMTS-N or ADAMTS-R1 protein. The method comprises contacting the antibody with a sample taken from the patient; and assaying for the formation of a complex between the antibody and the corresponding ADAMTS-N or ADAMTS-R1 protein present in the sample. The sample may be a tissue or a biological fluid, including but not limited to whole blood, serum, synovial fluid, stool, urine, cerebrospinal fluid, semen, diagnostic washes from trachea, stomach and other bowel segments, tissue biopsies or excised

tissue, cells obtained from swabs and smears. To monitor changes in expression of the ADAMTS-N protein during fetal development and pregnancy, it is preferred that the sample be amniotic fluid. To monitor changes in expression of the ADAMTS-N protein during joint disorders, the preferred sample is synovial fluid. To monitor changes in expression of ADAMTS-N proteins during cancer, the preferred samples include, but are not limited to, serum, body fluids, or biopsy tissue. To monitor changes in expression of ADAMTS-N proteins during inflammation the preferred samples include, but are not limited to, serum, body fluids, or biopsy tissue.

The sample may be untreated, or subjected to precipitation; fractionation, separation, or purification before combining with the anti-ADAMTS-N protein antibody. For ease of detection, it is

preferred that isolated proteins from the sample be attached to a substrate such as. a column, plastic dish, matrix, or membrane, preferably nitrocellulose. Preferably, the detection method employs an enzyme-linked immunosorbent assay (ELISA) or a Western immunoblot procedure.

Interactions between an ADAMTS-N protein in the sample and the corresponding anti ADAMTS-N antibody are detected by radiometric, colorimetric, or fluorometric means, size separation, or precipitation. Preferably, detection of the antibody-ADAMTS-N protein complex is by addition of a secondary antibody that is coupled to a detectable tag, such as for example, an enzyme, fluorophore, or chromophore. Formation of the complex is indicative of the presence of the ADAMTS-N protein i n the test sample. Thus, the method is used to determine whether there is a decrease or increase in the levels of the ADAMTS-N protein in a test sample as compared to levels of the ADAMTS-N protein in a control sample and to quantify the amount of the ADAMTS-N protein in the test sample.

BNSDOCID: <WO___0111074A2_I_>

Deviation between control and test values establishes the parameters for diagnosing the disease.

Preparing the ADAMTS-N proteins and the ADAMTS-R1 protein

The ADAMTS-N proteins and the ADAMT-SR1 protein may be produced by conventional peptide synthesizers. The ADAMTS-N proteins and the ADAMTS-R1 protein may also be produced using cell-free translationsystems and RNA molecules derived from DNA constructs that encode an ADAMTS-N protein or an ADAMTS-RI protein. Alternatively, ADAMTS-N proteins are made by transfecting host cells with expression vectors that comprise a DNA sequence that encodes the respective ADAMTS-N protein and then inducing expression of the protein in the host. cells. For recombinant production, recombinant constructs comprising one or more of the sequences which encode the ADAMTS-N protein or a variant thereof are introduced into host cells by conventional methods such as calcium phosphate transfection, DEAE-dextran mediated transfection, transvection, microinjection, cationic lipid-mediated transfection, electroporation, transduction, scrape lading, ballistic introduction or infection.

The ADAMTS-N protein and the ADAMTS-R1 protein may be expressed in suitable host cells, such as for example, mammalian cells, yeast, bacteria, insect cells or other cells under the control of appropriate promoters using conventional techniques. Suitable hosts include, but are not limited to, E. coli, P. pastoris, Cos cells and 293 HEK cells. Following transformation of the suitable host strain and growth of the host strain to an appropriate cell density, the cells are harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification of the ADAMTS-N protein or the ADAMTS-R1 protein.

Conventional procedures for isolating recombinant proteins from transformed host cells, such as isolation by initial extraction from

cell pellets or from cell culture medium, followed by salting-out, and one or more chromatography steps, including aqueous ion exchange chromatography, size exclusion chromatography steps, and high performance liquid chromatography (HPLC), and affinity chromatography may be used to isolate the recombinant ADAMTS-N protein or ADAMTS R1 protein

Preparation of Antibodies

The ADAMTS-N proteins, and variants thereof are used as immunogens to produce antibodies immunospecific for one or more ADAMTS-N protein. The term "immunospecific" means the antibodies have substantially greater affinity for one or more ADAMTS-N protein than for other proteins. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, single chain, and Fab fragments.

Antibodies are also prepared using an oligopeptide having a sequence which is identical to a portion of the amino acid sequence of an ADAMTS-N protein. Preferably the oligopeptide has an amino acid sequence of at least five amino acids, and more preferably, at least 10 amino acids that are identical to a portion of the amino acid sequence of an ADAMTS-N protein. Such peptides are conventionally fused with those of another protein such as keyhole limpet hemocyanin and antibody produced against the chimeric molecule. One preferred oligopeptide for preparing an antibody to mouse ADAMTS-5 has the sequence (C)HIKVRQFKAKDQTRF, SEQ ID NO: 30. Another preferred oligopeptide for preparing an antibody to ADAMTS-5 is CEAKNGYQSDAKGVKTFVEWVPKYAG, SEQ ID NO: 3 1. One preferred oligopeptide for preparing an antibody to ADAMTS-6 has the sequence SVSIERFVETLVVADK(C), SEQ ID NO:23. One preferred oligopeptide for preparing an antibody to ADAMTS-7 has the sequence (C)EVAEAANFLALRSEDPEKY, SEQ ID NO:24. One preferred oligopeptide for

preparing an antibody to ADAMTS-8 has the sequence CVKEDVENPKAVVDGDWGP, SEQ ID NO:25. One preferred oligopeptide for preparing an antibody to ADAMTS-9 has the sequence QHPFQNEDYRPRSASPSRTH, SEQ ID NO:26. Another preferred oligopeptide for preparing an antibody to ADAMTS-9 has the sequence PQNCKEVKRLKGASEDGEYF, SEQ ID NO:27. One preferred oligopeptide for preparing an antibody for ADAMTS-R1 has the sequence QELEEGAAVSEEPS, SEQ ID NO:28. Another preferred oligopeptide for preparing an antibody for ADAMTS-R1 has the sequence YYPENIKPKPKLQE; SEQ ID NO:29.

Polyclonal antibodies are generated using conventional techniques by administering the ADAMTS-N protein or achimeric molecule to a host animal. Depending on the host species, various adjuvants may be used to increase immunological response. Among adjuvants used in humans, Bacilli Calmette-Guerin (BCG), and Corynebacterium parvum. are especially preferable. Conventional protocols are also used to collect blood from the immunized animals and to isolate the serum and or the IgG fraction from the blood.

For preparation of monoclonal antibodies, conventional hybridoma techniques are used. Such antibodies are produced by continuous cell lines in culture. Suitable techniques for preparing monoclonal antibodies include, but are not limited to, the hybridoma technique, the human B-cell hybridoma technique, and the EBV hybridoma technique.

Various immunoassays may be used for screening to identify antibodies having the desired specificity. These include protocols which. involve competitive binding or immunoradiometric assays and typically involve the measurement of complex formation between the respective ADAMTS-N protein and the antibody.

Polynucleotides that encode ADAMTS-N proteins

Polynucleotides comprising sequences encoding an ADAMTS-N

protein or an ADAMTS-R1 protein may be synthesized in whole or in part using chemical methods. Polynucleotides which encode an ADAMTS-N protein, particularly alleles of the genes which encode the ADAMTS-N protein, may be obtained by screening a genomic library or cDNA library with a probe comprising sequences identical or complementary to the sequences shown in Figures 1 - 10 or with antibodies immunospecific for a ADAMTS-N protein to identify clones containing such polynucleotide.

Example 1 ADAMTS-512 protein

A cDNA encoding mouse ADAMTS-5 protein was obtained using IMAGE Clone 569515, purchased from Research Genetics, Huntsville, Alabama and 7 day old mouse embryo cDNA library from Clontech, Palo Alto, CA. A cDNA encoding human ADAMTS-5 protein was obtained using IMAGE Clone 345484 purchased from Research Genetics, Huntsville, Alabama and a human fetal brain cDNA from Clontech. The clone inserts were sequenced in their entirety. Using oligonucleotide primers based on the sequences at the ends of the. clone inserts as template, successive rounds of RACE (Rapid Amplification of cDNA Ends) by PCR was performed at 5' and 3 ends. RACE primers were generated 50-200 bp from the ends of the sequences so that the contiguity of RACE clones with the I.M.A.G.E. clone could be clearly established. A single round of 5' and 3' 20 RACE sufficed for cloning of the entire coding sequence of the mouse ADAMTS-5 protein and part of the catalytic zinc binding site through to the stop codon of the human ADAMTS-5 protein. Primers were designed with calculated Tm>72°C and RACE was performed with nested primers for each amplification. PCR used the Advantage PCR reagents (Clontech, Palo Alto, CA); the polymerase mix contained both *Taq* polymerase as well as proofreading polymerase to minimize PCR errors and employed "hot-start" PCR for optimal efficiency. RACE used the following "touch-down" cycle

conditions; 95°C for 1 minute followed by 5 cycles of 95°C for 0.5 minutes, 72°C for 5 minutes, then 5 cycles of 95°C for 0.5 minutes, 70°C for 5 minutes and 20 cycles of 95°C for 0.5 minutes, 68°C for 5 minutes. The PCR products were analyzed by Southern blotting, initially using [α^{32}P]-dCTP labeled.

Hybridizing bands were ligated into pGEM-T Easy (Promega, Madison, WI) and individual clones were selected by another round of Southern analysis. Automated nucleotide sequencing of both strands of each clone were done at the Molecular Biotechnology Core of the Lerner Research Institute, Cleveland Clinic Foundation and nucleotide sequence data were analyzed using the DNAStar software. By integration of the overlapping sequences thus obtained, a contiguous nucleotide sequence was determined. The nucleotide sequence of the mouse ADAMTS-5 cDNA and the predicted amino acid sequence of the protein encoded by this cDNA are shown in Fig. 1. The nucleotide sequence of the human ADAMTS-5 cDNA and the predicted partial amino acid sequence of the protein encoded by this cDNA are shown in Fig. 2.

The predicted molecular mass (Mr) of the mature ADAMTS-5 protein is 73717.50 daltons. It is expected that the actual Mr of the active ADAMTS-5 protein is different due to post-translational modification, which could potentially increase the Mr. The predicted domain organization of ADAMTS-5 protein relative to the cloned cDNA is shown in Figure 12. The pro-domain of the full-length mouse ADAMTS-5 protein has 3 consensus cleavage signals for furin. The most carboxyl-terminal furin cleavage site in ADAMTS-5 predicts the processing site for generation of the mature protein The catalytic domain of the ADAMTS-5 protein contains eight cysteine residues and a reprolysin -zinc binding signature sequence, i.e., HEIGHLLGLSHD. Five cysteine residues are upstream of the zinc binding sequence,

while three residues are downstream, an arrangement that is shared with other ADAMTS members. The zinc binding signature is followed by a "Met-turn". The catalytic domain is followed by a domain with 35% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserved cysteine-rich sequence termed the cysteine-rich domain, designated "CRD", to distinguish it from the cysteine-free spacer domain. The CRD contains ten conserved cysteines and demonstrates high sequence homology with the CRD of other ADAMTS-N proteins. The spacer domain of mouse ADAMTS-5 is 158 amino acids in length and is followed by a second TS module. ADAMTS-5 contains three potential glycosylation sites in the mature protease one of which is just upstream of the start of the spacer domain and the second lies within the spacer domain and the third is near the start of the disintegrin domain. The human ADAMTS-5 protein and the mouse ADAMTS-5 protein have 96% sequence identity. ADAMTS-5 bears 46% sequence identity to ADAMTS-4 (KIAA0688), which is characterized as being involved in catabolism of aggrecan core protein in arthritis and 60% identity to ADAMTS-1 which is involved in inflammation.

Example 2 ADAMTS-6

The nucleotide sequence of a human cDNA encoding the full-length ADAMTS-6 protein was obtained using IMAGE clone 742630, which encodes EST AA400393, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The I.M.A.G.E. clone 742630 contained an ORF flanked by consensus splice sequences, indicating the presence of introns. Two successive rounds of RACE at the 5' end and a single round of RACE at the 3' end provided the complete coding sequence of ADAMTS-6. The putative ATG codon is within a Kozak consensus sequence and encodes the first methionine within the ORF.

The nucleotide sequence of the ADAMTS-6 DNA is shown in Fig. 3 The predicted amino acid sequence, SEQ ID NO:6, of the ADAMTS-6 protein is also shown in Fig. 3. The predicted Mr of the full-length, unprocessed ADAMTS-6 protein is 97,115 daltons., and the predicted Mr of the mature ADAMTS-6 protein is 68412.10 daltons. The domain organization of the ADAMTS-6 protein is shown in Fig. 12. The pro-domain of the full-length ADAMTS-6 protein has one consensus cleavage signal for furin. The catalytic domain of the ADAMTS-6 contains six cysteine residues and the reprolysin -zinc binding signature sequence, HEIVHNFGMNHD, which is followed by a "Met-tum". The catalytic domain is followed by a domain with 35% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserve CRD sequence which contains ten conserved cysteines and demonstrates high sequence homology with the CRD of other ADAMTS proteins. The spacer domain of ADAMTS-6 is 127 amino acids in length and is followed by a second TS module. ADAMTS-6 contains four potential glycosylation sites within the pyo-domain and two in the mature protease one of which is in the cysteine rich domain and the other of which is in the spacer domain. ADAMTS-6 bears 46% sequence identity to ADAMTS-1, which is involved in inflammation.

Example 3 ADAMTS-7.

The nucleotide sequence of a cDNA encoding an ADAMTS-7 protein was obtained using IMAGE clone 272098, which encodes EST N4.8032, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The I.M.A.G.E. clone 272098 encoded a putative pre-pro region and was extended in the 3'-direction by two successive rounds of RACE. A typical signal peptide sequence lies downstream of the first methionine in the translated ORF. This

methionine codon lies within a satisfactory Kozak consensus for translation initiation.

The nucleotide sequence of the ADAMTS-7 cDNA is shown in Fig. 4. The predicted amino acid sequence, SEQ ID NO: 8, of the ADAMTS-7 protein is also shown in Fig. 4. The predicted Mr of the hill-length, unprocessed ADAMTS-7 protein is 116,607 daltons, and the predicted Mr of the mature ADAMTS-7 protein is 84005 daltons. The domain organization of the ADAMTS-7 protein is shown in Fig. 12. The pro-domain of the full-length ADAMTS-7 protein has one consensus cleavage signal for furin. The catalytic domain of the ADAMTS-7 protein contains eight cysteine residues and the reprolysin-zinc binding signature sequence, HELGHSFGIQHD, which is followed by a "Met-tum". The catalytic domain is followed by a domain with 30% similarity to snake venom disintegrins The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserved CRD sequence which contains ten conserved cysteines. The spacer domain of ADAMTS-7 is 221 amino acids in length and is followed by a second TS module and a short sequence containing two cysteine residues. ADAMTS-7 contains three potential glycosylation sites within the mature protease; one of which is just upstream of the spacer domain and one of which is within the spacer domain. ADAMTS-7 bears 35 % sequence identity to ADAMTS-1, which is characterized as being involved in inflammation and 32% identity to ADAMTS-2 which is a procollagen processing enzyme.

Example 4: ADAMTS-8

The nucleotide sequence of a cDNA encoding a full-length, mouse ADAMTS-8 protein was obtained using IMAGE clone 1260693, which encodes EST AA855532, and a mouse embryo cDNA from Clonetech. The nucleotide sequence of a cDNA encoding a partial ADAMTS-8 human

BNSDOCID: <WO___0111074A2_I_>

protein was obtained using IMAGE clone 2119838, which encodes EST A1400905, and a human fetal brain cDNA library from Clontech. RACE was performed, as described above in Example 1. The nucleotide sequence of the cDNA encoding the full-length ADAMTS-8 mouse protein and the amino acid sequence of such protein is shown in Fig. 5. The nucleotide sequence of the cDNA encoding the partial ADAMTS-8 human protein and the amino acid sequence of such protein is shown in Fig. 6.

The predicted Mr of the full-length, unprocessed ADAMTS-8 mouse protein is 1260693 daltons, and the predicted Mr of the mature ADAMTS-8 protein is 68412.10 daltons. The pro domain of the full-length ADAMTS-8 protein has one consensus cleavage signal for furin. The catalytic domain contains eight cysteine residues and the reprolysm-zinc binding signature sequence, HELGHVLSMPHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 20-30% similarity to snake venom disintegrins. The disintegrin-like domain contains eight cysteine residues. The first TS repeat is followed by a conserved CRD sequence which contains 10 conserved cysteines. The spacer domain of ADAMTS-8 is 146 amino acids in length and is followed by a second TS module. The ADAMTS-8 protein contains 4 potential glycosylation sites within the mature protease: one is in the cysteine-rich domain; one is in the catalytic domain; and two are in the disintegrin-like domain. ADAMTS-8 bears 46% sequence identity to ADAMTS-1 and 42% identity to ADAMTS-4.

Example 5: ADAMTS-9

The nucleotide sequence of a cDNA encoding a full-length, human ADAMTS-9 protein was obtained using IMAGE clone 646675, which encodes EST AA205581, and a human fetal brain cDNA from Clonetech. The micleotide sequence of a cDNA encoding a partial ADAMTS-9 mouse

BNSDOCID: <WO___0111074A2_I_>

protein was obtained using IMAGE clone 535663, which encodes EST AA1 06215, and a mouse cDNA library obtained from Clonetech. RACE was performed as described above in Example 1. The nucleotide sequence of the cDNA encoding the full-length ADAMTS-9 human proteinand the amino acid sequence of such protein is shown in Fig.6. The nucleotide sequence of the cDNA encoding the partial ADAMTS-9 mouse protein and the amino acid sequence of such protein is shown in Fig. 7.

The predicted Mr of the mature human ADAMTS-9 protein is 189777.20 daltons. The prodomain of the predicted ADAMTS-9 protein has 3 consensus cleavage signal for furin. The catalytic domain of the ADAMTS-9 contains eight cysteine residues and the reprolysin - zinc binding signature sequence, HELGHVFNMPHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 25-30% similarity to snake venom disintegrins The disintegrin domain contains eight cysteine residues. The first TS repeat contains is followed by a conserved CRD sequence which. contains 10 conserved cysteines. The spacer domain of ADAMTS-9 is 124 amino acids in length and is followed by 14 additional TS modules and a C-terminal domain. The ADAMTS-9 protein contains 6 potential glycosylation sites within the mature protease: one in the spacer domain, one in TSP 1 -7, one in TSPI-8, and 3 in the C-terminal domain. The ADAMTS-9 bears 44% sequence identity to ADAMTS-4.

Example 6: ADAMTS-10

The nucleotide sequence of a cDNA encoding a fall-length ADAMTS- 10 protein was obtained using IMAGE clone 110403, which encodes EST AA588434, and a human fetal brain cDNA from Clonetech. The nucleotide sequence of a cDNA encoding a partial, mouse ADAMTS-10 protein was obtained using IMAGE clone 1077653, which encodes EST AA822090, and a mouse embryo cDNA library from Clonetech. RACE was

BNSDOCID: <WO___0111074A2_I_>

performed as described above in Example 1. The nucleotide sequence of the human ADAMTS-10 cDNA and the predicted amino acid sequence, SEQ ID 18, of the human ADAMTS-10 protein encoded by such DNA is shown in Fig. 9. The nucleotide sequence of the cDNA encoding the partial mouse ADAMTS-10 protein and the amino acid sequence of such protein is shown in Fig. 10.

The predicted Mr of the mature ADAMTS-10 protein is 95238 daltons. The pro-domain of the full-length ADAMTS-10 protein has no consensus cleavage signal for furin. The catalytic domain of the ADAMTS-10 contains eight cysteine residues and the reprolysin-zinc binding signature sequence, HEIGHTFGMNHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 30% similarity to snake venom disintegrins. The disintegrin-like domain contains eight cysteine residues. The first TS repeat is followed by a conserved CRD sequence which contains 8 conserved cysteines. The spacer domain of ADAMTS-10 is followed by 4 additional TS modules and a Kunitz domain. The ADAMTS-10 protein contains 2 potential glycosylation sites within the mature protease: one in the catalytic domain, and one in the TS 1-3 domain. ADAMTS-10 bears approximately 40% sequence identity to ADAM-TS1, which is characterized as being involved in inflammation.

Comparison of the ADAMTS-N Proteins.

As shown in Figure 11, the ADAMTS-5. ADAMTS-6, and ADAMTS-7 proteins share a common domain organization. From amino to carboxyl termini, they are as follows:

1. **A pre-pro region.** A typical signal sequence of variable length is followed by a putative pro-region of variable length but demonstrating short stretches of sequence identity. Three cysteine residues are, predicted within each novel pro-domain, of which the most C-terminal is an "asymmetric" cysteine lying within a sequence

context similar to the cysteine "switch" of the MMPs. All three novel cDNAs predict consensus cleavage signals for furin, three in the case of ADAMTS-5, and one each in the case of ADAMTS-6 and ADAMTS-7. The most carboxyl-terminal furin cleavage site in ADAMTS-5 predicts the processing site for generation of the mature protease. The amino terminus of the mature proteins is predicted to start at the residue immediately following the cleavage sites.

2. **A catalytic domain.** The catalytic domains are very similar to each other and contain eight cysteine residues and a typical reprolysin-type zinc binding signature followed by a "Met-turn". Five cysteine residues are upstream of the zinc binding sequence, while three residues are downstream, an arrangement that is shared with other ADAMTS members. The methionine of the met-turn is not at a constant distance from the zinc-binding signature, but in all three novel proteases, a constant cysteine residue is present in that interval.

3. **A disintegrin-like domain.** The catalytic domain is followed by a domain of 60-90 residues with 35-45% similarity to snake venom disintegrins, but without the canonical cysteine arrangement seen in the latter. This disintegrin-like domain is of comparable length in ADAMTS-5 and ADAMTS-7, it is considerably shorter in ADAMTS-6.

4. **A TS module.** The first TS repeat is very similar in all three novel proteases and very similar to the first TS repeat of other ADAMTSs. It contains the same number of residues (fifty-two) in all three novel proteins.

5. **The cysteine-rich domain.** This TS domain is followed by a conserved cysteine-rich sequence termed the cysteine-rich domain (CRD).

6. **The spacer domain.** This domain is of variable length, in all ADAMTSs and lacks the sequence landmarks so characteristic of all the

BNSDOCID: <WO___0111074A2_I_>

other domains. It shows the least homology of all the domains.

7. **A C-terminal TS module.** The sequence of the second TS module is more variant between the members of the ADAMTS family than the first TS module, despite the conservation of the number and spacing of cysteine residues.

Overall, the predicted mature forms of these proteases show 20-30% similarity to each other and to ADAMTS1-4 although this may be considerably higher or lower for individual domains as described above.

ADAM-TS9 and ADAM-TS10 contain all the domains present in ADAMTS-5 through ADAMTS-8. In addition, ADAMTS-9 and ADAMTS-10 contain the following domains:

A. ADAMTS-9: After the c-terminal TS1 domain which is present in ADAMTS5-8, ADAMTS-9 contains 13 additional and homologous TS11 domains, thus, ADAMTS-9 contains a total of 15 TS1 domains, of which 14 are adjacent to each other in the c-terminal half of the molecule. The 15th TS1 domain from the N-terminus is followed by a unique c-terminal domain which does not possess recognizable domain structure and contains 196 residues including 9 cysteine residues.

B. ADAMTS-10: After the c-terminal TS1 domain which is present in ADAMTS 8, ADAMTS-10 contains 3 additional and homologous TS1 domains, thus, that ADAMTS-10 contains a total of 5 TS1 domains, of which 4 are adjacent to each other in the c-terminal half of the molecule. The 5th TS 1 domain from the N-terminus is followed by an additional 47 amino acid residues including six (6) cysteine residues. These 47 residues have sequence similarity of 30%-40% to the c-terminus of pro-hormone convertase 5 and 6, and to the Kunitz family of inhibitors.

Northern Analysis

Mouse embryo northern blots and multiple tissue northern blots

from human and mouse tissues (Clontech, Palo Alto, CA) were hybridized to the [α^{32}P]-dCTP labeled inserts of I.M.A.G.E. clones as per the manufacturer's recommendations followed by autoradiographic exposure for 3-7 days.

In situ hybridization used cryosections of mouse embryos of gestational age 8.5 days and 10.5 days. Embryos were collected with the inclusion of the surrounding uterus and fixed overnight in 4% paraformaldehyde. Sense and anti-sense probes continuously labeled with digoxigenin-UTP (Boehringer-Mannheim, Indianapolis, IN) were transcribed with T7 and T3 RNA polymerases, respectively, using as template a 63 0 bp EcoRI-SacI fragment from the *Adamts*-5 clone 569515 (Fig. 14) cloned into pBluescript SK+ (Stratagene, La Jolla, CA). In situ hybridization was done essentially as previously described in Apte, et al. (1997) J. Biol. Chem. 272:2551-25517, which is specifically incorporated herein by reference, except that sections were predigested with proteinase K (Boehringer-Mannheim, Indianapolis, IN) at a lower, concentration (1 -5 µg/ml) than reported in Apte, et al.. Bound, digoxigenin-labeled probe was detected using an alkaline phosphatase tagged anti-digoxigenin antibody (Boehringer-Mannheim, Indianapolis, IN) and nuclei were counterstained with methyl green.

Specific hybridization of the antisense *Adamts*-5 probe to sections of 8.5 day-old mouse embryos was obtained, whereas only low background staining was noted with the control sense probe. Staining was uniform throughout the 8.5 day old embryos. In addition, there was labeling of mRNA in trophoblastic cells lining the uterine cavity as well as in the developing placenta (Fig. 14). The decidual reaction within the uterus also showed upregulation of *Adamts*-5 mRNA relative to the negative controls. In sections from 10.5 day old embryos, labeling was widespread but less intense compared to the 8.5

day-old embryo. Labeled cells were seen in mesenchyme and somites as well as in the neural tube and developing hindgut. Northern analysis also indicated that mRNA encoding ADAMTS-5 was present in human placenta but was barely detectable in adult lung, heart, brain, liver, skeletal muscle, kidney and pancreas.

Northern analysis showed undetectable expression of *Adamts*-6 during mouse embryo development. Northern analysis indicated that mRNA encoding ADAMTS-6 was present in human placenta but was barely detectable in adult lung, heart, brain, liver, skeletal muscle, kidney and pancreas. *Adamts*-7 was expressed at low levels throughout mouse development. In adult human tissues examined with human cDNA probes, ADAMTS-7 mRNA was found in all tissues examined, i.e. in lung, heart, brain, liver, skeletal muscle, kidney, pancreas and placenta. The sizes of the mRNA species recognized by the probes varied. ADAMTS-5 mRNA was approximately 10 kbp in size in human tissue. The most prominent *Adamts*-5 species was estimated at 7.5 kbp together with additional bands at 10 kbp and 4.5 kbp. The lone mRNA species detected by ADAMTS-6 probe was approximately 8.5 kbp, whereas the most common mRNA species detected by ADAMTS-7 probe 5 was 5 kbp in size with an additional species seen at 7 kbp in skeletal muscle.

In mouse, ADAMTS-8 is expressed during fetal development (days 7, 11, 15, 17) and in adult mouse lung and heart with an mRNA size of approximately 3.8 kbp. In adult human tissue, ADAMTS-8 is expressed in lung and brain but not in heart, muscle, kidney, colon or thymus. The mRNA size is 3.8 kbp.

ADAMTS-9 is expressed in lung, ovary placenta, heart, brain, muscle, kidney and pancreas with a mRNA size of 8 kb. In addition, kidney and ovary contain additional transcripts of size 3 kb and 4.4 kb respectively. These additional transcripts may represent alternatively spliced or short forms of ADAMTS9.

ADAMTS-10 is expressed in thymus, prostate, testis, ovary, small intestine, colon, peripheral blood leukocytes, heart, brain, placenta, lung, liver, muscle, kidney and pancreas, as well as in many cell lines such as A549, HeLa and K562. There are two transcripts of 5 kb and 8kb present in all tissues.

Example 7: ADAMTS-R1

The nucleotide sequence of a cDNA encoding a full-length ADAMTS-R1 protein was obtained using IMAGE clone 752797 which encodes EST AA, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The nucleotide sequence, SEQ ID NO:21, of the ADAMTS-R1 cDNA and the predicted amino acid sequence, SEQ ID NO:22, of the ADAMTS-R1 protein encoded by such DNA is shown in Fig. 11.

The predicted Mr of the full-length, unprocessed ADAMTS-R1 protein is 58358.20 daltons. The domain organization of the ADAMTS-10 protein is shown in Fig. 15. In contrast to the ADAMTS-N proteins of examples 1-6, ADAMTS-R1 protein does not have a pro-metalloprotease or disintegrin-like domain or a consensus cleavage signal for furin. ADAMTS-R1 has a signal(pre) peptide which is followed by a first TS module and a conserved CRD sequence which contains 10 conserved cysteines. The spacer domain of ADAMTS-R1 is 115 amino acids in length and is followed by 3 additional TS modules and a short sequence of 33 amino acids. The ADAMTS-R1 protein contains one potential glycosylation sites which is in the spacer domain. ADAMTS-R1 bears 30-40% sequence identity to ADAMTS1 and ADAMTS4 in the related domains. ADAMTS-R1 mRNA is present in human heart, brain, kidney, muscle, lung, placenta, testis, ovary, colon, intestine, and prostate. There are three transcripts of 2.5 kb, 4.7 kb and 6.5 kbp present in all such tissues. In mouse, expression is seen in skeletal muscle, and the transcript size is 6.5 kb.

BNSDOCID: <WO___0111074A2_I_>

Although certain embodiments of this invention have been shown and described, various adaptations and modifications can be made without departing from the scope of the invention as defined in the appended claims.

CLAIMS

1. An isolated mammalian protein selected from the group consisting of an ADAMTS-5 protein an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein, and an ADAMTS-R1 protein.

2. The isolated mammalian protein of claim 1 wherein said protein comprises an amino acid sequence which is at least 95% identical to a sequence selected from the group consisting of: amino acid 262 through amino acid 930 of SEQ ID NO:2; amino acid 1 through amino acid 518 of SEQ ID NO:4; amino acid 245 through amino acid 860 of SEQ ID NO:6; amino acid 233 through amino acid 997 of SEQ ID NO:8; amino acid 229 through amino acid 905 of SEQ ID NO:10; amino acid 1 through amino acid 245 of SEQ ID NO:12; amino acid 236 through amino acid 1882 of SEQ ID NO:14; amino acid 1 through amino acid 874 of SEQ ID NO:16; amino acid 212 through amino acid 1081 of SEQ ID NO:18; amino acid 1 through amino acid 450 of SEQ ID NO:20; and amino acid 1 through amino acid 547 of SEQ ID NO:22.

3. The isolated protein of claim 2 wherein said amino acid sequence further comprises a prepropeptide sequence at the amino terminus thereof.

4. The isolated protein of claim 1 wherein said protein is a human ADAMTS-5 protein or a mouse ADAMTS-5 protein.

5. The isolated protein of claim 1 wherein said protein is a human ADAMTS-6 protein.

6. The isolated protein of claim 1 wherein said protein is a human ADAMTS-7 protein.

7. The isolated protein of claim 1 wherein said protein is a mouse ADAMTS-8 or a human ADAMTS-8 protein.

8. The isolated protein of claim 1 wherein said protein is a human

BNSDOCID: <WO___0111074A2_I_>

ADAMTS-9 or a mouse ADAMTS-9 protein.

9. The isolated protein of claim 1 wherein said protein is a human ADAMTS-10 or a mouse ADAMTS-10 protein.

10. The isolated protein of claim 1 wherein said protein is a human ADAMTS-R1 protein.

11. An isolated polynucleotide comprising a sequence which encodes a mammalian protein selected from the group consisting of an ADAMTS-5 protein, an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein, and an ADAMTS-R1 protein.

12. The isolated polynucleotide of claim 11 wherein said protein comprises an amino acid sequence which is at least 95% identical to a sequence selected from the group consisting of: amino acid 262 through amino acid 930 of SEQ ID NO:2; amino acid 1 through amino acid 518 of SEQ ID NO:4; amino acid 245 through amino acid 860 of SEQ ID NO:6; amino acid 233 through amino acid 997 of SEQ ID NO:8; amino acid 229 through amino acid 905 of SEQ ID NO:10; amino acid 1 through amino acid 245 of SEQ ID NO:12; amino acid 236 through amino acid 1882 of SEQ ID NO:14; amino acid 1 through amino acid 874 of SEQ ID NO:16; amino acid 212 through amino acid 1081 of SEQ ID NO:18; amino acid 1 through amino acid 450 of SEQ ID NO:20, and amino acid 1 through amino acid 547 of SEQ ID NO:22.

13. The isolated polynucleotide of claim 11 wherein said nucleotide sequence encodes a protein having a signal sequence at the amino terminus thereof.

14. The isolated polynucleotide of claim 11 wherein said polynucleotide comprises a sequence selected from the group consisting of: nucleotide 800 through nucleotide 2810 of SEQ ID NO:1 of an allelic variant thereof; nucleotide 1 through

nucleotide 1519 of SEQ ID NO:3 or an allelic variant thereof; nucleotide 754 through nucleotide 2602 of SEQ ID NO:5 or an allelic variant thereof; nucleotide 708 through nucleotide 3003 of SEQ ID NO:7 or an allelic variant thereof; nucleotide 962 through nucleotide 2992 of SEQ ID NO:9 or an allelic variant thereof; nucleotide 1 through nucleotide 739 of SEQ ID NO:11 or an allelic variant thereof; nucleotide 708 through nucleotide 5648 of SEQ ID NO:13 or an allelic variant thereof; nucleotide 1 through nucleotide 2625 of SEQ ID NO:15 or an allelic variant thereof; nucleotide 634 through nucleotide 3243 of SEQ ID NO:17 or an allelic variant thereof; nucleotide 1 through nucleotide 1642 of SEQ ID NO:19 or an allelic variant thereof; and nucleotide 51 through nucleotide 1625 of SEQ ID NO:21 or an allelic variant thereof.

15. The isolated polynucleotide of claim 11 wherein said polynucleotide hybridizes under stringent conditions to a nucleic acid molecule comprising a sequence complementary to the protein encoding sequence of SEQ ID NO:1; SEQ ID NO:3; SEQ ID NO:5; SEQ ID NO:7; SEQ ID NO:9; SEQ ID NO:11; SEQ ID NO:13; SEQ ID NO:15; SEQ ID NO:17; SEQ ID NO:19; or SEQ ID NO:21.

16. An isolated polynucleotide having a sequence which is complementary to the protein encoding sequence of the polynucleotide of claim 11.

17. An expression vector comprising a polynucleotide of claim 11.

18. A host cell transformed or transfected with an expression vector of claim 17.

19. A method for producing an ADAMTS-N protein or an ADAMTS-R1 protein, said method comprising the steps of

(a) culturing a host cell of claim 18 under conditions suitable for expression of an ADAMTS-N protein or an ADAMTS-R1

BNSDOCID: <WO___0111074A2_I_>

protein; and

(b) recovering said ADAMTS-N protein or said ADAMTS-R1 protein from the host cell culture.

20. An antibody that binds to a protein selected from the group consisting of an ADAMTS-5 protein, an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein and an ADAMTS-R1 protein.

21. An oligopeptide for producing an antibody that binds to an ADAMTS-N protein or an ADAMTS-R1 protein wherein said oligopeptide has a sequence selected from the group consisting of:

a) SVSIERFVETLVVADK, SEQ ID NO:23;

b) EVAEAANFLALRSEDPDKY, SEQ ID NO:24;

c) VKEDVENPKAVVDGDWGP, SEQ ID NO:25;

d) QHPFQNEDYRPRSASPSRTH, SEQ ID NO:26;

e) PQNCKEVKRLKGASEDGEYF, SEQ ID NO:27;

f) QELEEGAAVSEEPS, SEQ ID NO:28;

g) YYPENIKPKPKLQE; SEQ ID NO:29;

h) HIKVRQFKAKDQTRF; and

i) CEAKNGYQSDAKGVKTFVEWVPKYAG, SEQ ID NO:30.

Fig. 1

```
FEATURES             Location/Qualifiers
     source          1..3002
                     /organism="Mus musculus"
                     /db_xref="taxon:10090"
                     /chromosome="Mouse 16"
                     /map="58 cM (consensus position)"
     gene            1..3002
                     /note="a disintegrin-like and metalloprotease domain with
                     thrombospondin type I repeats)"
                     /gene="Adamts5"
     CDS             18..2810
                     /gene="Adamts5"
                     /note="putative secreted metalloprotease"
                     /codon_start=1
                     /product="ADAM-TS5 (a disintegrin-like and metalloprotease
                     domain with thrombospondin type I repeats)"
                     /translation="MRLEWASLLLLLLLLSASCLSLAADSPAAAPAQDKTRQPQAAAA
                     AAEPDQPQGEETRERGHLQPLAGQRRSGGLVHNIDQLYSGGGKVGYLVYAGGRRFLLD
                     LERDDTVGAAGSIVTAGGGLSASSGHRGHCFYRGTVDGSPRSLAVFDLCGGLDGFFAV
                     KHARYTLKPLLRGSWAEYERIYGDGSSRILHVYNREGFSFEALPPRASCETPASPSGP
                     QESPSVHSRSRRRSALAPQLLDHSAFSPSGNAGPQTWWRRRRRSISRARQVELLLVAD
                     SSMARMYGRGLQHYLLTLASIANRLYSHASIENHIRLAVVKVVVLTDKDTSLEVSKNA
                     ATTLKNFCKWQHQHNQLGDDHEEHYDAAILFTREDLCGHHSCDTLGMADVGTICSPER
                     SCAVIEDDGLHAAFTVAHEIGHLLGLSHDDSKFCEENFGTTEDKRLMSSILTSIDASK
                     PWSKCTSATITEFLDDGHGNCLLDLPRKQILGPEELPGQTYDATQQCNLTFGPEYSVC
                     PGMDVCARLWCAVVRQGQMVCLTKKLPAVEGTPCGKGRVCLQGKCVDKTKKKYYSTSS
                     HGNWGSWGPWGQCSRSCGGGVQFAYRHCNNPAPRNSGRYCTGKRAIYRSCSVTPCPPN
```

GKSFRHEQCEAKNGYQSDAKGVKTFVEWVPKYAGVLPADVCKLTC.....
KVTDGTECRPYSNSVCVRGRCVRTGCDGIIGSKLQYDKCGVCGGDNSSCTKIIGTFNK
KSKGYTDVVRIPEGATHIKVRQFKAKDQTRFPAYLALKKKTGEYLINGKYMISTSETI
IDINGTVMNYSGWSHRDDFLHGMGYSATKEILIVQILATDPTKALGVRYSFFVPKKTT
QKVNSVISHGSNKVGPHSTQLQWVTGPWLACSRTCDTGWHTRTVQCQDGNRKLAKGCL
LSQRPSAFKQCLLKKC*

BASE COUNT 726 a 788 c 845 g 643 t
ORIGIN

```
   1 ccggcgggca gcgcactatg cggctcgagt gggcgtcctt gttgctgcta ctgctgctgc
  61 tgagcgcgtc ctgcctgtcc ctggccgctg acagccccgc cgcggcacct gcccaggata
 121 aaaccaggca gcctcaggct gcagcagcgg ccgccgagcc ggaccagccg caggggagg
 181 aaacacggga gcgaggccat ttacaaccct tggccgggca gcgcaggagc ggcgggctgg
 241 tccataatat agaccaactc tactctggcg gtggcaaagt gggctacctt gtctacgcgg
 301 gcggccggag gttcctgctg gacctggaga gagatgacac agtgggtgct gctggtagca
 361 tcgttactgc aggaggaggg ctgagcgcat cctctggcca ccggggtcac tgtttctaca
 421 gaggcaccgt ggacggcagc cctcgatccc tagctgtctt tgacctctgc gggggtctcg
 481 atggcttctt tgcagtcaag catgcgcgct acactctaaa gccactcctg cgtgggtcct
 541 gggcagagta tgaacgaatt tatggggatg gatcttcccg catcctgcat gtctacaacc
 601 gcgagggctt tagcttcgag gccctgccgc cacgcgccag ttgcgagact cctgcatccc
 661 catctgggcc ccaagagagc ccctcggtgc acagtagatc taggagacgc tcagcgctgg
 721 ccccgcagct gctggaccac tcagctttct cgccatctgg gaacgcggga cctcagactt
 781 ggtggaggcg taggcgccgt tccatctcca gggcccgcca ggtggagctc ctcttggtgg
 841 ctgactcgtc catggccagg atgtatgggc ggggcctgca gcattacctg ctgaccctgg
 901 cctccatcgc caacaggctg tacagtcatg caagcattga gaaccacatc cgcctggcgg
 961 tggtgaaggt ggtggtgctg acggacaagg acacgagtct ggaggtgagc aagaatgcgg
1021 ccacgaccct caagaacttt tgcaaatggc agcaccaaca taaccagcta ggggatgatc
1081 acgaagagca ctacgatgca gccatcctgt tcacccgaga ggatttatgt gggcatcatt
1141 catgtgacac cctgggaatg gcagacgttg ggaccatatg ttctccggag cgcagctgtg
1201 cagtgattga agatgatggc ctccatgcag ccttcactgt ggctcatgaa attgggcatc
1261 tacttggcct ttctcatgac gattccaaat tctgtgaaga gaacttcggt actacagaag
1321 acaagcgttt aatgtcttca atccttacca gcatcgatgc atccaagccc tggtccaaat
1381 gcacgtcagc caccatcaca gaattcctgg atgatggtca tggtaattgt ttgctagacc
1441 taccacggaa gcagattttg ggtcccgagg aactcccagg acagacctac gatgccaccc
1501 agcagtgcaa cttgacattt gggcctgagt actcggtgtg ccctggcatg gatgtctgtg
1561 cgcggctgtg gtgtgctgtg gtgcgccaag gccaaatggt gtgtctgacc aagaagctgc
1621 cggctgtgga gggcactccc tgtgggaagg gaagagtctg ccttcaaggc aaatgtgtgg
1681 acaaaactaa gaaaaaatat tactcgacat caagccatgg aaattggggg tcctggggcc
1741 cctggggtca gtgttctcgc tcatgcgggg gaggagtgca gtttgcctac cgccattgta
1801 ataaccctgc acctcgaaac agtggccgct actgcacagg gaagagggcc atataccgtt
1861 cctgcagtgt tacaccctgc ccacccaatg gtaaatcttt tcgccatgag cagtgtgaag
1921 ccaaaaatgg ctatcagtct gatgcaaaag gagtcaaaac atttgtagaa tgggttccca
1981 aatatgcagg tgtcctgccg gcagatgtgt gcaagcttac ctgcagagct aagggcacag
2041 gctactatgt ggtcttttct ccaaaggtta cggatgggac tgaatgcagg ccgtacagca
2101 actctgtgtg tgtccgagga cggtgtgtga gaactggatg tgacggcatt attggctcaa
2161 agctacaata tgacaagtgt ggagtgtgcg gaggggataa ctccagttgt acaaagatta
2221 tcggaacctt caataaaaaa agcaagggtt atactgacgt tgtgaggatc cctgaaggag
2281 caacccacat aaaagtccga cagttcaaag ccaaagacca gactagattc cctgcctact
2341 tagccctgaa gaagaaaact ggcgagtacc ttatcaatgg caagtacatg atttccactt
2401 cagagaccat catcgacatc aatggtaccg tcatgaacta cagtggatgg agccacagag
2461 atgatttttt acatgggatg ggctattcag ccacaaaaga aatcctgatc gtgcagatcc
2521 ttgccacaga cccaactaaa gcgctaggcg tccgttacag ctttttttgtt cccaagaaga
2581 ccactcaaaa agtaaactct gtcatcagcc atggcagcaa caaggtggga ccacactcta
2641 cacagctgca gtgggtgaca ggtccatggc tggcctgctc caggacctgt gacacaggct
2701 ggcacactag gaccgtgcag tgccaggatg gaaacaggaa attagctaaa ggatgccttc
2761 tctctcagag gccttctgca tttaagcaat gtctgctgaa gaaatgttag cctgtggttt
2821 actctaatgc acaaaaaaac aacaggagga tcatcgcaga tacagctgtg gtgaagacaa
2881 ggcctaccca aagcacagaa agtcatgcct tcatgtcatt gtcaccacga gtcgaattat
2941 gggcagaatc tgctctctgc gaccaaaagg tttactctac ttggtgaatg atggtaccgt
3001 ga
```

Fig. 2

```
FEATURES             Location/Qualifiers
     source          1..1520
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="21"
BASE COUNT      416 a    372 c    376 g    352 t      4 others
ORIGIN
       1 ggacatttac ttggcctctc ccatgacgat tccaaattct gtgaagagac ctttggttcc
      61 acagaagata agcgcttaat gtcttccatc cttaccagca ttgatgcatc taagccctgg
     121 tccaaatgca cttcagccac catcacagaa ttcctggatg atggccatgg taactgtttg
     181 ctggacctac cacgaaagca gatcctgggc cccgaagaac tcccaggaca gacctacgat
     241 gccacccagc agtgcaacct gacattcggg cctgagtact ccgtgtgtcc cggcanggat
     301 gtctgtgctc gcctgtggtg tgctgtggta cgccagggcc agatggtctg tctgaccaag
     361 gagtgcagtt tgcctatcgt cactgtaata accctgctcc cagaaacaac ggacgctact
     421 gcacagggaa gagggccatc taccactcct gcagtctcat gccctgccca cccaatggta
     481 aatcatttcg tcatgaacag tgtgaggcca aaaatggcta tcagtctgat gcaaaaggag
     541 tcaaaacttt tgtggaatgg gttcccaaat atgcaggtgt cctgccagcg gatgtgtgca
     601 agctgacctg cagagccaag ggcactggct actatgtggt attttctcca aaggtgaccg
     661 atggcactga atgtaggccg tacagtaatt ccgtctgcgt ccgggggaag tgtgtgagaa
     721 ctggctgtga cggcatcatt ggctcaaagc tgcagtatga caagtgcgga gtatgtggag
     781 gagacaactc cagctgtaca aagattgttg gaacctttaa taagaaaagt aagggttaca
     841 ctgacgtggt gaggattcct gaaggggcaa cccacataaa agttcgacag ttcaaagcca
     901 aagaccagac tagattcact gcctatttag ccctgaaaaa gaaaaacggt gagtaccttа
     961 tcaatggaaa gtacatgatc tccacttcag agactatcat tgacatcaat ggaacagtca
    1021 tgaactatag cggttggagc cacagggatg acttcctgca tggcatgggc tactctgcca
    1081 cgaaggaaat tctaatagtg cagattcttg caacagaccc cactaaacca ttagatgtcc
    1141 gttatagctt ttttgttccc aagaagtcca ctccaaaagt aaactctgtc actagtcatg
    1201 gcagcaataa agtgggatca cacacttcgc agccgcagtg ggtcacgggc ccatggctcg
    1261 cctgctctag gacctgtgac acaggttggc acaccagaac ggtgcagtgc caggatggaa
    1321 accggaagtt agcaaaagga tgtcctctct cccaaaggcc ttctgcgttt aagcaatgct
    1381 tgttgaagaa atgttagcct gtgggttatg atcttattgc acaaaagata ctggaggatt
    1441 cancacccgt gcaatcnngg tgaacaggaa ggctaccttа acgcacagaa agtcatgctt
    1501 taatgacatt gtcaaccagg
```

Fig. 3

```
FEATURES             Location/Qualifiers
     source          1..2848
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="5"
     gene            1..2848
                     /note="  A Disintegrin-like And Metalloprotease domain
                     with ThromboSpondin type I motifs 6"
                     /gene="ADAMTS6"
     CDS             22..2602
                     /gene="ADAMTS6"
                     /note="zinc metalloprotease"
                     /codon_start=1
                     /product="  A Disintegrin-like And Metalloprotease domain
                     with ThromboSpondin type I motifs-6 (ADAM-TS6)"
                     /translation="MEILWKTLTWILSLIMASSEFHSDHRLSYSSQEEFLTYLEHYQL
                     TIPIRVDQNGAFLSFTVKNDKHSRRRRSMDPIDPQQAVSKLFFKLSAYGKHFHLNLTL
                     NTDFVSKHFTVEYWGKDGPQWKHDFLDNCHYTGYLQDQRSTTKVALSNCVGLHGVIAT
                     EDEEYFIEPLKNTTEDSKHFSYENGHPHVIYKKSALQQRHLYDHSHCGVSDFTRSGKP
                     WWLNDTSTVSYSLPINNTHIHHRQKRSVSIERFVETLVVADKMMVGYHGRKDIEHYIL
                     SVMNIVAKLYRDSSLGNVVNIIVARLIVLTEDQPNLEINHHADKSLDSFCKWQKSILS
                     HQSDGNTIPENGIAHHDNAVLITRYDICTYKNKPCGTLGLASVAGMCEPERSCSINED
                     IGLGSAFTIAHEIVHNFGMNHDGIGNSCGRKVMKQQNYGSSHYCEYQSFFLVCLQSRX
                     HHQLFREVCRELWCLSKSNRCVTNSIPAAEGTLCQTGNIEKGWCYQGDCVPFGTWPQS
                     IDGGWGPWSLWGECSRTCGGGVSSSLRHCDSPAPSGGGKYCLGERKRYRSCNTDPCPL
                     GSRDFREKQCADFDNMPFRGKYYNWKPYTGGGVKPCALNCLAEGYNFYTERAPAVIDG
                     TQCNADSLDICINGECKHVGCDNILGSDAREDRCRVCGGGGSTCDAIEGFFNDSLPRG
```

Fig. 3 (con't)

GYMEVVQIPRGSVHIEVREVAMSKNYIALKSEGDDYYINGAWTIDWPRKFDVAGTAFH
YKRPTDEPESLEALGPTSENLIVMVLLQEQNLGIRYKFNVPITRTGSGDNEVGFTWNH
QPWSECSATCAGGKMPTRQPTQRARWRTKHILSYALCLLKKLIGNISCRFASSCNLAK
ETLL*

BASE COUNT 837 a 551 c 664 g 794 t 2 others
ORIGIN

```
       1 aatcatccag ttttctaaat tatggaaatt ttgtggaaga cgttgacctg gattttgagc
      61 ctcatcatgg cttcatcgga atttcatagt gaccacaggc tttcatacag ttctcaagag
     121 gaattcctga cttatcttga acactaccag ctaactattc caataagggt tgatcaaaat
     181 ggagcatttc tcagctttac tgtgaaaaat gataaacact caaggagaag acggagtatg
     241 gaccctattg atccacagca ggcagtatct aagttatttt ttaaactttc agcctatggc
     301 aagcactttc atctaaactt gactctcaac acagattttg tgtccaaaca ttttacagta
     361 gaatattggg ggaaagatgg accccagtgg aaacatgatt ttttagacaa ctgtcattac
     421 acaggatatt tgcaagatca acgtagtaca actaaagtgg ctttaagcaa ctgtgttggg
     481 ttgcatggtg ttattgctac agaagatgaa gagtatttta tcgaaccttt aaagaatacc
     541 acagaggatt ccaagcattt tagttatgaa aatggccacc ctcatgttat ttacaaaaag
     601 tctgcccttc aacaacgaca tctgtatgat cactctcatt gtggggtttc ggatttcaca
     661 agaagtggca aaccttggtg gctgaatgac acatccactg tttcttattc actaccaatt
     721 aacaacacac atatccacca cagacagaag agatcagtga gcattgaacg gtttgtggag
     781 acattggtag tggcagacaa aatgatggtg ggctaccatg gccgcaaaga cattgaacat
     841 tacattttga gtgtgatgaa tattgttgcc aaactttacc gtgattccag cctaggaaac
     901 gttgtgaata ttatagtggc ccgcttaatt gttctcacag aagatcagcc aaacttggag
     961 ataaaccacc atgcagacaa gtccctcgat agcttctgta aatggcagaa atccattctc
    1021 tcccaccaaa gtgatggaaa caccattcca gaaaatggga ttgcccacca cgataatgca
    1081 gttcttatta ctagatatga tatctgcact tataaaaata agccctgtgg aacactgggc
    1141 ttggcctctg tggctggaat gtgtgagcct gaaaggagct gcagcattaa tgaagacatt
    1201 ggcctgggtt cagcttttac cattgcacat gagattgttc acaattttgg tatgaaccat
    1261 gatggaattg gaaattcttg tggacgaaag gtcatgaagc agcaaaatta tggcagctca
    1321 cattactgcg aataccaatc ctttttcctg gtctgcttgc agtcgagant acatcaccag
    1381 ctttttagag aagtgtgtag agagctctgg tgtctcagca aaagcaaccg ctgtgtcacc
    1441 aacagtattc cagcagctga ggggacactg tgtcaaactg ggaatattga aaaagggtgg
    1501 tgttatcagg gagattgtgt tccttttggc acttggcccc agagcataga tgggggctgg
    1561 ggtccctggt cactatgggg agagtgcagc aggacctgcg ggggaggcgt ntcctcatcc
    1621 ctaagacact gtgacagtcc agcaccttca ggaggtggaa aatattgcct tggggaaagg
    1681 aaacggtatc gctcctgtaa cacagatcca tgccctttgg gttcccgaga ttttcgagag
    1741 aaacagtgtg cagactttga caatatgcct ttccgaggaa agtattataa ctggaaaccc
    1801 tatactggag gtggggtaaa accttgtgca ttaaactgct tggctgaagg ttataatttc
    1861 tacactgaac gtgctcctgc ggtgatcgat gggacccagt gcaatgcgga ttcactggat
    1921 atctgcatca atggagaatg caagcacgta ggctgtgata atattttggg atctgatgct
    1981 agggaagata gatgtcgagt ctgtggaggg ggcggaagca catgtgatgc cattgaaggg
    2041 ttcttcaatg attcactgcc caggggaggc tacatggaag tggtgcagat accaagaggc
    2101 tctgttcaca ttgaagttag agaagttgcc atgtcaaaga actatattgc tttaaaatct
    2161 gaaggagatg attactatat taatggtgcc tggactattg actggcctag gaaatttgat
    2221 gttgctggga cagcttttca ttacaagaga ccaactgatg aaccagaatc cttggaagct
    2281 ctaggtccta cctcagaaaa tctcatcgtc atggttctgc ttcaagaaca gaatttggga
    2341 attaggtata agttcaatgt tcccatcact cgaactggca gtggagataa tgaagttggc
    2401 tttacatgga atcatcagcc ttggtcagaa tgctcagcta cttgtgctgg aggtaagatg
    2461 cccactaggc agcccaccca gagggcaaga tggagaacaa aacacattct gagctatgct
    2521 ttgtgtttgt taaaaaagct aattggaaac atttcttgca ggtttgcttc aagctgtaat
    2581 ttagcaaaag aaactttgct ttaattatat tatattccat ttgttttcaa cctcatgtaa
    2641 tttgtgcaga tttgttggta aaatacatct tggcacaatg agtgtctctg ctggtgcttc
    2701 tcccaagact atcttgaagg tgggctgttt gcctttcgtg aacacattct tggtaaagaa
    2761 catcaaaagt tttaaaaaag aaaatgagca agaatcagac atcacagatg caacttcttg
    2821 taatgggaga tgagaatgta cggctgtg
```

Fig. 4

FEATURES Location/Qualifiers
source 1..3218
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="15"
gene 1..3218
/gene="ADAMTS7"
CDS 13..3003
/gene="ADAMTS7"
/note="ZINC METALLOPROTEASE"
/codon_start=1
/product=" A Disintegrin-like And Metalloprotease domain with ThromboSpondin type I motifs-7 (ADAM-TS7)"
/translation="MPGGPSPRSPAPLLRPLLLLLCALAPGAPGPAPGRATEGRAALD
IVHPVRVDAGGSFLSYELWPRALRKRDVSVRRDAPAFYELQYRGRELRFNLTANQHLL
APGFVSETRRRGGLGRAHIRAHTPACHLLGEVQDPELEGGLAAISACDGLKGVFQLSN
EDYFIEPLDSAPARPGHAQPHVVYKRQAPERLAQRGDSSAPSTCGVQVYPELESRRER
WEQRQQWRRPRLRRLHQRSVSKEKWVETLVVADAKMVEYHGQPQVESYVLTIMNMVAG
LFHDPSIGNPIHITIVRLVLLEDEEEDLKITHHADNTLKSFCKWQKSINMKGDAHPLH
HDTAILLTRKDLCAAMNRPCETLGLSHVAGMCQPHRSCSINEDTGLPLAFTVAHELGH
SFGIQHDGSGNDCEPVGKRPFIMSPQLLYDAAPLTWSRCSRQYITRFLDRGWGLCLDD
PPAKDIIDFPSVPPGVLYDVSHQCRLQYGAYSAFCEDMDNVCHTLWCSVGTTCHSKLD
AAVDGTRCGENKWCLSGECVPVGFRPEAVDGGWSGWSAWSICSRSCGMGVQSAERQCT
QPTPKYKGRYCVGERKRFRLCNLQACPAGRPSFRHVQCSHFDAMLYKGQLHTWVPVVN
DVNPCELHCRPANEYFAKKLRDAVVDGTPCYQVRASRDLCINGICKNVGCDFEIDSGA
MEDRCGVCHGNGSTCHTVSGTFEEAEGLGYVDVGLIPAGAREIRIQEVAEAANFLALR
SEDPEKYFLNGGWTIQWNGDYQVAGTTFTYARRGNWENLTSPGPTKEPVWIQVPASRG

PGGGSRGGVPRPSTLHGRSRPGGVSPGSVTEPGSEPGPPAAASTS
VHRGGWGQAPLGLGGWRRHLVLMGPRLPTQLLFQESNPGVHYEYT[illegible]
PVFSWHYGPWTKCTVTCGRGEKWGRHSPTCRGLVSGQGHWLQLPAHCWATTGLEVCFS
EPQFSICEMRLAIALCPRPAGRVHG*

BASE COUNT 584 a 1041 c 1003 g 590 t
ORIGIN

1 ccggttcctg ccatgcccgg cggccccagt ccccgcagcc ccgcgccttt gctgcgcccc
61 ctcctcctgc tcctctgcgc tctggctccc ggcgcccccg gacccgcacc aggacgtgca
121 accgagggcc gggcggcact ggacatcgtg cacccggttc gagtcgacgc ggggggctcc
181 ttcctgtcct acgagctgtg gccccgcgca ctgcgcaagc gggatgtatc tgtgcgccga
241 gacgcgcccg ccttctacga gctacaatac cgcgggcgcg agctgcgctt caacctgacc
301 gccaatcagc acctgctggc gcccggcttt gtgagcgaga cgcggcggcg cggcggcctg
361 ggccgcgcgc acatccgggc ccacaccccg gcctgccacc tgcttggcga ggtgcaggac
421 cctgagctcg agggtggcct ggcggccatc agcgcctgcg acggcctgaa aggtgtgttc
481 cagctctcca acgaggacta cttcattgag cccctggaca gtgccccggc ccggcctggc
541 cacgcccagc cccatgtggt gtacaagcgt caggccccgg agaggctggc acagcggggt
601 gattccagtg ctccaagcac ctgtggagtg caagtgtacc cagagctgga gtctcgacgg
661 gagcgttggg agcagcggca gcagtggcgg cggccacggc tgaggcgtct acaccagcgg
721 tcggtcagca aagagaagtg ggtggagacc ctggtagtag ctgatgccaa aatggtggag
781 taccacggac agccgcaggt tgagagctat gtgctgacca tcatgaacat ggtggctggc
841 ctgtttcatg accccagcat tgggaacccc atccacatca ccattgtgcg cctggtcctg
901 ctggaagatg aggaggagga cctaaagatc acgcaccatg cagacaacac cctgaagagc
961 ttctgcaagt ggcagaaaag catcaacatg aaggggatg cccatccccc gcaccatgac
1021 actgccatcc tgctcaccag aaaggacctg tgtgcagcca tgaaccggcc ctgtgagacc
1081 ctgggactgt cccatgtggc gggcatgtgc cagccgcacc gcagctgcag catcaacgag
1141 gacacgggcc tgccgctggc cttcactgta gcccacgagc tcgggcacag ttttggcatt
1201 cagcatgacg gaagcggcaa tgactgtgag cccgttggga aacgaccttt catcatgtct
1261 ccacagctcc tgtacgacgc cgctcccctc acctggtccc gctgcagccg ccagtatatc
1321 accaggttcc ttgaccgtgg gtggggcctg tgcctggacg accctcctgc caaggacatt
1381 atcgacttcc cctcggtgcc acctggcgtc ctctatgatg taagccacca gtgccgcctc
1441 cagtacgggg cctactctgc cttctgcgag gacatggata atgtctgcca cacactctgg
1501 tgctctgtgg ggaccacctg tcactccaag ctggatgcag ctgtggacgg cacccggtgt
1561 ggggagaata agtggtgtct cagtggggag tgcgtacccg tgggcttccg gcccgaggcc
1621 gtggatggtg gctggtctgg ctggagcgcc tggtccatct gctcacggag ctgtggcatg
1681 ggcgtacaga gcgccgagcg gcagtgcacg cagcctacgc ccaaatacaa aggcagatac
1741 tgtgtgggtg agcgcaagcg cttccgcctc tgcaacctgc aggcctgccc tgctggccgc
1801 ccctccttcc gccacgtcca gtgcagccac tttgacgcta tgctctacaa gggccagctg
1861 cacacatggg tgcccgtggt caatgacgtg aacccctgcg agctgcactg ccggcccgcg
1921 aatgagtact ttgccaagaa gctgcgggac gccgtggtcg atggcacccc ctgctaccag
1981 gtccgagcca gccgggacct ctgcatcaac ggcatctgta agaacgtggg ctgtgacttc
2041 gagattgact ccggtgctat ggaggaccgc tgtggtgtgt gccacggcaa cggctccacc
2101 tgccacaccg tgagcgggac cttcgaggag gccgagggtc tggggtatgt ggatgtgggg
2161 ctgatcccag cgggcgcacg cgagatccgc atccaagagg ttgccgaggc tgccaacttc
2221 ctggcactgc ggagcgagga cccggagaag tacttcctca atggtggctg gaccatccag
2281 tggaacgggg actaccaggt ggcagggacc accttcacat acgcacgcag gggcaactgg
2341 gagaacctca cgtccccggg tcccaccaag gagcctgtct ggatccaggt gcctgcctcc
2401 cgtggcccag gcgggggggag cagaggcgga gtccccaggc ccagcaccct ccatggcagg
2461 tctcgtcctg gaggagtgag ccctggttca gtcacagagc ctggctctga gccaggccct
2521 cctgctgcgg cctctacctc agtttcccca tctttaaaat ggcccaatct tgtagctgca
2581 gttcacagag gtggctgggg tcaagctcct ttaggactgg gtggatggag aagacacctt
2641 gtgctcatgg gccccgcct gcccacccag ctgctgttcc aggagagcaa ccctggggtg
2701 cactacgagt acaccatcca cagggaggca ggtggccacg acgaggtccc gccgcccgtg
2761 ttctcctggc attatgggcc ctggaccaag tgcacagtca cctgcggcag aggtgagaag
2821 tggggcaggc acagccccac ctgcaggggc ttagtgtctg gacagggaca ctggcttcag
2881 ctcccagctc actgctgggc caccacgggt ttggaagttt gcttctctga gcctcagttc
2941 tccatctgtg agatgaggct agcgattgcc ctgtgtccca ggcccgctgg gagggtacat
3001 ggatgaggca ggtgggtgct ggctcgcggc gcatgttcag tgtgctccag ctcttggcgt
3061 tctccctcca ggggacacag ctccccctcg atagaccagt ccagtggccc ctcaccacac
3121 tgacttattt ccctaaacta tttataaaaa gtagggcaat ttcattaact ctgactctta
3181 cctgcccggg cggccgctcg agccgagtaa tcactagt

Fig. 5A



BNSDOCID: <WO___0111074A2_I_>

Fig. 5A (con't)

1760 1770 1780 1790 1800 1810 1820

GCCCGTCATCGGGATAGTGATGAGCCCATTTGCCACACAAAGAATGGTAGCCTGCTCTGGGCTGATGGTA 1820
CACCCTGTGGCCCTGGGCACCTGTGCCTGGATGGTAGCTGTGTACTCAAGGAGGATGTGGAGAATCCCAA 1890
GGCTGTGGTAGATGGAGACTGGGGTCCCTGGAGACCCTGGGGACAATGTTCTCGCACCTGTGGTGGAGGG 1960
ATACAATTCTCGAACCGTGAATGTGATAATCCAATGCCTCAGAATGGAGGAAGATTTTGCCTGGGTGAAA 2030
GAGTCAAGTACCAATCATGCAACACAGAGGAATGTCCACCAAACGGAAAAAGCTTCCGGGAGCAGCAGTG 2100

2110 2120 2130 2140 2150 2160 2170

TGAGAAATATAATGCCTACAACCACACTGACCTGGATGGGAATTTCCTGCAGTGGGTCCCCAAGTATTCA 2170
GGAGTGTCCCCCCGAGACCGATGCAAGCTGTTTTGCAGAGCCCGTGGGAGGAGTGAGTTCAAAGTGTTTG 2240
AAGCTAAGGTGATCGATGGCACTCTGTGTGGACCGGATACTCTGTCCATCTGCGTCCGGGGGCAATGTGT 2310
TAAGGCTGGCTGTGACCATGTGGTGAACTCACCTAAGAAGCTGGACAAATGTGGGGTGTGTGGGGGCAAA 2380
GGCACTGCCTGTAGGAAGATCTCCGGTTCTTTCACCCCCTTCAGTTATGGCTACAATGACATTGTCACCA 2450

2460 2470 2480 2490 2500 2510 2520

TCCCAGCTGGTGCCACAAACATTGATGTGAAACAGCGGAGTCACCCAGGGGTCAGGAACGACGGCAGCTA 2520
CCTGGCGCTGAAGACAGCCAATGGGCAGTACCTGCTCAATGGTAACCTGGCCATCTCTGCCATAGAGCAA 2590
GACATCTTGGTGAAGGGGACCATCCTGAAGTACAGTGGCTCCATGGCTACCCTGGAGCGGCTGCAGAGCT 2660
TCCAGGCCCTGCCTGAGCCTCTTACAGTACAGCTCCTGACTGTGTCTGGTGAGGTCTTCCCTCCAAAAGT 2730
CAGATATACCTTCTTTGTCCCCAATGACATGGACTTCAGCGTGCAGAATAGCAAGGAAAGAGCAACCACC 2800

2810 2820 2830 2840 2850 2860 2870

AACATCATTCAGTCACTGCCCTCTGCGGAGTGGGTTCTGGGAGACTGGTCTGAATGTCCGAGCACGTGCA 2870
GAGGTAGCTGGCAGCGGCGGACTGTGGAATGCAGGGACCCCTCAGGTCAGGCCTCTGACACCTGTGATGA 2940
GGCTCTGAAACCTGAGGATGCCAAGCCCTGTGGAAGCCAGCCGTGTCCCCTCtgatcccttggtggaaa 3010
tctcttaggcttatggatttgggctactggtgtaacagacaaaggtcccctccaaggtgatactacatat 3080
caagatggcacggccctttcaggccttctattactacaacccctgggtactacctaattcataaggaag 3150

3160 3170 3180 3190 3200 3210 3220

agagaagagggtataagggtaacagattgtaaagttgactgtctggtggactggaccttgcttatgacca 3220
agaagtcgggataggttaaaaggtagaagtgcacttattgatccaaatgggagatttcagagccagtctc 3290
tttgcaaaggactagcaaagctaaatgaaaaagaagaatttttttttctatttggtttccccaataatc 3360
aatctacctcacagcggggaaaaatcagtatacaagaggtataaggccaggtgttggcagtgaacgccaa 3430
agcaagctccataggtatctccaagctatcttcagaaatgtccgtggctgttttcagtattaaaatctgt 3500

BNSDOCID: <WO___0111074A2_I_>

Fig. 5A (con't)



tgtctaaaagggcagcagtgtccatcacagggttatagaaagccacttttctcaggctgccacctgctgg 3570
ggcggacccatttcaagtatttatgcaaatatgtctccgaactaaagtgtgtcttacaccaaaagngc 3638

MOUSE ADAM TS8

```
         10        20        30        40
MLRDPTTTGWPPLLLLLLQLPPPPLVCGAPAGPGTGAQAS 40
ELVVPTRLPGSASELAFHLSAFGQGFVLRLAPDASFLAPE 80
FKIERLGGSSAAAGGEPGLRGCFFSGTVNGERESLAAMSC 120
VAGWSGSFLLAGEEFTIQPQGAGDSLDQPHRLQRWGPGQR 160
REDPGLAAAEVFPLPQGLEWEVEMGNGQGQERSDNEEDRK 200
         210       220       230       240
QDKEGLLKETEDSRKVPPPPFGSKTRSKRFVSEARFVETLL 240
VADASMAAFYGTDLQNHILTVMSMAARTYKHPSIRNSVNL 280
VVVKVLIVEKERWGPEVSDNGGLTLRNFCSWQRRFNKPSD 320
RHPEHYDTAILFTRQNFCGKGEQCDTLGMADVGTICDPDK 360
SCSVIKDEGLQAAYTLAHELGHVLSMPHDDSKPCVRLFGP 400
         410       420       430       440
MGKYHMMAPFFIHVNKTLPWSPCSAVYLTELLDDGHGDCL 440
LDAPTSVLPLPTGLPGHSTLYELDQQCKQIFGPDFRHCPN 480
TSVEDICVQLCARHRDSDEPICHTKNGSLLWADGTPCGPG 520
HLCLDGSCVLKEDVENPKAVVDGDWGPWRPWGQCSRTCGG 560
GIQFSNRECDNPMPQNGGRFCLGERVKYQSCNTEECPPNG 600
         610       620       630       640
KSFREQQCEKYNAYNHTDLDGNFLQWVPKYSGVSPRDRCK 640
LFCRARGRSEFKVFEAKVIDGTLCGPDTLSICVRGQCVKA 680
GCDHVVNSPKKLDKCGVCGGKGTACRKISGSFTPFSYGYN 720
DIVTIPAGATNIDVKQRSHPGVRNDGSYLALKTANGQYLL 760
NGNLAISAIEQDILVKGTILKYSGSMATLERLQSFQALPE 800
         810       820       830       840
PLTVQLLTVSGEVFPPKVRYTFFVPNDMDFSVQNSKERAT 840
TNIIQSLPSAEWVLGDWSECPSTCRGSWQRRTVECRDPSG 880
QASDTCDEALKPEDAKPCGSQPCPL 905
```

N-terminus of mature protease

FVSEAR . . . . .

5 cp

3 cp

8 cp

10 cp

spacer ~146aa

Fig. 6A

CATALYTIC DOMAIN, ADAM TS-8 (HUMAN)

10 20 30 40

CGAGGGCAGAAGGCGCTAGCGAGCCGCCACCGCCCCTGGG 40
GGCCACGAGTAGGACCAAGCGGTTTGTGTCTGAGGCGCGC 80
TTCGTGGAGACGCTGCTGGTGGCCGATGCGTCCATGGCTG 120
CCTTCTACGGGGCCGACCTGCAGAACCACATCCTGACGTT 160
AATGTCTGTGGCAGCCCGAATCTACAAGCACCCCAGCATC 200

210 220 230 240

AAGAATTCCATCAACCTGATGGTGGTAAAAGTGCTGATCG 240
TAGAAGATGAAAAATGGGGCCCAGAGGTGTCCGACAATGG 280
GGGGCTTACACTGCGTAACTTCTGCAACTGGCAGCGGCGT 320
TTCAACCAGCCCAGCGACCGCCACCCAGAGCACTACGACA 360
CGGCCATCCTGCTCACCAGACAGAACTTCTGTGGGCAGGA 400

410 420 430 440

GGGGCTGTGTGACACCCTGGGTGTGGCAGACATCGGGACC 440
ATTTGTGACCCCAACAAAAGCTGCTCCGTGATCGAGGATG 480
AGGGGCTCCAGGCGGCCCACACCCTGGCCCATGAACTAGG 520
GCACGTCCTCAGCATGCCCCACGACGACTCCAAGCCCTGC 560
ACACGGCTCTTCGGGCCCATGGGCAAGCACCACGTGATGG 600

610 620 630 640

CACCGCTGTTCGTCCACCTGAACCAGACGCTGCCCTGGTC 640
CCCCTGCAGCGCCATGTTCTCAGGCTGCCACCTGCAGGGG 680
TGGATCCATTTCAAGTATTTATGCAAATGTGTCTCTGAAC 720
TAAAGTGTGATCTTATGCC 739

BNSDOCID: <WO__0111074A2_I_>



Fig. 6B

BNSDOCID: <WO___0111074A2_I_>

Fig. 7A

human ADAM-TS 9



Fig. 7A (con't)

1760 1770 1780 1790 1800 1810 1820

CTGCAACACGGAGCCATGTCTCAAGCAGAAGCGAGACTTCCGAGATGAACAGTGTGCTCACTTTGACGGG 1820
AAGCATTTTAACATCAACGGTCTGCTTCCCAATGTGCGCTGGGTCCCTAAATACAGTGGAATTCTGATGA 1890
AGGACCGGTGCAAGTTGTTCTGCAGAGTGGCAGGGAACACAGCCTACTATCAGCTTCGAGACAGAGTGAT 1960
AGATGGAACTCCTTGTGGCCAGGACACAAATGATATCTGTGTCCAGGGCCTTTGCCGGCAAGCTGGATGC 2030
GATCATGTTTTAAACTCAAAAGCCCGGAGAGATAAATGCGGGGTTTGTGGTGGCGATAATTCTTCATGCA 2100

2110 2120 2130 2140 2150 2160 2170

AAACAGTGGCAGGAACATTTAATACAGTACATTATGGTTACAATACTGTGGTCCGAATTCCAGCTGGTGC 2170
TACCAATATTGATGTGCGGCAGCACAGTTTCTCAGGGGAAACAGACGATGACAACTACTTAGCTTTATCA 2240
AGCAGTAAAGGTGAATTCTTGCTAAATGGAAACTTTGTTGTCACAATGGCCAAAAGGGAAATTCGCATTG 2310
GGAATGCTGTGGTAGAGTACAGTGGGTCCGAGACTGCCGTAGAAAGAATTAACTCAACAGATCGCATTGA 2380
GCAAGAACTTTTGCTTCAGGTTTTGTCGGTGGGAAAGTTGTACAACCCCGATGTACGCTATTCTTTCAAT 2450

2460 2470 2480 2490 2500 2510 2520

ATTCCAATTGAAGATAAACCTCAGCAGTTTTACTGGAACAGTCATGGGCCATGGCAAGCATGCAGTAAAC 2520
CCTGCCAAGGGGAACGGAAACGAAAACTTGTTTGCACCAGGGAATCTGATCAGCTTACTGTTTCTGATCA 2590
AAGATGCGATCGGCTGCCCCAGCCTGGACACATTACTGAACCCTGTGGTACAGGCTGTGACCTGAGGTGG 2660
CATGTTGCCAGCAGGAGTGAATGTAGTGCCCAGTGTGGCTTGGGTTACCGCACATTGGACATCTACTGTG 2730
CCAAATATAGCAGGCTGGATGGGAAGACTGAGAAGGTTGATGATGGTTTTTGCAGCAGCCATCCCAAACC 2800

2810 2820 2830 2840 2850 2860 2870

AAGCAACCGTGAAAAATGCTCAGGGGAATGTAACACGGGTGGCTGGCGCTATTCTGCCTGGACTGAATGT 2870
TCAAAAAGCTGTGACGGTGGGACCCAGAGGAGAAGGGCTATTTGTGTCAATACCCGAAATGATGTACTGG 2940
ATGACAGCAAATGCACACATCAAGAGAAAGTTACCATTCAGAGGTGCAGTGAGTTCCCTTGTCCACAGTG 3010
GAAATCTGGAGACTGGTCAGAGTGCTTGGTCACCTGTGGAAAAGGGCATAAGCACCGCCAGGTCTGGTGT 3080
CAGTTTGGTGAAGATCGATTAAATGATAGAATGTGTGACCCTGAGACCAAGCCAACATCTATGCAGACTT 3150

3160 3170 3180 3190 3200 3210 3220

GTCAGCAGCCGGAATGTGCATCCTGGCAGGCGGGTCCCTGGGTACAGTGCAGTGTCACTTGTGGACAGGG 3220
ATACCAGCTAAGAGCAGTGAAATGCATCATTGGGACTTATATGTCAGTGGTAGATGACAATGACTGTAAT 3290
GCAGCAACTAGACCAACTGATACCCAGGACTGTGAATTACCATCATGTCATCCTCCCCCAGCTGCCCCGG 3360
AAACGAGGAGAAGCACATACAGTGCACCAAGAACCCAGTGGCGATTTGGGTCTTGGACCCCATGCTCAGC 3430
CACTTGTGGGAAAGGTACCCGGATGAGATACGTCAGCTGCCGAGATGAGAATGGCTCTGTGGCTGACGAG 3500

Fig. 7A (con't)


3510 3520 3530 3540 3550 3560 3570
AGTGCCTGTGCTACCCTGCCTAGACCAGTGGCAAAGGAAGAATGTTCTGTGACACCCTGTGGGCAATGGA 3570
AGGCCTTGGACTGGAGCTCTTGCTCTGTGACCTGTGGGCAAGGTAGGGCAACCCGGCAAGTGATGTGTGT 3640
CAACTACAGTGACCACGTGATCGATCGGAGTGAGTGTGACCAGGATTATATCCCAGAAACTGACCAGGAC 3710
TGTTCCATGTCACCATGCCCTCAAAGGACCCCAGACAGTGGCTTAGCTCAGCACCCCTTCCAAAATGAGG 3780
ACTATCGTCCCCGGAGCGCCAGCCCCAGCCGCACCCATGTGCTCGGTGGAAACCAGTGGAGAACTGGCCC 3850
3860 3870 3880 3890 3900 3910 3920
CTGGGGAGCATGTTCCAGTACCTGTGCTGGCGGATCCCAGCGGCGTGTTGTTGTATGTCAGGATGAAAAT 3920
GGATACACCGCAAACGACTGTGTGGAGAGAATAAAACCTGATGAGCAAAGAGCCTGTGAATCCGGCCCTT 3990
GTCCTCAGTGGGCTTATGGCAACTGGGGAGAGTGCACTAAGCTGTGTGGTGGAGGCATAAGAACAAGACT 4060
GGTGGTCTGTCAGCGGTCCAACGGTGAACGGTTTCCAGATTTGAGCTGTGAAATTCTTGATAAACCTCCC 4130
GATCGTGAGCAGTGTAACACACATGCTTGTCCACACGACGCTGCATGGAGTACTGGCCCTTGGAGCTCGT 4200
4210 4220 4230 4240 4250 4260 4270
GTTCTGTCTCTTGTGGTCGAGGGCATAAACAACGAAATGTTTACTGCATGGCAAAAGATGGAAGCCATTT 4270
AGAAAGTGATTACTGTAAGCACCTGGCTAAGCCACATGGGCACAGAAAGTGCCGAGGAGGAAGATGCCCC 4340
AAATGGAAAGCTGGCGCTTGGAGTCAGTGCTCTGTGTCCTGTGGCCGAGGCGTACAGCAGAGGCATGTGG 4410
GCTGTCAGATCGGAACACACAAAATAGCCAGAGAGACCGAGTGCAACCCATACACCAGACCGGAGTCGGA 4480
ATGCGAATGCCAAGGCCCACGGTGTCCCCTTTACACTTGGAGGGCAGAGGAATGGCAAGAATGCACCAAG 4550
4560 4570 4580 4590 4600 4610 4620
ACCTGCGGCGAAGGCTCCAGGTACCGCAAGGTGGTGTGTGTGGATGACAACAAAAACGAGGTGCATGGGG 4620
CACGCTGTGACGTGAGCAAGCGGCCGGTGGACCGTGAAAGCTGTAGTTTGCAACCCTGCGAGTATGTCTG 4690
GATCACAGGAGAATGGTCAGAGTGCTCAGTGACCTGTGGAAAAGGCTACAAACAAAGGCTTGTCTCGTGC 4760
AGCGAGATTTACACCGGGAAAGAGAATTATGAATACAGCTACCAAACCACCATCAACTGCCCAGGCACGC 4830
AGCCCCCCAGTGTTCACCCCTGTTACCTGAGGGAGTGCCCTGTCTCGGCCACCTGGAGAGTTGGCAACTG 4900
4910 4920 4930 4940 4950 4960 4970
GGGGAGCTGCTCAGTGTCTTGTGGTGTTGGAGTGATGCAGAGATCTGTGCAATGtttaaccaatgaggac 4970
caacccagccacttatgccacactgatctgaagccagaagaacgaaaaacctgccgtaatgtctataact 5040
gtgagttaccccagaattgcaaggaggtaaaaagacttaaaggtgccagtgaagatggtgaatatttcct 5110
gatgattagaggaaagcttctgaagatattctgtgcggggatgcactctgaccaccccaaagagtacgtg 5180
acactggtgcatggagactctgagaatttctccgaggtttatgggcacaggttacacaACCCAACAGAAT 5250

Fig. 7A (con't)

BNSDOCID: <WO__0111074A2_I_>

Fig. 7B



Fig. 7B (con't)


1760
1770
1780
1790
1800
1810
1820
PYNGSRRDDCQCRKDYTAAGFSSFQKIRIDLTSMQIITTDLQFARTSEGHPVPFATAGDCYSAAKCPQGR 1820
FSINLYGIGLSLTESARWISQGNYAVSDIKKSPDGTRVVGKCGGYCGKCTPSSGIGLEVRVL.LRCFEEE 1890
AIMDG.RIVMQYLHLNLGACVCVCVFVCDLYACVCKCVYIYIYT 1934

Fig. 8

ORF=2

```
HTAVISLCSGMMGTFRSHDGDYFIEPLQSVDEQEDEEEQN 40
KPHIIYRHSTPQREPSTGKHACATSELKNSHSKDKRKIRM 80
RKRRKRNSLADDVALLKSGLATKVLSGYSNQTNNTRDRWN 120
HKRTKRFLSYPRFVEVMVVADHRMVLYHGANLQHYILTLM 160
SIVASIYKDSSIGNLINIVIVNLVVIHNEQEGPYINFNAQ 200
TTLKNFCQWQHSKNYLGGIQHDTAVLVTREDICRAQDKCD 240
TLGLAELGTICDPYRSCSISEDSGLSTAFTIAHELGHVFN 280
MPHDDSNKCKEEGVKSPQHVMAPTLNFYTNPWMWSKCSRK 320
YITEFLDTGYGECLLNEPASRTYPLPSQLPGLLYNVNKQC 360
ELIFGPGSQVCPYMMQCRRLWCNNVDGAHKGCRTQHTPWA 400
DGTECEPGKHCKFGFCVPKEMEGPAIDGSWGGWSHFGTCS 440
RTCGGGIKTAIRECNRPEPKNGGKYCVGRRMKFKSCNTEP 480
CMKQKRDFREEQCAHFDGKHFNIINGLLPSVRWFPKYSGIL 520
MKDRCKLFCRVAGNTAYYQLRDRVIDGTPCGQDINDICVQ 560
GLCRQAGCDHILNSKVRKDKCGICGGDNSSCKTVAGTFNT 600
VHYGYNTVVRIPAGATSIDVRQHSFSGKSEDDNYLALSNS 640
KGEFLLNGDFVVSMSKREVRVGSAVIEYSGSDNVVERLNC 680
TDRIEEELLLQVLSVGKLYNPDVRYSFNIPIEDKPQQFYW 720
NSHGPWQACSKPCQGERRRKLVCTRESDQLTVSDQRCDRL 760
PQPGPVTEACGTDCDLRWHVASKSECSAQCGLGYRTLDIH 800
CAKYSRMDGKTEKVDDSFCSSQPRPSNQEKCSGECSTGGW 840
RYSAWTECSRSCDGGTQRRRAICVNTRNDVLDDS 874
```

protein

Mouse ADAM-TS9 partial sequence

FLSYPRF...

(See figure)

Created: Saturday, April 10, 1999 11:40 AM

DNA

```
GCACACTGCGGTCATCAGCCTGTGCTCCGGAATGATGGGCACGTTCCGCTCTCACGATGGAGATTATTTC 70
ATTGAACCACTGCAGTCTGTGGATGAGCAAGAGGATGAAGAGGAACAAAACAAACCCCACATTATTTATA 140
GGCACAGCACCCCTCAGAGGGAACCCTCCACAGGAAAGCATGCCTGTGCCACCTCAGAACTCAAAAATAG 210
TCACAGTAAAGACAAGCGGAAAATCAGAATGCGAAAACGGAGAAAGAGGAATAGCCTGGCTGACGACGTG 280
GCACTGCTAAAGAGCGGTTTGGCAACAAAGGTGCTCTCTGGCTATAGCAACCAGACAAACAACACAAGGG 350
```

Fig. 8 (con't)



BNSDOCID: <WO___0111074A2_I_>

Fig. 8 (con't)



BNSDOCID: <WO___0111074A2_I_>

Fig. 9A


10 20 30 40 50 60 70
TCACGCACGCCTTCCGGTCTCAAGATGAGTTCCTGTCCAGTCTGGAGAGCTATGAGATCGCCTTCCCCAC 70
CCGCGTGGACCACAACGGGGCACTGCTGGCCTTCTCGCCACCTCCTCCCCGGAGCAGCGCCGCGGCACGG 140
GGGCCACAGCCGAGTCCCGCCTCTTCTACAAAGTGGCCTCGCCAGCACCCACTTCCTGCTGAACCTGACC 210
CGCAGCTCCCGTCTACTGGCAGGGCGCGTCTCCGTGGAGTACTGGACACGGGAGGGCCTGGCCTGGCAGA 280
GGGCGGCCCGGCCCCACTGCCTCTACGCTGGTCACCTGCAGGGCCAGGCCAGCAGCTCCCATGTGGCCAT 350
360 370 380 390 400 410 420
CAGCACCTGTGGAGGCCTGCACGGCCTGATCGTGGCAGACGAGGAAGAGTACCTGATTGAGCCCCTGCAC 420
GGTGGGCCCAAGGGTTCTCGGAGCCCGGAGGAAAGTGGACCACATGTGGTGTACAAGCGTTCCTCTCTGC 490
GTCACCCCCACCTGGACACAGCCTGTGGAGTGAGAGATGAGAAACCGTGGAAAGGGCGGCCATGGTGGCT 560
GCGGACCTTGAAGCCACCGCCTGCCAGACCCCTGGGGAATGAAACAGAGCGTGGCCAGCCAGGCCTGAAG 630
CGATCGGTCAGCCGAGAGCGCTACGTGGAGACCCTGGTGGTGGCTGACAAGATGATGGTGGCCTATCACG 700
710 720 730 740 750 760 770
GGCGCCGGGATGTGGAGCAGTATGTCCTGGCCATCATGAACATTGTTGCCAAACTTTTCCAGGACTCGAG 770
TCTGGGAAGCACCGTTAACATCCTCGTAACTCGCCTCATCCTGCTCACGGAGGACCAGCCCACTCTGGAG 840
ATCACCCACCATGCCGGGAAGTCCCTAGACAGCTTCTGTAAGTGGCAGAAATCCATCGTGAACCACAGCG 910
GCCATGGCAATGCCATTCCAGAGAACGGTGTGGCTAACCATGACACAGCAGTGCTCATCACACGCTATGA 980
CATCTGCATCTACAAGAACAAACCCTGCGGCACACTAGGCCTGGCCCGGTGGGCGGAATGTGTGAGCGCG 1050
1060 1070 1080 1090 1100 1110 1120
AGAGAAGCTGCAGCGTCAATGAGGACATTGGCTGCCACAAGCGTTCACCATTGCCACGAGATCGGGCACA 1120
CATTCGGCATGAACCATGACGGCGTGGGAAACAGCTGTGGGGCCCGTGGTCAGGACCCAGCCAAGCTCAT 1190
GGCTGCCCACATTACCATGAAGACCAACCCATTCGTGTGGTCATCCTGCAACCGTGACTACATCACCAGC 1260
TTTCTAGACTCGGGCCTGGGGCTCTGCCTGAACAACCGGCCCCCCAGACAGGACTTTGTGTACCCGACAG 1330
TGGCACCGGGCCAAGCCTACGATGCAGATGAGCAATGCCGCTTTCAGCATGGAGTCAAATCGCGTCAGTG 1400
1410 1420 1430 1440 1450 1460 1470
TAAATACGGGGAGGTCTGCAGCGAGCTGTGGTGTCTGAGCAAGAGCAACCGGTGCATCACCAACAGCATC 1470
CCGGCCGCCGAGGGCACGCTGTGCCAGACGCACACCATCGACAAGGGGTGGTGCTACAAACGGGTCTGTG 1540
TCCCCTTTGGGTCGCGCCCAGAGGGTGTGGACGGAGCCTGGGGGCCGTGGACTCCATGGGGCGACTGCAG 1610
CCGGACCTGTGGCGGCGGCGTGTCCTCTTCTAGTCGTCACTGCGACAGCCCCAGGCCAACCATCGGGGGC 1680
AAGTACTGTCTGGGTGAGAGAAGGCGGCACCGCTCCTGCAACACGGATGACTGTCCCCCTGGCTCCCAGG 1750

Fig. 9A (con't)



BNSDOCID: <WO__0111074A2_I >

Fig. 9A (con't)


3510 3520 3530 3540 3550 3560 3570
accctttgatcggaatatgtactgtgaagagtgggggtggggaggggtgtgctggtgccctgccccctgc 3570
actgttctatccctacactctgagctgggggggatttatatctgctatgggggggagtaggcttgataccac 3640
ctccctgtagccctcccccagactgacgaaggggaagatccaccccaacctctgccctgcctgccccagg 3710
ggggagttcaacatccaggccgttccccatcatggtgctacaagccctgccctggggcccacacactcct 3780
caccaagaagccttacattaaaaaagttgtgttatcctacaaaaaaaaaaaaaaaactcgagggggggccc 3850
3860 3870 3880 3890 3900 3910 3920
ggtacccaattcgcgctatagtaaatngggtntta 3885

Fig. 9B



BNSDOCID: <WO___0111074A2_I_>

Fig. 9B (con't)



QQRTVRCTSHIGQPSRECTEALRPSTMQQCEAKCDSVVPP 1040
GDGPEECKDVNKVAYCPLVLKFQFCSRAYFRQMCCKTCQG 1080
R 1081

Fig. 10A

partial sequence of mouse ADAM TS-10 (See figure)

```
         10         20         30         40
AGCAGCAGCTGTGGTGGATGGAACACCCTGCCGCCCTGAC 40
ACGGTGGACATTTGTGTCAGCGGCGAGTGCAAGCATGTAG 80
GCTGTGACAGGGTCCTGGGTTCTGATCTCCGAGAGGACAA 120
ATGCCGTGTGTGTGGGGGTGATGGCAGTGCCTGTGAGACC 160
ATTGAAGGTGTCTTTAGCCCAGCTTTGCCAGGAACTGGGT 200
         210        220        230        240
ATGAGGACGTCGTCTGGATCCCCAAAGGCTCGGTCCACAT 240
TTTCATCCAAGATCTGAACCTGTCCCTGAGTCACCTGGCC 280
CTAAAGGGGGACCAAGAGTCTCTGCTACTGGAGGGGCTAC 320
CTGGGACCCCCCAACCTNACCGCCTTCCCCTGGNTGGGAC 360
CACATTTCATCTACGGCAGGGGCCGGACCAGGCACAGAGC 400
         410        420        430        440
CTGGAAGCCCTGGGACCCATTAATGCATCTCTCATCATCA 440
TGGTGCTGGCCCAGGCAGAGTTGCCTGCTCTCCACTACCG 480
CTTCAATGCACCCATTGCCCGGGATGCACTGCCTCCCTAC 520
TCCTGGCACTATGCCCCCTGGACCAAATGCTCAGCCCAGT 560
GTGCAGGCGGCAGCCAGGTCCAAGTAGTGGAGTGCCGAAA 600
         610        620        630        640
TCAGCTGGACAGCTCAGCAGTGGCCCCACACTACTGTAGT 640
GGCCACAGTAAATTGCCCAAGAGGCAGCGTGCCTGCAACA 680
CAGAACCATGTCCACCAGATTGGGTTGTAGGAAACTGGTC 720
ACGCTGCAGCCGTAGCTGTGACGCTGGTGTGCGTAGCCGC 760
TCAGTGGTGTGCCAACGCCGGGTGTCTGCTGCAGAGGAAA 800
         810        820        830        840
AAGCCTTAGACGACAGTGCCTGTCCACAGCCACGCCCACC 840
TGTGCTGGAGGCCTGCCAAGGCCCAATGTGCCCTCCTGAG 880
TGGGCAACCCTCGACTGGTCTGAGTGTACCCCAAGCTGTG 920
GGCCTGGTCTCCGCCACCGAGTGGTCCTTTGTAAGAGTGC 960
AGATCAACGATCTACTCTGCCCCCTGGGCACTGCCTTCCT 1000
```

BNSDOCID: <WO___0111074A2_I_>

Fig. 10A (con't)

1010 1020 1030 1040

GCAGCCAAGCCACCATCTACTATGCGATGTAACTTGCGCC 1040
GCTGCCCTCCTGCCCGCTGGGTGACCAGTGAGTGGGGTGA 1080
GTGTTCCACACAGTGTGGCCTCGGCCAGCAGCAGCGCACA 1120
GTGCGCTGCACCAGCCACACCGGCCAGCCATCTCGAGAGT 1160
GCACTGAAGCCTTGCGGCCATCCACCATGCAGCAGTGTGA 1200

1210 1220 1230 1240

GGCCAAGTGTGACAGTGTGGTGCCGCCTGGAGATGGCCCA 1240
GAAGAATGCAAGGATGTGAACAAGGTGGCTTACTGCCCCC 1280
TGGTGCTCAAATTTCAGTTCTGTAGCCGAGCCTACTTCCG 1320
CCAGATGTGCTGCAAAACCTGCCAAGGCCGCTAGGGTACC 1360
TGGAACCAACCTGGAGCACAGGCTGAGGCAGGGGACATCC 1400

1410 1420 1430 1440

CACTGGAGAGGGCATGAGGGAAAGGGGGGCTTGAATTGAA 1440
GGGTGAGATGCAAGTTGAAAGTATTTATTTGGGTAACCCC 1480
TACAGGGCTTCTGACTTAAGGGGTGGAGAANAGCTGGCTA 1520
CCCCAGGGACCCTTTTGTTGGATCTTGGCCCANTTGATAG 1560
TGAAGAGAGAGGACTTCTTGGTGNACACATTTTTAAGTCC 1600

1610 1620 1630 1640

TTAGACCCTTCCACCNTTGATCGGATATGTCTGGGAAGAG 1640
GN 1642

BNSDOCID: <WO___0111074A2_I_>

Fig. 10B



BNSDOCID: <WO___0111074A2_I_>

Fig. 11A

Ligated 459225+482392 with Sac I(168)&Eco RI(or Not I)
Cloning site:5';Eco RI 3';Not I Vector; PT7T3 pac.

You can put this construct to pcDNA3.1(+) for transfection
5'-UTR is 50bp &3'-UTR is 175bp

210-215; in 482392 it's TCCTAC(SY).

```
        10         20         30         40
gaattcggcacgaggcagtgtccgattctgattccggcaa 40
ggatccaagcATGGAATGCTGCCGTCGGGCAACTCCTGGC 80
ACACTGCTCCTCTTTCTGGCTTTCCTGCTCCTGAGTTCCA 120
GGACCGCACgctCCGAGGAGGACCGGGACGGCCTATGGGA 160
TGCCTGGGGCCCATGGAGTGAATGCTCACGCACCTGCGGG 200
        210        220        230        240
GGTGGGGCCGCCAACTCTCTGAGGCGCTGCCTGAGCAGCA 240
AGAGCTGTGAAGGAAGAAATATCCGATACAGAACATGCAG 280
TAATGTGGACTGCCCACCAGAAGCAGGTGATTTCCGAGCT 320
CAGCAATGCTCAGCTCATAATGATGTCAAGCACCATGGCC 360
AGTTTTATGAATGGCTTCCTGTGTCTAATGACCCTGACAA 400
        410        420        430        440
CCCATGTTCACTCAAGTGCCAAGCCAAAGGAACAACCCTG 440
GTTGTTGAACTAGCACCTAAGGTCTTAGATGGTACGCGTT 480
GCTATACAGAATCTTTGGATATGTGCATCAGTGGTTTATG 520
CCAAATTGTTGGCTGCGATCACCAGCTGGGAAGCACCGTC 560
AAGGAAGATAACTGTGGGGTCTGCAACGGAGATGGGTCCA 600
        610        620        630        640
CCTGCCGGCTGGTCCGAGGGCAGTATAAATCCCAGCTCTC 640
CGCAACCAAATCGGATGATACTGTGGTTGCAATTCCCTAT 680
GGAAGTAGACATATTCGCCTTGTCTTAAAAGGTCCTGATC 720
ACTTATATCTGGAAACCAAAACCCTCCAGGGGACTAAAGG 760
TGAAAACAGTCTCAGCTCCACAGGAACTTTCCTTGTGGAC 800
```

Fig. 11A (con't)

```
        810        820        830        840
AATTCTAGTGTGGACTTCCAGAAATTTCCAGACAAAGAGA 840
TACTGAGAATGGCTGGACCACTCACAGCAGATTTCATTGT 880
CAAGATTCGTAACTCGGGCTCCGCTGACAGTACAGTCCAG 920
TTCATCTTCTATCAACCCATCATCCACCGATGGAGGGAGA 960
CGGATTTCTTTCCTTGCTCAGCAACCTGTGGAGGAGGTTA 1000
        1010       1020       1030       1040
TCAGCTGACATCGGCTGAGTGCTACGATCTGAGGAGCAAC 1040
CGTGTGGTTGCTGACCAATACTGTCACTATTACCCAGAGA 1080
ACATCAAACCCAAACCCAAGCTTCAGGAGTGCAACTTGGA 1120
TCCTTGTCCAGCCAGTGACGGATACAAGCAGATCATGCCT 1160
TATGACCTCTACCATCCCCTTCCTCGGTGGGAGGCCACCC 1200
        1210       1220       1230       1240
CATGGACCGCGTGCTCCTCCTCGTGTGGGGGGGGCATCCA 1240
GAGCCGGGCAGTTTCCTGTGTGGAGGAGGACATCCAGGGG 1280
CATGTCACTTCAGTGGAAGAGTGGAAATGCATGTACACCC 1320
CTAAGATGCCCATCGCGCAGCCCTGCAACATTTTTGACTG 1360
CCCTAAATGGCTGGCACAGGAGTGGTCTCCGTGCACAGTG 1400
        1410       1420       1430       1440
ACGTGTGGCCAGGGCCTCAGATACCGTGTGGTCCTCTGCA 1440
TCGACCATCGAGGAATGCACACAGGAGGCTGTAGCCCAAA 1480
AACAAAGCCCCACATAAAAGAGGAATGCATCGTACCCACT 1520
CCCTGCTATAAACCCAAAGAGAAACTTCCAGTCGAGGCCA 1560
AGTTGCCATGGTTCAAACAAGCTCAAGAGCTAGAAGAAGG 1600
        1610       1620       1630       1640
AGCTGCTGTGTCAGAGGAGCCCTCGTAAgttgtaaaagca 1640
cagactgttctatatttgaaacttttgtttaaagaaagca 1680
gtgtctcactggttgtagctttcatgggttctgaactaag 1720
tgtaatcatctcaccaaagctttttggctctcaaattaaa 1760
gattgattagtttcaaaaaaaaaaaaaaaaaagatgcggc 1800
```

g. 11A (con't)



BNSDOCID: <WO___0111074A2_I_>

Fig. 11B

---	Asp(D)	30	# cua	Leu(L)	3	# uca	Ser(S)	6	# guu	Val(V)	6
ugc	Cys(C)	26	# cuc	Leu(L)	11	# ucc	Ser(S)	10	# ---	Val(V)	29
ugu	Cys(C)	10	# cug	Leu(L)	14	# ucg	Ser(S)	5	# nnn	???(X)	0
---	Cys(C)	36	# cuu	Leu(L)	6	# ucu	Ser(S)	5	# TOTAL		526
caa	Gln(Q)	7	# uua	Leu(L)	4	# ---	Ser(S)	43	#		

Created: Wednesday, May 5, 1999 10:19 AM

Ligated 459225+482392 with Sac I(168)&Eco RI(or Not I)
Cloning site:5';Eco RI 3';Not I Vector; PT7T3 pac.

...

human ADAM-TSR1

Adam-TS related protein-1.

```
         10         20         30         40
         |          |          |          |
MECCRRATPGILLLFLAFLLLSSRTARSEEDRDGLWDAWG 40
PWSECSRTCGGGAANSLRRCLSSKSCEGRNIRYRTCSNVD 80
CPPEAGDFRAQQCSAHNDVKHHGQFYEWLPVSNDPDNPCS 120
LKCQAKGITLVVELAPKVLDGTRCYTESLDMCISGLCQIV 160
GCDHQLGSTVKEDNCGVCNGDGSTCRLVRGQYKSQLSATK 200
         210        220        230        240
         |          |          |          |
SDDIVVAIPYGSRHIRLVLKGPDHLYLETKTLQGTKGENS 240
LSSTGTFLVDNSSVDFQKFPDKEILRMAGPLTADFIVKIR 280
NSGSADSTVQFIFYQPIIHRWRETDFFPCSATCGGGYQLT 320
SAECYDLRSNRVVADQYCHYYPENIKPKPKLQECNLDPCP 360
ASDGYKQIMPYDLYHPLPRWEATPWTACSSSCGGGIQSRA 400
         410        420        430        440
         |          |          |          |
VSCVEEDIQGHVTSVEEWKCMYTPKMPIAQPCNIFDCPKW 440
LAQEWSPCTVTCGQGLRYRVVLCIDHRGMHTGGCSPKTKP 480
HIKEECIVPTPCYKPKEKLPVEAKLPWFKQAQELEEGAAV 520
SEEPS. 526
```

Signal peptide

(C) YYPENIKPKPKLQE

(C) QELEEGAAV

C- terminal epitope for Ab

Similar to ADAM-TS family but lacks the prometalloprotease and disintegrin domain. Our hypothesis is that this may be a inhibitor of the family

Fig. 12



BNSDOCID: <WO___0111074A2_I_>

a



Fig. 13

Hurskainen et al^. Fig. 2a

```
MEILWKTLIWILSLIMASSEFHSDHRLSYSSQEEFLTYLEHYQLTIPIRVDQNGAFLSFTVKNDKHSRRRRSMDPIDPQQ 80
AVSKLFFKLSAYGKHFHLNLTLNTDFVSKHFTVEYWGKDGPQWKHDFLDNCHYTGYLQDQRSTTKVALSNCVGLHGVIAT 160
EDEEYFIEPLKNTTEDSKHFSYENGHPHVIYKKSALQQRHLYDHSHCGVSDFTRSGKPWWLNDTSTVSYSLPINNTHIHH 240
RQKRSVSIERFVETLVVADKMMVGYHGRKDIEHYILSVMNIVAKLYRDSSLGNVVNIIVARLIVLTEDQPNLEINHHADK 320
SLDSFCKWQKSILSHQSDGNTIPENGIAHHDNAVLITRYDICTYKNKPCGTLGLASVAGMCEPERSCSINEDIGLGSAFT 400
IAHEIVHNFGMNHDGIGNSCGRKVMKQQNYGSSHYCEYQSFFLVCLQSRLHHQLFREVCRELWCLSKSNRCVINSIPAAE 480
GTLCQTGNIEKGWCYQGDCVPFGIWPQSIDGGWGPWSLWGECSRTCGGGVSSSLRHCDSPAPSGGGKYCLGERKRYRSCN 560
TDPCPLGSRDFREKQCADFDNMPFRGKYYNWKPYTGGGVKPCALNCLAEGYNFYTERAPAVIDGTQCNADSLDICINGEC 640
KHVGCDNILGSDAREDRCRVCGGGGSTCDAIEGFFNDSLPRGGYMEVVQIPRGSVHIEVREVAMSKNYIALKSEGDDYYI 720
NGAWTIDWPRKFDVAGTAFHYKRPTDEPESLEALGPTSENLIVMVLLQEQNLGIRYKFNVPITRTGSGDNEVGFTWNHQP 800
WSECSATCAGGKMPTRQPTQRARWRTKHILSYALCLLKKLIGNISCRFASSCNLAKETLL 860
```

Dis

Spacer domain

C

```
MPGGPSPRSPAPLLRPLLLLLCALAPGAPGPAPGRATEGRAALDIVHPVRVDAGGSFLSYELWPRALRKRDVSVRRDAPA 80
FYELQYRGRELRFNLTANQHLLAPGFVSETRRRGGLGRAHIRAHTPACHLLGEVQDPELEGGLAAISACDGLKGVFQLSN 160
EDYFIEPLDSAPARPGHAQPHVVYKRQAPERLAQRGDSSAPSTCGVQVYPELESRRERWEQRQQWRRPRLRRLHQRSVSK 240
EKWVETLVVADAKMVEYHGQPQVESYVLTIMNMVAGLFHDPSIGNPIHITIVRLVLLEDEEEDLKITHHADNTLKSFCKW 320
QKSINMKGDAHPLHHDTAILLTRKDLCAAMNRPCETLGLSHVAGMCQPHRSCSINEDIGLPLAFTVAHELGHSFGIQHDG 400
SGNDCEPVGKRPFIMSPQLLYDAAPLTWSRCSRQYITRFLDRGWGLCLDDPPAKDIIDFPSVPPGVLYDVSHQCRLQYGA 480
YSAFCEDMDNVCHTLWCSVGTTCHSKLDAAVDGTRCGENKWCLSGECVPVGFRPEAVDGGWSGWSAWSICSRSCGMGVQS 560
AERQCTQPTPKYKGRYCVGERKRFRLCNLQACPAGRPSFRHVQCSHFDAMLYKGQLHTWVPVVNDVNPCELHCRPANEYF 640
AKKLRDAVVDGTPCYQVRASRDLCINGICKNVGCDFEIDSGAMEDRCGVCHGNGSTCHTVSGTFEEAEGLGYVDVGLIPA 720
GAREIRIQEVAEAANFLALRSEDPEKYFLNGGWTIQWNGDYQVAGTTFTYARRGNWENLTSPGPTKEPVWIQVPASRGPG 800
GGSRGGVPRPSTLHGRSRPGGVSPGSVTEPGSEPGPPAAASTSVSPSLKWPNLVAAVHRGGWGQAPLGLGGWRRHLVLMG 880
PRLPTQLLFQESNPGVHYEYTIHREAGGHDEVPPPVFSWHYGPWIKCTVTCGRGEKWGRHSPTCRGLVSGQGHWLQLPAH 960
CWATTGLEVCFSEPQFSICEMRLAIALCPRPAGRVHG 997
```

Dis

Spacer domain

Fig. 13 (con't)

a

adamalysin II	HELGHNLGMEHD
atrolysin A	HELGHNLGMVHD
hADAM-9	HELGHNLGMNHD
hADAM-10	HEVGHNFGSPHD
hADAM-15	HELGHSLGLDHD
hADAM-17	HELGHNFGAEHD
mADAM-19	HEIGHNFGMSHD
mADAM-TS1	HELGHVFNMPHD
hADAM-TS2	HETGHVLGMEHD
hADAM-TS3	HETGHVLGMEHD
hADAM-TS4	HELGHVFNMLHD
mADAM-TS5	HEIGHLLGLSHD
hADAM-TS6	HEIVHNFGMNHD
hADAM-TS7	HELGHSFGIQHD

b

mADAM-TS1	WGPWGPWGDCSRTCGGGVQY	20
hADAM-TS2	WGAWSPFGSCSRTCGTGVKF	20
hADAM-TS3	WGAWSPEGSCSRTCGTGVKF	20
hADAM-TS4	WGPWGPWGDCSRTCGGGVQF	20
hADAM-TS5	WGSWGSWGQCSRSCGGGVQF	20
hADAM-TS6	WGPWSLWGECSRTCGGGVSS	20
hADAM-TS7	WSGWSAWSICSRSCGMGVQS	20
mADAM-TS1	TMREDCDNPVPKNGGKYCEGK	40
hADAM-TS2	RTRQCDNPHPANGGRTCSGL	40
hADAM-TS3	RTRQCDNPHPANGGRTCSGL	40
hADAM-TS4	SSRDCTRPVPRNGGKYCEGR	40
hADAM-TS5	AYRHCNNPAPRNNGRYCTGK	40
hADAM-TS6	SLRHCDSPAPSGGGKYCLGE	40
hADAM-TS7	AERQCTQPTPKYKGRYCVGE	40
mADAM-TS1	RVRYRSCNIEDC	52
hADAM-TS2	AYDFQLCNSQDC	52
hADAM-TS3	AYDFQLCSRQDC	52
hADAM-TS4	RTRFRSCNTEDC	52
hADAM-TS5	RAIYHSCSLMPC	52
hADAM-TS6	RKRYRSCNTDPC	52
hADAM-TS7	RKRFRLCNLQAC	52

Fig. 13 (con't)

Hurskainen et al^. Fig. 3

Fig. 14



BNSDOCID: <WO___0111074A2_I_>

Fig. 15



BNSDOCID: <WO___0111074A2_I_>

Fig. 15 (con't)



BNSDOCID: <WO___0111074A2_I_>

FIGURE 16

Pa

```
MSSCPVWRAMRSPSPPAWTTTGHCWPSRHLLP 40
GAAPRHGGHSRVPPLLQSGLASTHFLLNLTRSSRLLAGRV 80
SVEYWTREGLAWQRAARPHCLYAGHLQGQASSSHVAISTC 120
GGLHGLIVADEEEYLIEPLHGGPKGSRSPEESGPHVVYKR 160
SSLRHPHLDTACGVRDEKPWKGRPWWLRTLKPPPARPLGN 200
ETERGQPGLKRSVSRERYVETLVVADKMMVAYHGRRDVEQ 240
YVLAIMNIVAKLFQDSSLGSTVNILVTRLILLTEDQPTLE 280
ITHHAGKSLDSFCKWQKSIVNHSGHGNAIPENGVANHDTA 320
VLITRYDICIYKNKPCGTLGLARWAECVSAREAAASMRTL 360
AATSVHHCHEIGHTFGMNHDGVGNSCGARGQDPAKLMAAH 400
ITMKTNPFVWSSCNRDYITSFLDSGLGLCLNNRPPRQDFV 440
YPTVAPGQAYDADEQCRFQHGVKSRQCKYGEVCSELWCLS 480
KSNRCITNSIPAAEGTLCQTHTIDKGWCYKRVCVPFGSRP 520
EGVDGAWGPWTPWGDCSRTCGGGVSSSSRHCDSPRPTIGG 560
KYCLGERRRHRSCNTDDCPPGSQDFREVQCSEFDSIPFRG 600
KFYKWKTYRGGGVKACSLTSLAEGFNFYTERAAAVVDGTP 640
CRPDIVDICVSGECKHVGCDRVLGSDLREDKCRVCGGDGS 680
ACETIEGVFSPASPGAGYEDVVWIPKGSVHIFIQDLNLSL 720
SHLALKGDQESLLLEGLPGTPQPHRLPLAGITTFQLRQGPD 760
QVQSLEALGPINASLIVMVLARTELPALRYRFNAPIARDS 800
LPPYSWHYAPWIKCSAQCAGGSQVQAVECRNQLDSSAVAP 840
HYCSAHSKLPKRQRACNTEPCPPDWVVGNWSLCSRSCDAG 880
VRSRSVVCQRRVSAAEEKALDDSACPQPRPPVLEACHGPT 920
CPPEWAALDWSECTPSCGPGLRHRVVLCKSADHRATLPPA 960
HCSPAAKPPATMRCNLRRCPPARWVAGEWGECSAQCGVGQ 1000
RQRSVRCTSHIGQASHECTEALRPPTTQQCEAKCDSPTPG 1040
DGPEECKDVNKVAYCPLVLKFQFCSRAYFRQMCCKTCQGH 1080
Created: Thursday, October 01, 1998 11:05 PM
```

```
          10        20        30        40
          |         |         |         |
tcacgcacgccttccggtctcaagATGAGTTCCTGTCCAG 40
TCTGGAGAGCTATGAGATCGCCTTCCCCACCCGCGTGGAC 80
CACAACGGGGCACTGCTGGCCTTCTCGCCACCTCCTCCCC 120
GGAGCAGCGCCGCGGCACGGGGGCCACAGCCGAGTCCCGC 160
CTCTTCTACAAAGTGGCCTCGCCAGCACCCACTTCCTGCT 200
```

FIGURE 16 (continued)

Pa

```
        210         220         230         240
GAACCTGACCCGCAGCTCCCGTCTACTGGCAGGGCGCGTC 240
TCCGTGGAGTACTGGACACGGGAGGGCCTGGCCTGGCAGA 280
GGGCGGCCCGGCCCCACTGCCTCTACGCTGGTCACCTGCA 320
GGGCCAGGCCAGCAGCTCCCATGTGGCCATCAGCACCTGT 360
GGAGGCCTGCACGGCCTGATCGTGGCAGACGAGGAAGAGT 400
        410         420         430         440
ACCTGATTGAGCCCCTGCACGGTGGGCCCAAGGGTTCTCG 440
GAGCCCGGAGGAAAGTGGACCACATGTGGTGTACAAGCGT 480
TCCTCTCTGCGTCACCCCCACCTGGACACAGCCTGTGGAG 520
TGAGAGATGAGAAACCGTGGAAAGGGCGGCCATGGTGGCT 560
GCGGACCTTGAAGCCACCGCCTGCCAGACCCCTGGGGAAT 600
        610         620         630         640
GAAACAGAGCGTGGCCAGCCAGGCCTGAAGCGATCGGTCA 640
GCCGAGAGCGCTACGTGGAGACCCTGGTGGTGGCTGACAA 680
GATGATGGTGGCCTATCACGGGCGCCGGGATGTGGAGCAG 720
TATGTCCTGGCCATCATGAACATTGTTGCCAAACTTTTCC 760
AGGACTCGAGTCTGGGAAGCACCGTTAACATCCTCGTAAC 800
        810         820         830         840
TCGCCTCATCCTGCTCACGGAGGACCAGCCCACTCTGGAG 840
ATCACCCACCATGCCGGGAAGTCCCTAGACAGCTTCTGTA 880
AGTGGCAGAAATCCATCGTGAACCACAGCGGCCATGGCAA 920
TGCCATTCCAGAGAACGGTGTGGCTAACCATGACACAGCA 960
GTGCTCATCACACGCTATGACATCTGCATCTACAAGAACA 1000
        1010        1020        1030        1040
AACCCTGCGGCACACTAGGCCTGGCCCGGTGGGCGGAATG 1040
TGTGAGCGCGAGAGAAGCTGCAGCGTCAATGAGGACATTG 1080
GCTGCCACAAGCGTTCACCATTGCCACGAGATCGGGCACA 1120
CATTCGGCATGAACCATGACGGCGTGGGAAACAGCTGTGG 1160
GGCCCGTGGTCAGGACCCAGCCAAGCTCATGGCTGCCCAC 1200
```

FIGURE 16 (continued)

Pa

1210 1220 1230 1240

ATTACCATGAAGACCAACCCATTCGTGTGGTCATCCTGCA 1240
ACCGTGACTACATCACCAGCTTTCTAGACTCGGGCCTGGG 1280
GCTCTGCCTGAACAACCGGCCCCCCAGACAGGACTTTGTG 1320
TACCCGACAGTGGCACCGGGCCAAGCCTACGATGCAGATG 1360
AGCAATGCCGCTTTCAGCATGGAGTCAAATCGCGTCAGTG 1400

1410 1420 1430 1440

TAAATACGGGGAGGTCTGCAGCGAGCTGTGGTGTCTGAGC 1440
AAGAGCAACCGGTGCATCACCAACAGCATCCCGGCCGCCG 1480
AGGGCACGCTGTGCCAGACGCACACCATCGACAAGGGGTG 1520
GTGCTACAAACGGGTCTGTGTCCCCTTTGGGTCGCGCCCA 1560
GAGGGTGTGGACGGAGCCTGGGGGCCGTGGACTCCATGGG 1600

1610 1620 1630 1640

GCGACTGCAGCCGGACCTGTGGCGGCGGCGTGTCCTCTTC 1640
TAGTCGTCACTGCGACAGCCCCAGGCCAACCATCGGGGGC 1680
AAGTACTGTCTGGGTGAGAGAAGGCGGCACCGCTCCTGCA 1720
ACACGGATGACTGTCCCCCTGGCTCCCAGGACTTCAGAGA 1760
AGTGCAGTGTTCTGAATTTGACAGCATCCCTTTCCGTGGG 1800

1810 1820 1830 1840

AAATTCTACAAGTGGAAAACGTACCGGGGAGGGGGCGTGA 1840
AGGCCTGCTCGCTCACGAGCCTAGCGGAAGGCTTCAACTT 1880
CTACACGGAGAGGGCGGCAGCCGTGGTGGACGGGACACCC 1920
TGCCGTCCAGACACGGTGGACATTTGCGTCAGTGGCGAAT 1960
GCAAGCACGTGGGCTGCGACCGAGTCCTGGGCTCCGACCT 2000

2010 2020 2030 2040

GCGGGAGGACAAGTGCCGAGTGTGTGGCGGTGACGGCAGT 2040
GCCTGCGAGACCATCGAGGGCGTCTTCAGCCCAGCCTCAC 2080
CTGGGGCCGGGTACGAGGATGTCGTCTGGATTCCCAAAGG 2120
CTCCGTCCACATCTTCATCCAGGATCTGAACCTCTCTCTC 2160
AGTCACTTGGCCCTGAAGGGAGACCAGGAGTCCCTGCTGC 2200

FIGURE 16 (continued)

Pa

2210 2220 2230 2240

TGGAGGGGCTGCCTGGGACCCCCCAGCCCCACCGTCTGCC 2240
TCTAGCTGGGACCACCTTTCAACTGCGACAGGGGCCAGAC 2280
CAGGTCCAGAGCCTCGAAGCCCTGGGACCGATTAATGCAT 2320
CTCTCATCGTCATGGTGCTGGCCCGGACCGAGCTGCCTGC 2360
CCTCCGCTACCGCTTCAATGCCCCCATCGCCCGTGACTCG 2400

2410 2420 2430 2440

CTGCCCCCCTACTCCTGGCACTATGCGCCCTGGACCAAGT 2440
GCTCGGCCCAGTGTGCAGGCGGTAGCCAGGTGCAGGCGGT 2480
GGAGTGCCGCAACCAGCTGGACAGCTCCGCGGTCGCCCCC 2520
CACTACTGCAGTGCCCACAGCAAGCTGCCCAAAAGGCAGC 2560
GCGCCTGCAACACGGAGCCTTGCCCTCCAGACTGGGTTGT 2600

2610 2620 2630 2640

AGGGAACTGGTCGCTCTGCAGCCGCAGCTGCGATGCAGGC 2640
GTGCGCAGTCGCTCGGTCGTGTGCCAGCGCCGCGTCTCTG 2680
CCGCGGAGGAGAAGGCGCTGGACGACAGCGCATGCCCGCA 2720
GCCGCGCCCACCTGTACTGGAGGCCTGCCACGGCCCCACT 2760
TGCCCTCCGGAGTGGGCGGCCCTCGACTGGTCTGAGTGCA 2800

2810 2820 2830 2840

CCCCCAGCTGCGGGCCGGGCCTCCGCCACCGCGTGGTCCT 2840
TTGCAAGAGCGCAGACCACCGCGCCACGCTGCCCCCGGCG 2880
CACTGCTCACCCGCCGCCAAGCCACCGGCCACCATGCGCT 2920
GCAACTTGCGCCGCTGCCCCCCGGCCCGCTGGGTGGCTGG 2960
CGAGTGGGGTGAGTGCTCTGCACAGTGCGGCGTCGGGCAG 3000

3010 3020 3030 3040

CGGCAGCGCTCGGTGCGCTGCACCAGCCACACGGGCCAGG 3040
CGTCGCACGAGTGCACGGAGGCCCTGCGGCCGCCCACCAC 3080
GCAGCAGTGTGAGGCCAAGTGCGACAGCCCAACCCCCGGG 3120
GACGGCCCTGAAGAGTGCAAGGATGTGAACAAGGTCGCCT 3160
ACTGCCCCCTGGTGCTCAAATTTCAGTTCTGCAGCCGAGC 3200

FIGURE 16 (continued)



Pa

FIGURE 17

Molecular Weight 216301.30 Daltons
1934 Amino Acids
234 Strongly Basic(+) Amino Acids (K,R)
216 Strongly Acidic(-) Amino Acids (D,E)
477 Hydrophobic Amino Acids (A,I,L,F,W,V)
657 Polar Amino Acids (N,C,Q,S,T,Y)

7.734 Isolectric Point
24.102 Charge at PH 7.0

```
MQFVSWATLLTLLVRDLAEMGSPDAAAAVRKDRLHPRQVKLLETLSEYEIVSPIRVNALG 60
EPFPINVHFKRTRRSINSATDPWPAFASSSSSSTSPQAHYRLSAFGQQFLFNLTANAGFI 120
APLFTVTLLGTPGVNQTKFYSEEEAELKHCFYKGYVNTNSEHTAVISLCSGMLGTFRSHD 180
GGYFIEPLQSMDEQEDEEEQNKPHIIYRRSAPQREPSTGRHACDTSEHKNRHSKDKKKTR 240
ARKWGERINLAGDVAALNSGLATEAFSAYGNKTDNTREKRTHRRTKRFLSYPRFVEVLVV 300
ADNRMVSYHGENLQHYILTLMSIVASIYKDPSIGNLINIVIVNLIVIHNEQDGPSISFNA 360
QTTLKNFCQWQHSNSPGGIHHDTAVLLTRQDICRAHDKCDTLGLAELGTICDPYRSCSIS 420
EDSGLSTAFTIAHELGHVFNMPHDDNNKCKEEGVKSPQHVMAPTLNFYTNPWMWSKCSRK 480
YITEFLDTGYGECLLNEPESRPYPLPVQLPGILYNVNKQCELIFGPGSQVCPYMMQCRRL 540
WCNNVNGVHKGCRTQHTPWADGTECEPGKHCKYGFCVPKEMDVPVTDGSWGSWSPFGTCS 600
RTCGGGIKTAIRECNRPEPKNGGKYCVGRRMKFKSCNTEPCLKQKRDFRDEQCAHFDGKH 660
FNINGLLPNVRWVPKYSGILMKDRCKLFCRVAGNTAYYQLRDRVIDGTPCGQDTNDICVQ 720
GLCRQAGCDHVLNSKARRDKCGVCGGDNSSCKTVAGTFNTVHYGYNTVVRIPAGATNIDV 780
RQHSFSGETDDDNYLALSSSKGEFLLNGNFVVTMAKREIRIGNAVVEYSGSETAVERINS 840
TDRIEQELLLQVLSVGKLYNPDVRYSFNIPIEDKPQQFYWNSHGPWQACSKPCQGERKRK 900
LVCTRESDQLTVSDQRCDRLPQPGHITEPCGTGCDLRWHVASRSECSAQCGLGYRTLDIY 960
CAKYSRLDGKTEKVDDGFCSSHPKPSNREKCSGECNTGGWRYSAWTECSKSCDGGIQRRR 1020
AICVNTRNDVLDDSKCTHQEKVTIQRCSEFPCPQWKSGDWSECLVTCGKGHKHRQVWCQF 1080
GEDRLNDRMCDPETKPTSMQTCQQPECASWQAGPWVQCSVTCGQGYQLRAVKCIIGTYMS 1140
VVDDNDCNAATRPTDTQDCELPSCHPPPAAPETRRSTYSAPRTQWRFGSWTPCSATCGKG 1200
TRMRYVSCRDENGSVADESACATLPRPVAKEECSVTPCGQWKALDWSSCSVTCGQGRATR 1260
QVMCVNYSDHVIDRSECDQDYIPETDQDCSMSPCPQRTPDSGLAQHPFQNEDYRPRSASP 1320
SRTHVLGGNQWRTGPWGACSSTCAGGSQRRVVVCQDENGYTANDCVERIKPDEQRACESG 1380
PCPQWAYGNWGECTKLCGGGIRTRLVVCQRSNGERFPDLSCEILDKPPDREQCNTHACPH 1440
DAAWSTGPWSSCSVSCGRGHKQRNVYCMAKDGSHLESDYCKHLAKPHGHRKCRGGRCPKW 1500
KAGAWSQCSVSCGRGVQQRHVGCQIGTHKIARETECNPYTRPESECECQGPRCPLYTWRA 1560
EEWQECTKTCGEGSRYRKVVCVDDNKNEVHGARCDVSKRPVDRESCSLQPCEYVWITGEW 1620
SECSVTCGKGYKQRLVSCSEIYTGKENYEYSYQTTINCPGTQPPSVHPCYLRECPVSATW 1680
RVGNWGSCSVSCGVGVMQRSVQCLTNEDQPSHLCHTDLKPEERKTCRNVYNCELPQNCKE 1740
VKRLKGASEDGEYFLMIRGKLLKIFCAGMHSDHPKEYVTLVHGDSENFSEVYGHRLHNPT 1800
ECPYNGSRRDDCQCRKDYTAAGFSSFQKIRIDLTSMQIITTDLQFARTSEGHPVPFATAG 1860
```

FIGURE 17 (cc inued)

Pa

DCYSAAKCPQGRFSINLYGIGLSLTESARWISQGNYAVSDIKKSPDGTRVVGKCGGYCGK 1920
CTPSSGIGLEVRVL 1934

```
          10         20         30         40
          |          |          |          |
tgggggcagcggagggaggggtgggaagcaccATGCAGTT  40
TGTATCCTGGGCCACACTGCTAACGCTCCTGGTGCGGGAC  80
CTGGCCGAGATGGGGAGCCCAGACGCCGCGGCGGCCGTGC 120
GCAAGGACAGGCTGCACCCGAGGCAAGTGAAATTATTAGA 160
GACCCTGAGCGAATACGAAATCGTGTCTCCCATCCGAGTG 200
      210        220        230        240
      |          |          |          |
AACGCTCTCGGAGAACCCTTTCCCACGAACGTCCACTTCA 240
AAAGAACGCGACGGAGCATTAACTCTGCCACTGACCCCTG 280
GCCTGCCTTCGCCTCCTCCTCTTCCTCCTCTACCTCCCCC 320
CAGGCGCATTACCGCCTCTCTGCCTTCGGCCAGCAGTTTC 360
TATTTAATCTCACCGCCAATGCCGGATTTATCGCTCCACT 400
      410        420        430        440
      |          |          |          |
GTTCACTGTCACCCTCCTCGGGACGCCCGGGGTGAATCAG 440
ACCAAGTTTTATTCCGAAGAGGAAGCGGAACTCAAGCACT 480
GTTTCTACAAAGGCTATGTCAATACCAACTCCGAGCACAC 520
GGCCGTCATCAGCCTCTGCTCAGGAATGCTGGGCACATTC 560
CGGTCTCATGATGGGGGTTATTTTATTGAACCACTACAGT 600
      610        620        630        640
      |          |          |          |
CTATGGATGAACAAGAAGATGAAGAGGAACAAAACAAACC 640
CCACATCATTTATAGGCGCAGCGCCCCCCAGAGAGAGCCC 680
TCAACAGGAAGGCATGCATGTGACACCTCAGAACACAAAA 720
ATAGGCACAGTAAAGACAAGAAGAAAACCAGAGCAAGAAA 760
ATGGGGAGAAAGGATTAACCTGGCTGGTGACGTAGCAGCA 800
      810        820        830        840
      |          |          |          |
TTAAACAGCGGCTTAGCAACAGAGGCATTTTCTGCTTATG 840
GTAATAAGACGGACAACACAAGAGAAAAGAGGACCCACAG 880
AAGGACAAAACGTTTTTTATCCTATCCACGGTTTGTAGAA 920
GTCTTGGTGGTGGCAGACAACAGAATGGTTTCATACCATG 960
GAGAAAACCTTCAACACTATATTTTAACTTTAATGTCAAT 1000
```

FIGURE 17 (co) ıued)

Pa

1010 1020 1030 1040

TGTAGCCTCTATCTATAAAGACCCAAGTATTGGAAATTTA 1040
ATTAATATTGTTATTGTGAACTTAATTGTGATTCATAATG 1080
AACAGGATGGGCCTTCCATATCTTTTAATGCTCAGACAAC 1120
ATTAAAAAACTTTTGCCAGTGGCAGCATTCGAACAGTCCA 1160
GGTGGAATCCATCATGATACTGCTGTTCTCTTAACAAGAC 1200

1210 1220 1230 1240

AGGATATCTGCAGAGCTCACGACAAATGTGATACCTTAGG 1240
CCTGGCTGAACTGGGAACCATTTGTGATCCCTATAGAAGC 1280
TGTTCTATTAGTGAAGATAGTGGATTGAGTACAGCTTTTA 1320
CGATCGCCCATGAGCTGGGCCATGTGTTTAACATGCCTCA 1360
TGATGACAACAACAAATGTAAAGAAGAAGGAGTTAAGAGT 1400

1410 1420 1430 1440

CCCCAGCATGTCATGGCTCCAACACTGAACTTCTACACCA 1440
ACCCCTGGATGTGGTCAAAGTGTAGTCGAAAATATATCAC 1480
TGAGTTTTTAGACACTGGTTATGGCGAGTGTTTGCTTAAC 1520
GAACCTGAATCCAGACCCTACCCTTTGCCTGTCCAACTGC 1560
CAGGCATCCTTTACAACGTGAATAAACAATGTGAATTGAT 1600

1610 1620 1630 1640

TTTTGGACCAGGTTCTCAGGTGTGCCCATATATGATGCAG 1640
TGCAGACGGCTCTGGTGCAATAACGTCAATGGAGTACACA 1680
AAGGCTGCCGGACTCAGCACACACCCTGGGCCGATGGGAC 1720
GGAGTGCGAGCCTGGAAAGCACTGCAAGTATGGATTTTGT 1760
GTTCCCAAAGAAATGGATGTCCCCGTGACAGATGGATCCT 1800

1810 1820 1830 1840

GGGGAAGTTGGAGTCCCTTTGGAACCTGCTCCAGAACATG 1840
TGGAGGGGGCATCAAAACAGCCATTCGAGAGTGCAACAGA 1880
CCAGAACCAAAAAATGGTGGAAAATACTGTGTAGGACGTA 1920
GAATGAAATTTAAGTCCTGCAACACGGAGCCATGTCTCAA 1960
GCAGAAGCGAGACTTCCGAGATGAACAGTGTGCTCACTTT 2000

FIGURE 17 (continued)

2010 2020 2030 2040

GACGGGAAGCATTTTAACATCAACGGTCTGCTTCCCAATG 2040
TGCGCTGGGTCCCTAAATACAGTGGAATTCTGATGAAGGA 2080
CCGGTGCAAGTTGTTCTGCAGAGTGGCAGGGAACACAGCC 2120
TACTATCAGCTTCGAGACAGAGTGATAGATGGAACTCCTT 2160
GTGGCCAGGACACAAATGATATCTGTGTCCAGGGCCTTTG 2200

2210 2220 2230 2240

CCGGCAAGCTGGATGCGATCATGTTTTAAACTCAAAAGCC 2240
CGGAGAGATAAATGCGGGGTTTGTGGTGGCGATAATTCTT 2280
CATGCAAAACAGTGGCAGGAACATTTAATACAGTACATTA 2320
TGGTTACAATACTGTGGTCCGAATTCCAGCTGGTGCTACC 2360
AATATTGATGTGCGGCAGCACAGTTTCTCAGGGGAAACAG 2400

2410 2420 2430 2440

ACGATGACAACTACTTAGCTTTATCAAGCAGTAAAGGTGA 2440
ATTCTTGCTAAATGGAAACTTTGTTGTCACAATGGCCAAA 2480
AGGGAAATTCGCATTGGGAATGCTGTGGTAGAGTACAGTG 2520
GGTCCGAGACTGCCGTAGAAAGAATTAACTCAACAGATCG 2560
CATTGAGCAAGAACTTTTGCTTCAGGTTTTGTCGGTGGGA 2600

2610 2620 2630 2640

AAGTTGTACAACCCCGATGTACGCTATTCTTTCAATATTC 2640
CAATTGAAGATAAACCTCAGCAGTTTTACTGGAACAGTCA 2680
TGGGCCATGGCAAGCATGCAGTAAACCCTGCCAAGGGGAA 2720
CGGAAACGAAAACTTGTTTGCACCAGGGAATCTGATCAGC 2760
TTACTGTTTCTGATCAAAGATGCGATCGGCTGCCCCAGCC 2800

2810 2820 2830 2840

TGGACACATTACTGAACCCTGTGGTACAGGCTGTGACCTG 2840
AGGTGGCATGTTGCCAGCAGGAGTGAATGTAGTGCCCAGT 2880
GTGGCTTGGGTTACCGCACATTGGACATCTACTGTGCCAA 2920
ATATAGCAGGCTGGATGGGAAGACTGAGAAGGTTGATGAT 2960
GGTTTTTGCAGCAGCCATCCCAAACCAAGCAACCGTGAAA 3000

FIGURE 17 (continued)

Pa

3010 3020 3030 3040

AATGCTCAGGGGAATGTAACACGGGTGGCTGGCGCTATTC 3040
TGCCTGGACTGAATGTTCAAAAAGCTGTGACGGTGGGACC 3080
CAGAGGAGAAGGGCTATTTGTGTCAATACCCGAAATGATG 3120
TACTGGATGACAGCAAATGCACACATCAAGAGAAAGTTAC 3160
CATTCAGAGGTGCAGTGAGTTCCCTTGTCCACAGTGGAAA 3200

3210 3220 3230 3240

TCTGGAGACTGGTCAGAGTGCTTGGTCACCTGTGGAAAAG 3240
GGCATAAGCACCGCCAGGTCTGGTGTCAGTTTGGTGAAGA 3280
TCGATTAAATGATAGAATGTGTGACCCTGAGACCAAGCCA 3320
ACATCTATGCAGACTTGTCAGCAGCCGGAATGTGCATCCT 3360
GGCAGGCGGGTCCCTGGGTACAGTGCAGTGTCACTTGTGG 3400

3410 3420 3430 3440

ACAGGGATACCAGCTAAGAGCAGTGAAATGCATCATTGGG 3440
ACTTATATGTCAGTGGTAGATGACAATGACTGTAATGCAG 3480
CAACTAGACCAACTGATACCCAGGACTGTGAATTACCATC 3520
ATGTCATCCTCCCCCAGCTGCCCCGGAAACGAGGAGAAGC 3560
ACATACAGTGCACCAAGAACCCAGTGGCGATTTGGGTCTT 3600

3610 3620 3630 3640

GGACCCCATGCTCAGCCACTTGTGGGAAAGGTACCCGGAT 3640
GAGATACGTCAGCTGCCGAGATGAGAATGGCTCTGTGGCT 3680
GACGAGAGTGCCTGTGCTACCCTGCCTAGACCAGTGGCAA 3720
AGGAAGAATGTTCTGTGACACCCTGTGGGCAATGGAAGGC 3760
CTTGGACTGGAGCTCTTGCTCTGTGACCTGTGGGCAAGGT 3800

3810 3820 3830 3840

AGGGCAACCCGGCAAGTGATGTGTGTCAACTACAGTGACC 3840
ACGTGATCGATCGGAGTGAGTGTGACCAGGATTATATCCC 3880
AGAAACTGACCAGGACTGTTCCATGTCACCATGCCCTCAA 3920
AGGACCCCAGACAGTGGCTTAGCTCAGCACCCCTTCCAAA 3960
ATGAGGACTATCGTCCCCGGAGCGCCAGCCCCAGCCGCAC 4000

FIGURE 17 (continued)

4010 4020 4030 4040

CCATGTGCTCGGTGGAAACCAGTGGAGAACTGGCCCCTGG 4040
GGAGCATGTTCCAGTACCTGTGCTGGCGGATCCCAGCGGC 4080
GTGTTGTTGTATGTCAGGATGAAAATGGATACACCGCAAA 4120
CGACTGTGTGGAGAGAATAAAACCTGATGAGCAAAGAGCC 4160
TGTGAATCCGGCCCTTGTCCTCAGTGGGCTTATGGCAACT 4200

4210 4220 4230 4240

GGGGAGAGTGCACTAAGCTGTGTGGTGGAGGCATAAGAAC 4240
AAGACTGGTGGTCTGTCAGCGGTCCAACGGTGAACGGTTT 4280
CCAGATTTGAGCTGTGAAATTCTTGATAAACCTCCCGATC 4320
GTGAGCAGTGTAACACACATGCTTGTCCACACGACGCTGC 4360
ATGGAGTACTGGCCCTTGGAGCTCGTGTTCTGTCTCTTGT 4400

4410 4420 4430 4440

GGTCGAGGGCATAAACAACGAAATGTTTACTGCATGGCAA 4440
AAGATGGAAGCCATTTAGAAAGTGATTACTGTAAGCACCT 4480
GGCTAAGCCACATGGGCACAGAAAGTGCCGAGGAGGAAGA 4520
TGCCCCAAATGGAAAGCTGGCGCTTGGAGTCAGTGCTCTG 4560
TGTCCTGTGGCCGAGGCGTACAGCAGAGGCATGTGGGCTG 4600

4610 4620 4630 4640

TCAGATCGGAACACACAAAATAGCCAGAGAGACCGAGTGC 4640
AACCCATACACCAGACCGGAGTCGGAATGCGAATGCCAAG 4680
GCCCACGGTGTCCCCTTTACACTTGGAGGGCAGAGGAATG 4720
GCAAGAATGCACCAAGACCTGCGGCGAAGGCTCCAGGTAC 4760
CGCAAGGTGGTGTGTGTGGATGACAACAAAAACGAGGTGC 4800

4810 4820 4830 4840

ATGGGGCACGCTGTGACGTGAGCAAGCGGCCGGTGGACCG 4840
TGAAAGCTGTAGTTTGCAACCCTGCGAGTATGTCTGGATC 4880
ACAGGAGAATGGTCAGAGTGCTCAGTGACCTGTGGAAAAG 4920
GCTACAAACAAAGGCTTGTCTCGTGCAGCGAGATTTACAC 4960
CGGGAAAGAGAATTATGAATACAGCTACCAAACCACCATC 5000

FIGURE 17 (c nued)

Pa

5010 5020 5030 5040

AACTGCCCAGGCACGCAGCCCCCCAGTGTTCACCCCTGTT 5040
ACCTGAGGGAGTGCCCTGTCTCGGCCACCTGGAGAGTTGG 5080
CAACTGGGGGAGCTGCTCAGTGTCTTGTGGTGTTGGAGTG 5120
ATGCAGAGATCTGTGCAATGTTTAACCAATGAGGACCAAC 5160
CCAGCCACTTATGCCACACTGATCTGAAGCCAGAAGAACG 5200

5210 5220 5230 5240

AAAAACCTGCCGTAATGTCTATAACTGTGAGTTACCCCAG 5240
AATTGCAAGGAGGTAAAAAGACTTAAAGGTGCCAGTGAAG 5280
ATGGTGAATATTTCCTGATGATTAGAGGAAAGCTTCTGAA 5320
GATATTCTGTGCGGGGATGCACTCTGACCACCCCAAAGAG 5360
TACGTGACACTGGTGCATGGAGACTCTGAGAATTTCTCCG 5400

5410 5420 5430 5440

AGGTTTATGGGCACAGGTTACACAACCCAACAGAATGTCC 5440
CTATAACGGGAGCCGGCGCGATGACTGCCAATGTCGGAAG 5480
GATTACACGGCCGCTGGGTTTTCCAGTTTTCAGAAAATCA 5520
GAATAGACCTGACCAGCATGCAGATAATCACCACTGACTT 5560
ACAGTTTGCAAGGACAAGCGAAGGACATCCCGTCCCTTTT 5600

5610 5620 5630 5640

GCCACAGCCGGGGATTGCTACAGCGCTGCCAAGTGCCCAC 5640
AGGGTCGTTTTAGCATCAACCTTTATGGAACCGGCTTGTC 5680
TTTAACTGAATCTGCCAGATGGATATCACAAGGGAATTAT 5720
GCTGTCTCTGACATCAAGAAGTCGCCGGATGGTACCCGAG 5760
TCGTAGGGAAATGCGGTGGTTACTGTGGAAAATGCACTCC 5800

5810 5820 5830 5840

ATCCTCTGGTACTGGCCTGGAGGTGCGAGTTTTAtagcta 5840
aggtgctttgaagaggaagccattatggatggatgaagga 5880
tagtaatgcaatacctccaccttaatttgggtgcatgtgt 5920
atgtgtgtgtgtgtttgtgtgtgacttgtatgcttgtgtg 5960
tgtaaatgtgtgtacatatacatatataca 5990

BNSDOCID: <WO___0111074A2_I_>

FIGURE 18



BNSDOCID: <WO___0111074A2_I_>

SEQUENCE LISTING

<110> Apte, Suneel
Hurskainen, Tiina L.
Hirohata, Satoshi

<120> Nucleic Acids Encoding Zinc Metalloproteases

<130> 26473-04007

<140> 09/369,364
<141> 1999-08-06

<160> 26

<170> PatentIn Ver. 2.1

<210> 1
<211> 3002
<212> DNA
<213> mus musculus ADAMTS-5

<220>
<221> CDS
<222> (18)..(2810)

<400> 1

```
ccggcgggca gcgcact atg cgg ctc gag tgg gcg tcc ttg ttg ctg cta   50
                    Met Arg Leu Glu Trp Ala Ser Leu Leu Leu Leu
                      1               5                  10

ctg ctg ctg ctg agc gcg tcc tgc ctg tcc ctg gcc gct gac agc ccc   98
Leu Leu Leu Leu Ser Ala Ser Cys Leu Ser Leu Ala Ala Asp Ser Pro
               15                  20                  25

gcc gcg gca cct gcc cag gat aaa acc agg cag cct cag gct gca gca   146
Ala Ala Ala Pro Ala Gln Asp Lys Thr Arg Gln Pro Gln Ala Ala Ala
          30                  35                  40

gcg gcc gcc gag ccg gac cag ccg cag ggg gag gaa aca cgg gag cga   194
Ala Ala Ala Glu Pro Asp Gln Pro Gln Gly Glu Glu Thr Arg Glu Arg
      45                  50                  55

ggc cat tta caa ccc ttg gcc ggg cag cgc agg agc ggc ggg ctg gtc   242
Gly His Leu Gln Pro Leu Ala Gly Gln Arg Arg Ser Gly Gly Leu Val
  60                  65                  70                  75

cat aat ata gac caa ctc tac tct ggc ggt ggc aaa gtg ggc tac ctt   290
His Asn Ile Asp Gln Leu Tyr Ser Gly Gly Gly Lys Val Gly Tyr Leu
                  80                  85                  90

gtc tac gcg ggc ggc cgg agg ttc ctg ctg gac ctg gag aga gat gac   338
Val Tyr Ala Gly Gly Arg Arg Phe Leu Leu Asp Leu Glu Arg Asp Asp
              95                  100                 105

aca gtg ggt gct gct ggt agc atc gtt act gca gga gga ggg ctg agc   386
Thr Val Gly Ala Ala Gly Ser Ile Val Thr Ala Gly Gly Gly Leu Ser
          110                 115                 120

gca tcc tct ggc cac cgg ggt cac tgt ttc tac aga ggc acc gtg gac   434
Ala Ser Ser Gly His Arg Gly His Cys Phe Tyr Arg Gly Thr Val Asp
      125                 130                 135

ggc agc cct cga tcc cta gct gtc ttt gac ctc tgc ggg ggt ctc gat   482
Gly Ser Pro Arg Ser Leu Ala Val Phe Asp Leu Cys Gly Gly Leu Asp
  140                 145                 150                 155
```

```
   ggc ttc ttt gca gtc aag cat gcg cgc tac act cta aag cca ctc ctg   530
   Gly Phe Phe Ala Val Lys His Ala Arg Tyr Thr Leu Lys Pro Leu Leu
                   160                 165                 170
5
   cgt ggg tcc tgg gca gag tat gaa cga att tat ggg gat gga tct tcc   578
   Arg Gly Ser Trp Ala Glu Tyr Glu Arg Ile Tyr Gly Asp Gly Ser Ser
               175                 180                 185
10 cgc atc ctg cat gtc tac aac cgc gag ggc ttt agc ttc gag gcc ctg   626
   Arg Ile Leu His Val Tyr Asn Arg Glu Gly Phe Ser Phe Glu Ala Leu
           190                 195                 200

   ccg cca cgc gcc agt tgc gag act cct gca tcc cca tct ggg ccc caa   674
15 Pro Pro Arg Ala Ser Cys Glu Thr Pro Ala Ser Pro Ser Gly Pro Gln
       205                 210                 215

   gag agc ccc tcg gtg cac agt aga tct agg aga cgc tca gcg ctg gcc   722
   Glu Ser Pro Ser Val His Ser Arg Ser Arg Arg Arg Ser Ala Leu Ala
20 220                 225                 230                 235

   ccg cag ctg ctg gac cac tca gct ttc tcg cca tct ggg aac gcg gga   770
   Pro Gln Leu Leu Asp His Ser Ala Phe Ser Pro Ser Gly Asn Ala Gly
                   240                 245                 250
25
   cct cag act tgg tgg agg cgt agg cgc cgt tcc atc tcc agg gcc cgc   818
   Pro Gln Thr Trp Trp Arg Arg Arg Arg Arg Ser Ile Ser Arg Ala Arg
               255                 260                 265

30 cag gtg gag ctc ctc ttg gtg gct gac tcg tcc atg gcc agg atg tat   866
   Gln Val Glu Leu Leu Leu Val Ala Asp Ser Ser Met Ala Arg Met Tyr
           270                 275                 280

   ggg cgg ggc ctg cag cat tac ctg ctg acc atg gcc tcc atc gcc aac   914
35 Gly Arg Gly Leu Gln His Tyr Leu Leu Thr Met Ala Ser Ile Ala Asn
       285                 290                 295

   agg ctg tac agt cat gca agc att gag aac cac atc cgc ctg gcg gtg   962
   Arg Leu Tyr Ser His Ala Ser Ile Glu Asn His Ile Arg Leu Ala Val
40 300                 305                 310                 315

   gtg aag gtg gtg gtg ctg acg gac aag gac acg agt ctg gag gtg agc  1010
   Val Lys Val Val Val Leu Thr Asp Lys Asp Thr Ser Leu Glu Val Ser
                   320                 325                 330
45
   aag aat gcg gcc acg acc ctc aag aac ttt tgc aaa tgg cag cac caa  1058
   Lys Asn Ala Ala Thr Thr Leu Lys Asn Phe Cys Lys Trp Gln His Gln
               335                 340                 345

50 cat aac cag cta ggg gat gat cac gaa gag cac tac gat gca gcc atc  1106
   His Asn Gln Leu Gly Asp Asp His Glu Glu His Tyr Asp Ala Ala Ile
           350                 355                 360

   ctg ttc acc cga gag gat tta tgt ggg cat cat tca tgt gac acc ctg  1154
55 Leu Phe Thr Arg Glu Asp Leu Cys Gly His His Ser Cys Asp Thr Leu
       365                 370                 375

   gga atg gca gac gtt ggg acc ata tgt tct ccg gag cgc agc tgt gca  1202
   Gly Met Ala Asp Val Gly Thr Ile Cys Ser Pro Glu Arg Ser Cys Ala
60 380                 385                 390                 395

   gtg att gaa gat gat ggc ctc cat gca gcc ttc act gtg gct cat gaa  1250
   Val Ile Glu Asp Asp Gly Leu His Ala Ala Phe Thr Val Ala His Glu
                   400                 405                 410
65
   att ggg cat cta ctt ggc ctt tct cat gac gat tcc aaa ttc tgt gaa  1298
```

BNSDOCID: <WO___0111074A2_I_>

```
   Ile Gly His Leu Leu Gly Leu Ser His Asp Asp Ser Lys Phe Cys Glu
                415                 420                 425

   gag aac ttc ggt act aca gaa gac aag cgt tta atg tct tca atc ctt   1346
 5 Glu Asn Phe Gly Thr Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu
          430                 435                 440

   acc agc atc gat gca tcc aag ccc tgg tcc aaa tgc acg tca gcc acc   1394
   Thr Ser Ile Asp Ala Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr
10     445                 450                 455

   atc aca gaa ttc ctg gat gat ggt cat ggt aat tgt ttg cta gac cta   1442
   Ile Thr Glu Phe Leu Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu
   460                 465                 470                 475
15
   cca cgg aag cag att ttg ggt ccc gag gaa ctc cca gga cag acc tac   1490
   Pro Arg Lys Gln Ile Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr
                   480                 485                 490

20 gat gcc acc cag cag tgc aac ttg aca ttt ggg cct gag tac tcg gtg   1538
   Asp Ala Thr Gln Gln Cys Asn Leu Thr Phe Gly Pro Glu Tyr Ser Val
                495                 500                 505

   tgc cct ggc atg gat gtc tgt gcg cgg ctg tgg tgt gct gtg gtg cgc   1586
25 Cys Pro Gly Met Asp Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg
          510                 515                 520

   caa ggc caa atg gtg tgt ctg acc aag aag ctg ccg gct gtg gag ggc   1634
   Gln Gly Gln Met Val Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly
30     525                 530                 535

   act ccc tgt ggg aag gga aga gtc tgc ctt caa ggc aaa tgt gtg gac   1682
   Thr Pro Cys Gly Lys Gly Arg Val Cys Leu Gln Gly Lys Cys Val Asp
   540                 545                 550                 555
35
   aaa act aag aaa aaa tat tac tcg aca tca agc cat gga aat tgg ggg   1730
   Lys Thr Lys Lys Lys Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly
                   560                 565                 570

40 tcc tgg ggc ccc tgg ggt cag tgt tct cgc tca tgc ggg gga gga gtg   1778
   Ser Trp Gly Pro Trp Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val
                575                 580                 585

   cag ttt gcc tac cgc cat tgt aat aac cct gca cct cga aac agt ggc   1826
45 Gln Phe Ala Tyr Arg His Cys Asn Asn Pro Ala Pro Arg Asn Ser Gly
          590                 595                 600

   cgc tac tgc aca ggg aag agg gcc ata tac cgt tcc tgc agt gtt aca   1874
   Arg Tyr Cys Thr Gly Lys Arg Ala Ile Tyr Arg Ser Cys Ser Val Thr
50     605                 610                 615

   ccc tgc cca ccc aat ggt aaa tct ttt cgc cat gag cag tgt gaa gcc   1922
   Pro Cys Pro Pro Asn Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala
   620                 625                 630                 635
55
   aaa aat ggc tat cag tct gat gca aaa gga gtc aaa aca ttt gta gaa   1970
   Lys Asn Gly Tyr Gln Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu
                   640                 645                 650

60 tgg gtt ccc aaa tat gca ggt gtc ctg ccg gca gat gtg tgc aag ctt   2018
   Trp Val Pro Lys Tyr Ala Gly Val Leu Pro Ala Asp Val Cys Lys Leu
                655                 660                 665

   acc tgc aga gct aag ggc aca ggc tac tat gtg gtc ttt tct cca aag   2066
65 Thr Cys Arg Ala Lys Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys
          670                 675                 680
```

```
   gtt acg gat ggg act gaa tgc agg ccg tac agc aac tct gtg tgt gtc   2114
   Val Thr Asp Gly Thr Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val
       685                 690                 695
5
   cga gga cgg tgt gtg aga act gga tgt gac ggc att att ggc tca aag   2162
   Arg Gly Arg Cys Val Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys
   700                 705                 710                 715

10 cta caa tat gac aag tgt gga gtg tgc gga ggg gat aac tcc agt tgt   2210
   Leu Gln Tyr Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys
                   720                 725                 730

   aca aag att atc gga acc ttc aat aaa aaa agc aag ggt tat act gac   2258
15 Thr Lys Ile Ile Gly Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp
               735                 740                 745

   gtt gtg agg atc cct gaa gga gca acc cac ata aaa gtc cga cag ttc   2306
   Val Val Arg Ile Pro Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe
20         750                 755                 760

   aaa gcc aaa gac cag act aga ttc cct gcc tac tta gcc ctg aag aag   2354
   Lys Ala Lys Asp Gln Thr Arg Phe Pro Ala Tyr Leu Ala Leu Lys Lys
       765                 770                 775
25
   aaa act ggc gag tac ctt atc aat ggc aag tac atg att tcc act tca   2402
   Lys Thr Gly Glu Tyr Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser
   780                 785                 790                 795

30 gag acc atc atc gac atc aat ggt acc gtc atg aac tac agt gga tgg   2450
   Glu Thr Ile Ile Asp Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp
                   800                 805                 810

   agc cac aga gat gat ttt tta cat ggg atg ggc tat tca gcc aca aaa   2498
35 Ser His Arg Asp Asp Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys
               815                 820                 825

   gaa atc ctg atc gtg cag atc ctt gcc aca gac cca act aaa gcg cta   2546
   Glu Ile Leu Ile Val Gln Ile Leu Ala Thr Asp Pro Thr Lys Ala Leu
40         830                 835                 840

   ggc gtc cgt tac agc ttt ttt gtt ccc aag aag acc act caa aaa gta   2594
   Gly Val Arg Tyr Ser Phe Phe Val Pro Lys Lys Thr Thr Gln Lys Val
       845                 850                 855
45
   aac tct gtc atc agc cat ggc agc aac aag gtg gga cca cac tct aca   2642
   Asn Ser Val Ile Ser His Gly Ser Asn Lys Val Gly Pro His Ser Thr
   860                 865                 870                 875

50 cag ctg cag tgg gtg aca ggt cca tgg ctg gcc tgc tcc agg acc tgt   2690
   Gln Leu Gln Trp Val Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys
                   880                 885                 890

   gac aca ggc tgg cac act agg acc gtg cag tgc cag gat gga aac agg   2738
55 Asp Thr Gly Trp His Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg
               895                 900                 905

   aaa tta gct aaa gga tgc ctt ctc tct cag agg cct tct gca ttt aag   2786
   Lys Leu Ala Lys Gly Cys Leu Leu Ser Gln Arg Pro Ser Ala Phe Lys
60         910                 915                 920

   caa tgt ctg ctg aag aaa tgt tag cctgtggttt actctaatgc acaaaaaaac  2840
   Gln Cys Leu Leu Lys Lys Cys
       925                 930
65
   aacaggagga tcatcgcaga tacagctgtg gtgaagacaa ggcctaccca aagcacagaa 2900
```

agtcatgcct tcatgtcatt gtcaccacga gtcgaattat gggcagaatc tgctctctgc 2960

gaccaaaagg tttactctac ttggtgaatg atggtaccgt ga 3002

<210> 2
<211> 930
<212> PRT
<213> mus musculus ADAMTS-5

<400> 2

```
Met Arg Leu Glu Trp Ala Ser Leu Leu Leu Leu Leu Leu Leu Ser
  1               5                  10                  15
Ala Ser Cys Leu Ser Leu Ala Ala Asp Ser Pro Ala Ala Ala Pro Ala
             20                  25                  30
Gln Asp Lys Thr Arg Gln Pro Gln Ala Ala Ala Ala Ala Ala Glu Pro
         35                  40                  45
Asp Gln Pro Gln Gly Glu Glu Thr Arg Glu Arg Gly His Leu Gln Pro
     50                  55                  60
Leu Ala Gly Gln Arg Arg Ser Gly Gly Leu Val His Asn Ile Asp Gln
 65                  70                  75                  80
Leu Tyr Ser Gly Gly Gly Lys Val Gly Tyr Leu Val Tyr Ala Gly Gly
                 85                  90                  95
Arg Arg Phe Leu Leu Asp Leu Glu Arg Asp Asp Thr Val Gly Ala Ala
            100                 105                 110
Gly Ser Ile Val Thr Ala Gly Gly Gly Leu Ser Ala Ser Ser Gly His
        115                 120                 125
Arg Gly His Cys Phe Tyr Arg Gly Thr Val Asp Gly Ser Pro Arg Ser
    130                 135                 140
Leu Ala Val Phe Asp Leu Cys Gly Gly Leu Asp Gly Phe Phe Ala Val
145                 150                 155                 160
Lys His Ala Arg Tyr Thr Leu Lys Pro Leu Leu Arg Gly Ser Trp Ala
                165                 170                 175
Glu Tyr Glu Arg Ile Tyr Gly Asp Gly Ser Ser Arg Ile Leu His Val
            180                 185                 190
Tyr Asn Arg Glu Gly Phe Ser Phe Glu Ala Leu Pro Pro Arg Ala Ser
        195                 200                 205
Cys Glu Thr Pro Ala Ser Pro Ser Gly Pro Gln Glu Ser Pro Ser Val
    210                 215                 220
His Ser Arg Ser Arg Arg Arg Ser Ala Leu Ala Pro Gln Leu Leu Asp
225                 230                 235                 240
His Ser Ala Phe Ser Pro Ser Gly Asn Ala Gly Pro Gln Thr Trp Trp
                245                 250                 255
Arg Arg Arg Arg Arg Ser Ile Ser Arg Ala Arg Gln Val Glu Leu Leu
            260                 265                 270
Leu Val Ala Asp Ser Ser Met Ala Arg Met Tyr Gly Arg Gly Leu Gln
        275                 280                 285
His Tyr Leu Leu Thr Met Ala Ser Ile Ala Asn Arg Leu Tyr Ser His
    290                 295                 300
Ala Ser Ile Glu Asn His Ile Arg Leu Ala Val Val Lys Val Val Val
305                 310                 315                 320
Leu Thr Asp Lys Asp Thr Ser Leu Glu Val Ser Lys Asn Ala Ala Thr
                325                 330                 335
Thr Leu Lys Asn Phe Cys Lys Trp Gln His Gln His Asn Gln Leu Gly
            340                 345                 350
Asp Asp His Glu Glu His Tyr Asp Ala Ala Ile Leu Phe Thr Arg Glu
        355                 360                 365
Asp Leu Cys Gly His His Ser Cys Asp Thr Leu Gly Met Ala Asp Val
    370                 375                 380
Gly Thr Ile Cys Ser Pro Glu Arg Ser Cys Ala Val Ile Glu Asp Asp
385                 390                 395                 400
Gly Leu His Ala Ala Phe Thr Val Ala His Glu Ile Gly His Leu Leu
                405                 410                 415
Gly Leu Ser His Asp Asp Ser Lys Phe Cys Glu Glu Asn Phe Gly Thr
            420                 425                 430
```

```
Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu Thr Ser Ile Asp Ala
        435                 440                 445
Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr Ile Thr Glu Phe Leu
    450                 455                 460
Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu Pro Arg Lys Gln Ile
465                 470                 475                 480
Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr Asp Ala Thr Gln Gln
                485                 490                 495
Cys Asn Leu Thr Phe Gly Pro Glu Tyr Ser Val Cys Pro Gly Met Asp
            500                 505                 510
Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg Gln Gly Gln Met Val
        515                 520                 525
Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly Thr Pro Cys Gly Lys
    530                 535                 540
Gly Arg Val Cys Leu Gln Gly Lys Cys Val Asp Lys Thr Lys Lys Lys
545                 550                 555                 560
Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly Ser Trp Gly Pro Trp
                565                 570                 575
Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val Gln Phe Ala Tyr Arg
            580                 585                 590
His Cys Asn Asn Pro Ala Pro Arg Asn Ser Gly Arg Tyr Cys Thr Gly
        595                 600                 605
Lys Arg Ala Ile Tyr Arg Ser Cys Ser Val Thr Pro Cys Pro Pro Asn
    610                 615                 620
Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala Lys Asn Gly Tyr Gln
625                 630                 635                 640
Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu Trp Val Pro Lys Tyr
                645                 650                 655
Ala Gly Val Leu Pro Ala Asp Val Cys Lys Leu Thr Cys Arg Ala Lys
            660                 665                 670
Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys Val Thr Asp Gly Thr
        675                 680                 685
Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val Arg Gly Arg Cys Val
    690                 695                 700
Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys Leu Gln Tyr Asp Lys
705                 710                 715                 720
Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Thr Lys Ile Ile Gly
                725                 730                 735
Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp Val Val Arg Ile Pro
            740                 745                 750
Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys Ala Lys Asp Gln
        755                 760                 765
Thr Arg Phe Pro Ala Tyr Leu Ala Leu Lys Lys Lys Thr Gly Glu Tyr
    770                 775                 780
Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu Thr Ile Ile Asp
785                 790                 795                 800
Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser His Arg Asp Asp
                805                 810                 815
Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu Ile Leu Ile Val
            820                 825                 830
Gln Ile Leu Ala Thr Asp Pro Thr Lys Ala Leu Gly Val Arg Tyr Ser
        835                 840                 845
Phe Phe Val Pro Lys Lys Thr Thr Gln Lys Val Asn Ser Val Ile Ser
    850                 855                 860
His Gly Ser Asn Lys Val Gly Pro His Ser Thr Gln Leu Gln Trp Val
865                 870                 875                 880
Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp Thr Gly Trp His
                885                 890                 895
Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg Lys Leu Ala Lys Gly
            900                 905                 910
Cys Leu Leu Ser Gln Arg Pro Ser Ala Phe Lys Gln Cys Leu Leu Lys
        915                 920                 925
Lys Cys
    930
```

BNSDOCID: <WO___0111074A2_I_>

<210> 3
<211> 1520
<212> DNA
<213> homo sapiens ADAMTS-5

<400> 3
ggacatttac ttggcctctc ccatgacgat tccaaattct gtgaagagac ctttggttcc 60
acagaagata agcgcttaat gtcttccatc cttaccagca ttgatgcatc taagccctgg 120
tccaaatgca cttcagccac catcacagaa ttcctggatg atggccatgg taactgtttg 180
ctggacctac cacgaaagca gatcctgggc cccgaagaac tcccaggaca gacctacgat 240
gccacccagc agtgcaacct gacattcggg cctgagtact ccgtgtgtcc cggcanggat 300
gtctgtgctc gcctgtggtg tgctgtggta cgccagggcc agatggtctg tctgaccaag 360
gagtgcagtt tgcctatcgt cactgtaata accctgctcc cagaaacaac ggacgctact 420
gcacagggaa gagggccatc taccactcct gcagtctcat gccctgccca cccaatggta 480
aatcatttcg tcatgaacag tgtgaggcca aaaatggcta tcagtctgat gcaaaaggag 540
tcaaaacttt tgtggaatgg gttcccaaat atgcaggtgt cctgccagcg gatgtgtgca 600
agctgacctg cagagccaag ggcactggct actatgtggt attttctcca aaggtgaccg 660
atggcactga atgtaggccg tacagtaatt ccgtctgcgt ccgggggaag tgtgtgagaa 720
ctggctgtga cggcatcatt ggctcaaagc tgcagtatga caagtgcgga gtatgtggag 780
gagacaactc cagctgtaca aagattgttg gaacctttaa taagaaaagt aagggttaca 840
ctgacgtggt gaggattcct gaaggggcaa cccacataaa agttcgacag ttcaaagcca 900
aagaccagac tagattcact gcctatttag ccctgaaaaa gaaaaacggt gagtacctta 960
tcaatggaaa gtacatgatc tccacttcag agactatcat tgacatcaat ggaacagtca 1020
tgaactatag cggttggagc cacagggatg acttcctgca tggcatgggc tactctgcca 1080
cgaaggaaat tctaatagtg cagattcttg caacagaccc cactaaacca ttagatgtcc 1140
gttatagctt ttttgttccc aagaagtcca ctccaaaagt aaactctgtc actagtcatg 1200
gcagcaataa agtgggatca cacacttcgc agccgcagtg ggtcacgggc ccatggctcg 1260
cctgctctag gacctgtgac acaggttggc acaccagaac ggtgcagtgc caggatggaa 1320
accggaagtt agcaaaagga tgtcctctct cccaaaggcc ttctgcgttt aagcaatgct 1380
tgttgaagaa atgttagcct gtgggttatg atcttattgc acaaaagata ctggaggatt 1440
cancacccgt gcaatcnngg tgaacaggaa ggctaccttа acgcacagaa agtcatgctt 1500
taatgacatt gtcaaccagg 1520

<210> 4
<211> 2848
<212> DNA
<213> Homo sapiens ADAMTS-6

<220>
<221> CDS
<222> (22)..(2601)

<220>
<221> misc_feature
<222> (1369)..(1371)

<400> 4
aatcatccag ttttctaaat t atg gaa att ttg tgg aag acg ttg acc tgg 51
Met Glu Ile Leu Trp Lys Thr Leu Thr Trp
1 5 10

att ttg agc ctc atc atg gct tca tcg gaa ttt cat agt gac cac agg 99
Ile Leu Ser Leu Ile Met Ala Ser Ser Glu Phe His Ser Asp His Arg
15 20 25

ctt tca tac agt tct caa gag gaa ttc ctg act tat ctt gaa cac tac 147
Leu Ser Tyr Ser Ser Gln Glu Glu Phe Leu Thr Tyr Leu Glu His Tyr
30 35 40

cag cta act att cca ata agg gtt gat caa aat gga gca ttt ctc agc 195
Gln Leu Thr Ile Pro Ile Arg Val Asp Gln Asn Gly Ala Phe Leu Ser
45 50 55

ttt act gtg aaa aat gat aaa cac tca agg aga aga cgg agt atg gac 243

BNSDOCID: <WO___0111074A2_I_>

```
   Phe Thr Val Lys Asn Asp Lys His Ser Arg Arg Arg Arg Ser Met Asp
        60                  65                  70

   cct att gat cca cag cag gca gta tct aag tta ttt ttt aaa ctt tca   291
 5 Pro Ile Asp Pro Gln Gln Ala Val Ser Lys Leu Phe Phe Lys Leu Ser
    75                  80                  85                  90

   gcc tat ggc aag cac ttt cat cta aac ttg act ctc aac aca gat ttt   339
   Ala Tyr Gly Lys His Phe His Leu Asn Leu Thr Leu Asn Thr Asp Phe
10                 95                 100                 105

   gtg tcc aaa cat ttt aca gta gaa tat tgg ggg aaa gat gga ccc cag   387
   Val Ser Lys His Phe Thr Val Glu Tyr Trp Gly Lys Asp Gly Pro Gln
              110                 115                 120
15
   tgg aaa cat gat ttt tta gac aac tgt cat tac aca gga tat ttg caa   435
   Trp Lys His Asp Phe Leu Asp Asn Cys His Tyr Thr Gly Tyr Leu Gln
         125                 130                 135

20 gat caa cgt agt aca act aaa gtg gct tta agc aac tgt gtt ggg ttg   483
   Asp Gln Arg Ser Thr Thr Lys Val Ala Leu Ser Asn Cys Val Gly Leu
        140                 145                 150

   cat ggt gtt att gct aca gaa gat gaa gag tat ttt atc gaa cct tta   531
25 His Gly Val Ile Ala Thr Glu Asp Glu Glu Tyr Phe Ile Glu Pro Leu
   155                 160                 165                 170

   aag aat acc aca gag gat tcc aag cat ttt agt tat gaa aat ggc cac   579
   Lys Asn Thr Thr Glu Asp Ser Lys His Phe Ser Tyr Glu Asn Gly His
30                 175                 180                 185

   cct cat gtt att tac aaa aag tct gcc ctt caa caa cga cat ctg tat   627
   Pro His Val Ile Tyr Lys Lys Ser Ala Leu Gln Gln Arg His Leu Tyr
              190                 195                 200
35
   gat cac tct cat tgt ggg gtt tcg gat ttc aca aga agt ggc aaa cct   675
   Asp His Ser His Cys Gly Val Ser Asp Phe Thr Arg Ser Gly Lys Pro
         205                 210                 215

40 tgg tgg ctg aat gac act cca ctg ttt ctt att cac tac caa att aac   723
   Trp Trp Leu Asn Asp Thr Pro Leu Phe Leu Ile His Tyr Gln Ile Asn
        220                 225                 230

   aac aca cat atc cac cac aga cag aag aga tca gtg agc att gaa cgg   771
45 Asn Thr His Ile His His Arg Gln Lys Arg Ser Val Ser Ile Glu Arg
   235                 240                 245                 250

   ttt gtg gag aca ttg gta gtg gca gac aaa atg atg gtg ggc tac cat   819
   Phe Val Glu Thr Leu Val Val Ala Asp Lys Met Met Val Gly Tyr His
50                 255                 260                 265

   ggc cgc aaa gac att gaa cat tac att ttg agt gtg atg aat att gtt   867
   Gly Arg Lys Asp Ile Glu His Tyr Ile Leu Ser Val Met Asn Ile Val
              270                 275                 280
55
   gcc aaa ctt tac cgt gat tcc agc cta gga aac gtt gtg aat att ata   915
   Ala Lys Leu Tyr Arg Asp Ser Ser Leu Gly Asn Val Val Asn Ile Ile
         285                 290                 295

60 gtg gcc cgc tta att gtt ctc aca gaa gat cag cca aac ttg gag ata   963
   Val Ala Arg Leu Ile Val Leu Thr Glu Asp Gln Pro Asn Leu Glu Ile
        300                 305                 310

   aac cac cat gca gac aag tcc ctc gat agc ttc tgt aaa tgg cag aaa   1011
65 Asn His His Ala Asp Lys Ser Leu Asp Ser Phe Cys Lys Trp Gln Lys
   315                 320                 325                 330
```

```
   tcc att ctc tcc cac caa agt gat gga aac acc att cca gaa aat ggg   1059
   Ser Ile Leu Ser His Gln Ser Asp Gly Asn Thr Ile Pro Glu Asn Gly
                   335                 340                 345
 5
   att gcc cac cac gat aat gca gtt ctt att act aga tat gat atc tgc   1107
   Ile Ala His His Asp Asn Ala Val Leu Ile Thr Arg Tyr Asp Ile Cys
               350                 355                 360

10 act tat aaa aat aag ccc tgt gga aca ctg ggc ttg gcc tct gtg gct   1155
   Thr Tyr Lys Asn Lys Pro Cys Gly Thr Leu Gly Leu Ala Ser Val Ala
           365                 370                 375

   gga atg tgt gag cct gaa agg agc tgc agc att aat gaa gac att ggc   1203
15 Gly Met Cys Glu Pro Glu Arg Ser Cys Ser Ile Asn Glu Asp Ile Gly
       380                 385                 390

   ctg ggt tca gct ttt acc att gca cat gag att gtt cac aat ttt ggt   1251
   Leu Gly Ser Ala Phe Thr Ile Ala His Glu Ile Val His Asn Phe Gly
20 395                 400                 405                 410

   atg aac cat gat gga att gga aat tct tgt gga cga aag gtc atg aag   1299
   Met Asn His Asp Gly Ile Gly Asn Ser Cys Gly Arg Lys Val Met Lys
                   415                 420                 425
25
   cag caa aat tat ggc agc tca cat tac tgc gaa tac caa tcc ttt ttc   1347
   Gln Gln Asn Tyr Gly Ser Ser His Tyr Cys Glu Tyr Gln Ser Phe Phe
               430                 435                 440

30 ctg gtc tgc ttg cag tcg aga nta cat cac cag ctt ttt aga gaa gtg   1395
   Leu Val Cys Leu Gln Ser Arg Xaa His His Gln Leu Phe Arg Glu Val
           445                 450                 455

   tgt aga gag ctc tgg tgt ctc agc aaa agc aac cgc tgt gtc acc aac   1443
35 Cys Arg Glu Leu Trp Cys Leu Ser Lys Ser Asn Arg Cys Val Thr Asn
       460                 465                 470

   agt att cca gca gct gag ggg aca ctg tgt caa act ggg aat att gaa   1491
   Ser Ile Pro Ala Ala Glu Gly Thr Leu Cys Gln Thr Gly Asn Ile Glu
40 475                 480                 485                 490

   aaa ggg tgg tgt tat cag gga gat tgt gtt cct ttt ggc act tgg ccc   1539
   Lys Gly Trp Cys Tyr Gln Gly Asp Cys Val Pro Phe Gly Thr Trp Pro
                   495                 500                 505
45
   cag agc ata gat ggg ggc tgg ggt ccc tgg tca cta tgg gga gag tgc   1587
   Gln Ser Ile Asp Gly Gly Trp Gly Pro Trp Ser Leu Trp Gly Glu Cys
               510                 515                 520

50 agc agg acc tgc ggg gga ggc gtn tcc tca tcc cta aga cac tgt gac   1635
   Ser Arg Thr Cys Gly Gly Gly Val Ser Ser Ser Leu Arg His Cys Asp
           525                 530                 535

   agt cca gca cct tcg gag gtg gaa aaa tat tgc ctt ggg gaa agg aaa   1683
55 Ser Pro Ala Pro Ser Glu Val Glu Lys Tyr Cys Leu Gly Glu Arg Lys
       540                 545                 550

   cgg tat cgc tcc tgt aac aca gat cca tgc cct ttg ggt tcc cga gat   1731
   Arg Tyr Arg Ser Cys Asn Thr Asp Pro Cys Pro Leu Gly Ser Arg Asp
60 555                 560                 565                 570

   ttt cga gag aaa cag tgt gca gac ttt gac aat atg cct ttc cga gga   1779
   Phe Arg Glu Lys Gln Cys Ala Asp Phe Asp Asn Met Pro Phe Arg Gly
                   575                 580                 585
65
   aag tat tat aac tgg aaa ccc tat act gga ggt ggg gta aaa cct tgt   1827
```

BNSDOCID: <WO___0111074A2_I_>

```
   Lys Tyr Tyr Asn Trp Lys Pro Tyr Thr Gly Gly Gly Val Lys Pro Cys
                590                 595                 600

   gca tta aac tgc ttg gct gaa ggt tat aat ttc tac act gaa cgt gct  1875
 5 Ala Leu Asn Cys Leu Ala Glu Gly Tyr Asn Phe Tyr Thr Glu Arg Ala
          605                 610                 615

   cct gcg gtg atc gat ggg acc cag tgc aat gcg gat tca ctg gat atc  1923
   Pro Ala Val Ile Asp Gly Thr Gln Cys Asn Ala Asp Ser Leu Asp Ile
10     620                 625                 630

   tgc atc aat gga gaa tgc aag cac gta ggc tgt gat aat att ttg gga  1971
   Cys Ile Asn Gly Glu Cys Lys His Val Gly Cys Asp Asn Ile Leu Gly
   635                 640                 645                 650
15
   tct gat gct agg gaa gat aga tgt cga gtc tgt gga ggg ggc gga agc  2019
   Ser Asp Ala Arg Glu Asp Arg Cys Arg Val Cys Gly Gly Gly Gly Ser
                  655                 660                 665

20 aca tgt gat gcc att gaa ggg ttc ttc aat gat tca ctg ccc agg gga  2067
   Thr Cys Asp Ala Ile Glu Gly Phe Phe Asn Asp Ser Leu Pro Arg Gly
             670                 675                 680

   ggc tac atg gaa gtg gtg cag ata cca aga ggc tct gtt cac att gaa  2115
25 Gly Tyr Met Glu Val Val Gln Ile Pro Arg Gly Ser Val His Ile Glu
          685                 690                 695

   gtt aga gaa gtt gcc atg tca aag aac tat att gct tta aaa tct gaa  2163
   Val Arg Glu Val Ala Met Ser Lys Asn Tyr Ile Ala Leu Lys Ser Glu
30     700                 705                 710

   gga gat gat tac tat att aat ggt gcc tgg act att gac tgg cct agg  2211
   Gly Asp Asp Tyr Tyr Ile Asn Gly Ala Trp Thr Ile Asp Trp Pro Arg
   715                 720                 725                 730
35
   aaa ttt gat gtt gct ggg aca gct ttt cat tac aag aga cca act gat  2259
   Lys Phe Asp Val Ala Gly Thr Ala Phe His Tyr Lys Arg Pro Thr Asp
                  735                 740                 745

40 gaa cca gaa tcc ttg gaa gct cta ggt cct acc tca gaa aat ctc atc  2307
   Glu Pro Glu Ser Leu Glu Ala Leu Gly Pro Thr Ser Glu Asn Leu Ile
             750                 755                 760

   gtc atg gtt ctg ctt caa gaa cag aat ttg gga att agg tat aag ttc  2355
45 Val Met Val Leu Leu Gln Glu Gln Asn Leu Gly Ile Arg Tyr Lys Phe
          765                 770                 775

   aat gtt ccc atc act cga act ggc agt gga gat aat gaa gtt ggc ttt  2403
   Asn Val Pro Ile Thr Arg Thr Gly Ser Gly Asp Asn Glu Val Gly Phe
50     780                 785                 790

   aca tgg aat cat cag cct tgg tca gaa tgc tca gct act tgt gct gga  2451
   Thr Trp Asn His Gln Pro Trp Ser Glu Cys Ser Ala Thr Cys Ala Gly
   795                 800                 805                 810
55
   ggt aag atg ccc act agg cag ccc acc cag agg gca aga tgg aga aca  2499
   Gly Lys Met Pro Thr Arg Gln Pro Thr Gln Arg Ala Arg Trp Arg Thr
                  815                 820                 825

60 aaa cac att ctg agc tat gct ttg tgt ttg tta aaa aag cta att gga  2547
   Lys His Ile Leu Ser Tyr Ala Leu Cys Leu Leu Lys Lys Leu Ile Gly
             830                 835                 840

   aac att tct agg ttt gct tca agc tgt aat tta gca aaa gaa act ttg  2595
65 Asn Ile Ser Arg Phe Ala Ser Ser Cys Asn Leu Ala Lys Glu Thr Leu
          845                 850                 855
```

ctt taa ttatattata ttccatttgt tttcaacctc atgtaatttg tgcagatttg 2651
Leu
860

ttggtaaaat acatcttggc acaatgagtg tctctgctgg tgcttctccc aagactatct 2711

tgaaggtggg ctgtttgcct ttcgtgaaca cattcttggt aaagaacatc aaaagtttta 2771

aaaaagaaaa tgagcaagaa tcagacatca cagatgcaac ttcttgtaat gggagatgag 2831

gagaatgtac ggctgtg 2848

<210> 5
<211> 859
<212> PRT
<213> Homo sapiens ADAMTS-6

<400> 5

```
Met Glu Ile Leu Trp Lys Thr Leu Thr Trp Ile Leu Ser Leu Ile Met
  1               5                  10                  15
Ala Ser Ser Glu Phe His Ser Asp His Arg Leu Ser Tyr Ser Ser Gln
            20                  25                  30
Glu Glu Phe Leu Thr Tyr Leu Glu His Tyr Gln Leu Thr Ile Pro Ile
        35                  40                  45
Arg Val Asp Gln Asn Gly Ala Phe Leu Ser Phe Thr Val Lys Asn Asp
    50                  55                  60
Lys His Ser Arg Arg Arg Arg Ser Met Asp Pro Ile Asp Pro Gln Gln
65                  70                  75                  80
Ala Val Ser Lys Leu Phe Phe Lys Leu Ser Ala Tyr Gly Lys His Phe
                85                  90                  95
His Leu Asn Leu Thr Leu Asn Thr Asp Phe Val Ser Lys His Phe Thr
            100                 105                 110
Val Glu Tyr Trp Gly Lys Asp Gly Pro Gln Trp Lys His Asp Phe Leu
        115                 120                 125
Asp Asn Cys His Tyr Thr Gly Tyr Leu Gln Asp Gln Arg Ser Thr Thr
    130                 135                 140
Lys Val Ala Leu Ser Asn Cys Val Gly Leu His Gly Val Ile Ala Thr
145                 150                 155                 160
Glu Asp Glu Glu Tyr Phe Ile Glu Pro Leu Lys Asn Thr Thr Glu Asp
                165                 170                 175
Ser Lys His Phe Ser Tyr Glu Asn Gly His Pro His Val Ile Tyr Lys
            180                 185                 190
Lys Ser Ala Leu Gln Gln Arg His Leu Tyr Asp His Ser His Cys Gly
        195                 200                 205
Val Ser Asp Phe Thr Arg Ser Gly Lys Pro Trp Trp Leu Asn Asp Thr
    210                 215                 220
Pro Leu Phe Leu Ile His Tyr Gln Ile Asn Asn Thr His Ile His His
225                 230                 235                 240
Arg Gln Lys Arg Ser Val Ser Ile Glu Arg Phe Val Glu Thr Leu Val
                245                 250                 255
Val Ala Asp Lys Met Met Val Gly Tyr His Gly Arg Lys Asp Ile Glu
            260                 265                 270
His Tyr Ile Leu Ser Val Met Asn Ile Val Ala Lys Leu Tyr Arg Asp
        275                 280                 285
Ser Ser Leu Gly Asn Val Val Asn Ile Ile Val Ala Arg Leu Ile Val
    290                 295                 300
Leu Thr Glu Asp Gln Pro Asn Leu Glu Ile Asn His His Ala Asp Lys
305                 310                 315                 320
Ser Leu Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Leu Ser His Gln
                325                 330                 335
Ser Asp Gly Asn Thr Ile Pro Glu Asn Gly Ile Ala His His Asp Asn
            340                 345                 350
Ala Val Leu Ile Thr Arg Tyr Asp Ile Cys Thr Tyr Lys Asn Lys Pro
        355                 360                 365
```

```
   Cys Gly Thr Leu Gly Leu Ala Ser Val Ala Gly Met Cys Glu Pro Glu
       370                 375                 380
   Arg Ser Cys Ser Ile Asn Glu Asp Ile Gly Leu Gly Ser Ala Phe Thr
   385                 390                 395                 400
 5 Ile Ala His Glu Ile Val His Asn Phe Gly Met Asn His Asp Gly Ile
                   405                 410                 415
   Gly Asn Ser Cys Gly Arg Lys Val Met Lys Gln Gln Asn Tyr Gly Ser
               420                 425                 430
   Ser His Tyr Cys Glu Tyr Gln Ser Phe Phe Leu Val Cys Leu Gln Ser
10         435                 440                 445
   Arg Xaa His His Gln Leu Phe Arg Glu Val Cys Arg Glu Leu Trp Cys
       450                 455                 460
   Leu Ser Lys Ser Asn Arg Cys Val Thr Asn Ser Ile Pro Ala Ala Glu
   465                 470                 475                 480
15 Gly Thr Leu Cys Gln Thr Gly Asn Ile Glu Lys Gly Trp Cys Tyr Gln
                   485                 490                 495
   Gly Asp Cys Val Pro Phe Gly Thr Trp Pro Gln Ser Ile Asp Gly Gly
               500                 505                 510
   Trp Gly Pro Trp Ser Leu Trp Gly Glu Cys Ser Arg Thr Cys Gly Gly
20         515                 520                 525
   Gly Val Ser Ser Ser Leu Arg His Cys Asp Ser Pro Ala Pro Ser Glu
       530                 535                 540
   Val Glu Lys Tyr Cys Leu Gly Glu Arg Lys Arg Tyr Arg Ser Cys Asn
   545                 550                 555                 560
25 Thr Asp Pro Cys Pro Leu Gly Ser Arg Asp Phe Arg Glu Lys Gln Cys
                   565                 570                 575
   Ala Asp Phe Asp Asn Met Pro Phe Arg Gly Lys Tyr Tyr Asn Trp Lys
               580                 585                 590
   Pro Tyr Thr Gly Gly Gly Val Lys Pro Cys Ala Leu Asn Cys Leu Ala
30         595                 600                 605
   Glu Gly Tyr Asn Phe Tyr Thr Glu Arg Ala Pro Ala Val Ile Asp Gly
       610                 615                 620
   Thr Gln Cys Asn Ala Asp Ser Leu Asp Ile Cys Ile Asn Gly Glu Cys
   625                 630                 635                 640
35 Lys His Val Gly Cys Asp Asn Ile Leu Gly Ser Asp Ala Arg Glu Asp
                   645                 650                 655
   Arg Cys Arg Val Cys Gly Gly Gly Gly Ser Thr Cys Asp Ala Ile Glu
               660                 665                 670
   Gly Phe Phe Asn Asp Ser Leu Pro Arg Gly Gly Tyr Met Glu Val Val
40         675                 680                 685
   Gln Ile Pro Arg Gly Ser Val His Ile Glu Val Arg Glu Val Ala Met
       690                 695                 700
   Ser Lys Asn Tyr Ile Ala Leu Lys Ser Glu Gly Asp Asp Tyr Tyr Ile
   705                 710                 715                 720
45 Asn Gly Ala Trp Thr Ile Asp Trp Pro Arg Lys Phe Asp Val Ala Gly
                   725                 730                 735
   Thr Ala Phe His Tyr Lys Arg Pro Thr Asp Glu Pro Glu Ser Leu Glu
               740                 745                 750
   Ala Leu Gly Pro Thr Ser Glu Asn Leu Ile Val Met Val Leu Leu Gln
50         755                 760                 765
   Glu Gln Asn Leu Gly Ile Arg Tyr Lys Phe Asn Val Pro Ile Thr Arg
       770                 775                 780
   Thr Gly Ser Gly Asp Asn Glu Val Gly Phe Thr Trp Asn His Gln Pro
   785                 790                 795                 800
55 Trp Ser Glu Cys Ser Ala Thr Cys Ala Gly Gly Lys Met Pro Thr Arg
                   805                 810                 815
   Gln Pro Thr Gln Arg Ala Arg Trp Arg Thr Lys His Ile Leu Ser Tyr
               820                 825                 830
   Ala Leu Cys Leu Leu Lys Lys Leu Ile Gly Asn Ile Ser Arg Phe Ala
60         835                 840                 845
   Ser Ser Cys Asn Leu Ala Lys Glu Thr Leu Leu
       850                 855

65
   <210> 6
```

<211> 3218
<212> DNA
<213> Homo sapiens ADAMTS-7

<220>
<221> CDS
<222> (13)..(3003)

<400> 6
ccggttcctg cc atg ccc ggc ggc ccc agt ccc cgc agc ccc gcg cct ttg 51
Met Pro Gly Gly Pro Ser Pro Arg Ser Pro Ala Pro Leu
1 5 10

ctg cgc ccc ctc ctc ctg ctc ctc tgc gct ctg gct ccc ggc gcc ccc 99
Leu Arg Pro Leu Leu Leu Leu Leu Cys Ala Leu Ala Pro Gly Ala Pro
15 20 25

gga ccc gca cca gga cgt gca acc gag ggc cgg gcg gca ctg gac atc 147
Gly Pro Ala Pro Gly Arg Ala Thr Glu Gly Arg Ala Ala Leu Asp Ile
30 35 40 45

gtg cac ccg gtt cga gtc gac gcg ggg ggc tcc ttc ctg tcc tac gag 195
Val His Pro Val Arg Val Asp Ala Gly Gly Ser Phe Leu Ser Tyr Glu
50 55 60

ctg tgg ccc cgc gca ctg cgc aag cgg gat gta tct gtg cgc cga gac 243
Leu Trp Pro Arg Ala Leu Arg Lys Arg Asp Val Ser Val Arg Arg Asp
65 70 75

gcg ccc gcc ttc tac gag cta caa tac cgc ggg cgc gag ctg cgc ttc 291
Ala Pro Ala Phe Tyr Glu Leu Gln Tyr Arg Gly Arg Glu Leu Arg Phe
80 85 90

aac ctg acc gcc aat cag cac ctg ctg gcg ccc ggc ttt gtg agc gag 339
Asn Leu Thr Ala Asn Gln His Leu Leu Ala Pro Gly Phe Val Ser Glu
95 100 105

acg cgg cgg cgc ggc ggc ctg ggc cgc gcg cac atc cgg gcc cac acc 387
Thr Arg Arg Arg Gly Gly Leu Gly Arg Ala His Ile Arg Ala His Thr
110 115 120 125

ccg gcc tgc cac ctg ctt ggc gag gtg cag gac cct gag ctc gag ggt 435
Pro Ala Cys His Leu Leu Gly Glu Val Gln Asp Pro Glu Leu Glu Gly
130 135 140

ggc ctg gcg gcc atc agc gcc tgc gac ggc ctg aaa ggt gtg ttc cag 483
Gly Leu Ala Ala Ile Ser Ala Cys Asp Gly Leu Lys Gly Val Phe Gln
145 150 155

ctc tcc aac gag gac tac ttc att gag ccc ctg gac agt gcc ccg gcc 531
Leu Ser Asn Glu Asp Tyr Phe Ile Glu Pro Leu Asp Ser Ala Pro Ala
160 165 170

cgg cct ggc cac gcc cag ccc cat gtg gtg tac aag cgt cag gcc ccg 579
Arg Pro Gly His Ala Gln Pro His Val Val Tyr Lys Arg Gln Ala Pro
175 180 185

gag agg ctg gca cag cgg ggt gat tcc agt gct cca agc acc tgt gga 627
Glu Arg Leu Ala Gln Arg Gly Asp Ser Ser Ala Pro Ser Thr Cys Gly
190 195 200 205

gtg caa gtg tac cca gag ctg gag tct cga cgg gag cgt tgg gag cag 675
Val Gln Val Tyr Pro Glu Leu Glu Ser Arg Arg Glu Arg Trp Glu Gln
210 215 220

cgg cag cag tgg cgg cgg cca cgg ctg agg cgt cta cac cag cgg tcg 723

```
   Arg Gln Gln Trp Arg Arg Pro Arg Leu Arg Arg Leu His Gln Arg Ser
               225                 230                 235

   gtc agc aaa gag aag tgg tgt gag acc ctg gta gta gct gat gcc aaa   771
 5 Val Ser Lys Glu Lys Trp Cys Glu Thr Leu Val Val Ala Asp Ala Lys
         240                 245                 250

   atg gtg gag tac cac gga cag ccg cag gtt gag agc tat gtg ctg acc   819
   Met Val Glu Tyr His Gly Gln Pro Gln Val Glu Ser Tyr Val Leu Thr
10     255                 260                 265

   atc atg aac atg gtg gct ggc ctg ttt cat gac ccc agc att ggg aac   867
   Ile Met Asn Met Val Ala Gly Leu Phe His Asp Pro Ser Ile Gly Asn
   270                 275                 280                 285
15
   ccc atc cac atc acc att gtg cgc ctg gtc ctg ctg gaa gat gag gag   915
   Pro Ile His Ile Thr Ile Val Arg Leu Val Leu Leu Glu Asp Glu Glu
                   290                 295                 300

20 gag gac cta aag atc acg cac cat gca gac aac acc ctg aag agc ttc   963
   Glu Asp Leu Lys Ile Thr His His Ala Asp Asn Thr Leu Lys Ser Phe
               305                 310                 315

   tgc aag tgg cag aaa agc atc aac atg aag ggg gat gcc cat ccc ctg   1011
25 Cys Lys Trp Gln Lys Ser Ile Asn Met Lys Gly Asp Ala His Pro Leu
         320                 325                 330

   cac cat gac act gcc atc ctg ctc acc aga aag gac ctg tgt gca gcc   1059
   His His Asp Thr Ala Ile Leu Leu Thr Arg Lys Asp Leu Cys Ala Ala
30     335                 340                 345

   atg aac cgg ccc tgt gag acc ctg gga ctg tcc cat gtg gcg ggc atg   1107
   Met Asn Arg Pro Cys Glu Thr Leu Gly Leu Ser His Val Ala Gly Met
   350                 355                 360                 365
35
   tgc cag ccg cac cgc agc tgc agc atc aac gag gac acg ggc ctg ccg   1155
   Cys Gln Pro His Arg Ser Cys Ser Ile Asn Glu Asp Thr Gly Leu Pro
                   370                 375                 380

40 ctg gcc ttc act gta gcc cac gag ctc ggg cac agt ttt ggc att cag   1203
   Leu Ala Phe Thr Val Ala His Glu Leu Gly His Ser Phe Gly Ile Gln
               385                 390                 395

   cat gac gga agc ggc aat gac tgt gag ccc gtt ggg aaa cga cct ttc   1251
45 His Asp Gly Ser Gly Asn Asp Cys Glu Pro Val Gly Lys Arg Pro Phe
         400                 405                 410

   atc atg tct cca cag ctc ctg tac gac gcc gct ccc ctc acc tgg tcc   1299
   Ile Met Ser Pro Gln Leu Leu Tyr Asp Ala Ala Pro Leu Thr Trp Ser
50     415                 420                 425

   cgc tgc agc cgc cag tat atc acc agg ttc ctt gac cgt ggg tgg ggc   1347
   Arg Cys Ser Arg Gln Tyr Ile Thr Arg Phe Leu Asp Arg Gly Trp Gly
   430                 435                 440                 445
55
   ctg tgc ctg gac gac cct cct gcc aag gac att atc gac ttc ccc tcg   1395
   Leu Cys Leu Asp Asp Pro Pro Ala Lys Asp Ile Ile Asp Phe Pro Ser
                   450                 455                 460

60 gtg cca cct ggc gtc ctc tat gat gta agc cac cag tgc cgc ctc cag   1443
   Val Pro Pro Gly Val Leu Tyr Asp Val Ser His Gln Cys Arg Leu Gln
               465                 470                 475

   tac ggg gcc tac tct gcc ttc tgc gag gac atg gat aat gtc tgc cac   1491
65 Tyr Gly Ala Tyr Ser Ala Phe Cys Glu Asp Met Asp Asn Val Cys His
         480                 485                 490
```

```
   aca ctc tgg tgc tct gtg ggg acc acc tgt cac tcc aag ctg gat gca   1539
   Thr Leu Trp Cys Ser Val Gly Thr Thr Cys His Ser Lys Leu Asp Ala
       495                 500                 505
 5
   gct gtg gac ggc acc cgg tgt ggg gag aat aag tgg tgt ctc agt ggg   1587
   Ala Val Asp Gly Thr Arg Cys Gly Glu Asn Lys Trp Cys Leu Ser Gly
   510                 515                 520                 525

10 gag tgc gta ccc gtg ggc ttc cgg ccc gag gcc gtg gat ggt ggc tgg   1635
   Glu Cys Val Pro Val Gly Phe Arg Pro Glu Ala Val Asp Gly Gly Trp
                   530                 535                 540

   tct ggc tgg agc gcc tgg tcc atc tgc tca cgg agc tgt ggc atg ggc   1683
15 Ser Gly Trp Ser Ala Trp Ser Ile Cys Ser Arg Ser Cys Gly Met Gly
               545                 550                 555

   gta cag agc gcc gag cgg cag tgc acg cag cct acg ccc aaa tac aaa   1731
   Val Gln Ser Ala Glu Arg Gln Cys Thr Gln Pro Thr Pro Lys Tyr Lys
20         560                 565                 570

   ggc aga tac tgt gtg ggt gag cgc aag cgc ttc cgc ctc tgc aac ctg   1779
   Gly Arg Tyr Cys Val Gly Glu Arg Lys Arg Phe Arg Leu Cys Asn Leu
       575                 580                 585
25
   cag gcc tgc cct gct ggc cgc ccc tcc ttc cgc cac gtc cag tgc agc   1827
   Gln Ala Cys Pro Ala Gly Arg Pro Ser Phe Arg His Val Gln Cys Ser
   590                 595                 600                 605

30 cac ttt gac gct atg ctc tac aag ggc cag ctg cac aca tgg gtg ccc   1875
   His Phe Asp Ala Met Leu Tyr Lys Gly Gln Leu His Thr Trp Val Pro
                   610                 615                 620

   gtg gtc aat gac gtg aac ccc tgc gag ctg cac tgc cgg ccc gcg aat   1923
35 Val Val Asn Asp Val Asn Pro Cys Glu Leu His Cys Arg Pro Ala Asn
               625                 630                 635

   gag tac ttt gcc aag aag ctg cgg gac gcc tgt gtc gat ggc acc ccc   1971
   Glu Tyr Phe Ala Lys Lys Leu Arg Asp Ala Cys Val Asp Gly Thr Pro
40         640                 645                 650

   tgc tac cag gtc cga gcc agc cgg gac ctc tgc atc aac ggc atc tgt   2019
   Cys Tyr Gln Val Arg Ala Ser Arg Asp Leu Cys Ile Asn Gly Ile Cys
       655                 660                 665
45
   aag aac gtg ggc tgt gac ttc gag att gac tcc ggt gct atg gag gac   2067
   Lys Asn Val Gly Cys Asp Phe Glu Ile Asp Ser Gly Ala Met Glu Asp
   670                 675                 680                 685

50 cgc tgt ggt gtg tgc cac ggc aac ggc tcc acc tgc cac acc gtg agc   2115
   Arg Cys Gly Val Cys His Gly Asn Gly Ser Thr Cys His Thr Val Ser
                   690                 695                 700

   ggg acc ttc gag gag gcc gag ggt ctg ggg tat gtg gat gtg ggg ctg   2163
55 Gly Thr Phe Glu Glu Ala Glu Gly Leu Gly Tyr Val Asp Val Gly Leu
               705                 710                 715

   atc cca gcg ggc gca cgc gag atc cgc atc caa gag gtt gcc gag gct   2211
   Ile Pro Ala Gly Ala Arg Glu Ile Arg Ile Gln Glu Val Ala Glu Ala
60         720                 725                 730

   gcc aac ttc ctg gca ctg cgg agc gag gac ccg gag aag tac ttc ctc   2259
   Ala Asn Phe Leu Ala Leu Arg Ser Glu Asp Pro Glu Lys Tyr Phe Leu
       735                 740                 745
65
   aat ggt ggc tgg acc atc cag tgg aac ggg gac tac cag gtg gca ggg   2307
```

```
   Asn Gly Gly Trp Thr Ile Gln Trp Asn Gly Asp Tyr Gln Val Ala Gly
   750                 755                 760                 765

   acc acc ttc aca tac gca cgc agg ggc aac tgg gag aac ctc acg tcc  2355
 5 Thr Thr Phe Thr Tyr Ala Arg Arg Gly Asn Trp Glu Asn Leu Thr Ser
                 770                 775                 780

   ccg ggt ccc acc aag gag cct gtc tgg atc cag gtg cct gcc tcc cgt  2403
   Pro Gly Pro Thr Lys Glu Pro Val Trp Ile Gln Val Pro Ala Ser Arg
10             785                 790                 795

   ggc cca ggc ggg ggg agc aga ggc gga gtc ccc agg ccc agc acc ctc  2451
   Gly Pro Gly Gly Gly Ser Arg Gly Gly Val Pro Arg Pro Ser Thr Leu
         800                 805                 810
15
   cat ggc agg tct cgt cct gga gga gtg agc cct ggt tca gtc aca gag  2499
   His Gly Arg Ser Arg Pro Gly Gly Val Ser Pro Gly Ser Val Thr Glu
     815                 820                 825

20 cct ggc tct gag cca ggc cct cct gct gcg gcc tct acc tca gtt tcc  2547
   Pro Gly Ser Glu Pro Gly Pro Pro Ala Ala Ala Ser Thr Ser Val Ser
   830                 835                 840                 845

   cca tct tta aaa tgg ccc aat ctt gta gct gca gtt cac aga ggt ggc  2595
25 Pro Ser Leu Lys Trp Pro Asn Leu Val Ala Ala Val His Arg Gly Gly
                 850                 855                 860

   tgg ggt caa gct cct tta gga ctg ggt gga tgg aga aga cac ctt gtg  2643
   Trp Gly Gln Ala Pro Leu Gly Leu Gly Gly Trp Arg Arg His Leu Val
30             865                 870                 875

   ctc atg ggc ccc cgc ctg ccc acc cag ctg ctg ttc cag gag agc aac  2691
   Leu Met Gly Pro Arg Leu Pro Thr Gln Leu Leu Phe Gln Glu Ser Asn
         880                 885                 890
35
   cct ggg gtg cac tac gag tac acc atc cac agg gag gca ggt ggc cac  2739
   Pro Gly Val His Tyr Glu Tyr Thr Ile His Arg Glu Ala Gly Gly His
     895                 900                 905

40 gac gag gtc ccg ccg ccc gtg ttc tcc tgg cat tat ggg ccc tgg acc  2787
   Asp Glu Val Pro Pro Pro Val Phe Ser Trp His Tyr Gly Pro Trp Thr
   910                 915                 920                 925

   aag tgc aca gtc acc tgc ggc aga ggt gag aag tgg ggc agg cac agc  2835
45 Lys Cys Thr Val Thr Cys Gly Arg Gly Glu Lys Trp Gly Arg His Ser
                 930                 935                 940

   ccc acc tgc agg ggc tta gtg tct gga cag gga cac tgg ctt cag ctc  2883
   Pro Thr Cys Arg Gly Leu Val Ser Gly Gln Gly His Trp Leu Gln Leu
50             945                 950                 955

   cca gct cac tgc tgg gcc acc acg ggt ttg gaa gtt tgc ttc tct gag  2931
   Pro Ala His Cys Trp Ala Thr Thr Gly Leu Glu Val Cys Phe Ser Glu
         960                 965                 970
55
   cct cag ttc tcc atc tgt gag atg agg cta gcg att gcc ctg tgt ccc  2979
   Pro Gln Phe Ser Ile Cys Glu Met Arg Leu Ala Ile Ala Leu Cys Pro
     975                 980                 985

60 agg ccc gct ggg agg gta cat gga tgaggcaggt gggtgctggc tcgcggcgca  3033
   Arg Pro Ala Gly Arg Val His Gly
   990                 995

   tgttcagtgt gctccagctc ttggcgttct ccctccaggg gacacagctc cccctcgata 3093
65
   gaccagtcca gtggcccctc accacactga cttatttccc taaactattt ataaaaagta 3153
```

gggcaatttc attaactctg actcttacct gcccgggcgg ccgctcgagc cgagtaatca 3213

ctagt 3218

<210> 7
<211> 997
<212> PRT
<213> Homo sapiens ADAMTS-7

<400> 7
Met Pro Gly Gly Pro Ser Pro Arg Ser Pro Ala Pro Leu Leu Arg Pro
1 5 10 15

Leu Leu Leu Leu Leu Cys Ala Leu Ala Pro Gly Ala Pro Gly Pro Ala
20 25 30

Pro Gly Arg Ala Thr Glu Gly Arg Ala Ala Leu Asp Ile Val His Pro
35 40 45

Val Arg Val Asp Ala Gly Gly Ser Phe Leu Ser Tyr Glu Leu Trp Pro
50 55 60

Arg Ala Leu Arg Lys Arg Asp Val Ser Val Arg Arg Asp Ala Pro Ala
65 70 75 80

Phe Tyr Glu Leu Gln Tyr Arg Gly Arg Glu Leu Arg Phe Asn Leu Thr
85 90 95

Ala Asn Gln His Leu Leu Ala Pro Gly Phe Val Ser Glu Thr Arg Arg
100 105 110

Arg Gly Gly Leu Gly Arg Ala His Ile Arg Ala His Thr Pro Ala Cys
115 120 125

His Leu Leu Gly Glu Val Gln Asp Pro Glu Leu Glu Gly Gly Leu Ala
130 135 140

Ala Ile Ser Ala Cys Asp Gly Leu Lys Gly Val Phe Gln Leu Ser Asn
145 150 155 160

Glu Asp Tyr Phe Ile Glu Pro Leu Asp Ser Ala Pro Ala Arg Pro Gly
165 170 175

His Ala Gln Pro His Val Val Tyr Lys Arg Gln Ala Pro Glu Arg Leu
180 185 190

Ala Gln Arg Gly Asp Ser Ser Ala Pro Ser Thr Cys Gly Val Gln Val
195 200 205

Tyr Pro Glu Leu Glu Ser Arg Arg Glu Arg Trp Glu Gln Arg Gln Gln
210 215 220

Trp Arg Arg Pro Arg Leu Arg Arg Leu His Gln Arg Ser Val Ser Lys
225 230 235 240

Glu Lys Trp Cys Glu Thr Leu Val Val Ala Asp Ala Lys Met Val Glu
245 250 255

Tyr His Gly Gln Pro Gln Val Glu Ser Tyr Val Leu Thr Ile Met Asn
260 265 270

Met Val Ala Gly Leu Phe His Asp Pro Ser Ile Gly Asn Pro Ile His
275 280 285

```
Ile Thr Ile Val Arg Leu Val Leu Leu Glu Asp Glu Glu Glu Asp Leu
    290                 295                 300

Lys Ile Thr His His Ala Asp Asn Thr Leu Lys Ser Phe Cys Lys Trp
305                 310                 315                 320

Gln Lys Ser Ile Asn Met Lys Gly Asp Ala His Pro Leu His His Asp
                325                 330                 335

Thr Ala Ile Leu Leu Thr Arg Lys Asp Leu Cys Ala Ala Met Asn Arg
            340                 345                 350

Pro Cys Glu Thr Leu Gly Leu Ser His Val Ala Gly Met Cys Gln Pro
        355                 360                 365

His Arg Ser Cys Ser Ile Asn Glu Asp Thr Gly Leu Pro Leu Ala Phe
    370                 375                 380

Thr Val Ala His Glu Leu Gly His Ser Phe Gly Ile Gln His Asp Gly
385                 390                 395                 400

Ser Gly Asn Asp Cys Glu Pro Val Gly Lys Arg Pro Phe Ile Met Ser
                405                 410                 415

Pro Gln Leu Leu Tyr Asp Ala Ala Pro Leu Thr Trp Ser Arg Cys Ser
            420                 425                 430

Arg Gln Tyr Ile Thr Arg Phe Leu Asp Arg Gly Trp Gly Leu Cys Leu
        435                 440                 445

Asp Asp Pro Pro Ala Lys Asp Ile Ile Asp Phe Pro Ser Val Pro Pro
    450                 455                 460

Gly Val Leu Tyr Asp Val Ser His Gln Cys Arg Leu Gln Tyr Gly Ala
465                 470                 475                 480

Tyr Ser Ala Phe Cys Glu Asp Met Asp Asn Val Cys His Thr Leu Trp
                485                 490                 495

Cys Ser Val Gly Thr Thr Cys His Ser Lys Leu Asp Ala Ala Val Asp
            500                 505                 510

Gly Thr Arg Cys Gly Glu Asn Lys Trp Cys Leu Ser Gly Glu Cys Val
        515                 520                 525

Pro Val Gly Phe Arg Pro Glu Ala Val Asp Gly Gly Trp Ser Gly Trp
    530                 535                 540

Ser Ala Trp Ser Ile Cys Ser Arg Ser Cys Gly Met Gly Val Gln Ser
545                 550                 555                 560

Ala Glu Arg Gln Cys Thr Gln Pro Thr Pro Lys Tyr Lys Gly Arg Tyr
                565                 570                 575

Cys Val Gly Glu Arg Lys Arg Phe Arg Leu Cys Asn Leu Gln Ala Cys
            580                 585                 590

Pro Ala Gly Arg Pro Ser Phe Arg His Val Gln Cys Ser His Phe Asp
        595                 600                 605

Ala Met Leu Tyr Lys Gly Gln Leu His Thr Trp Val Pro Val Val Asn
    610                 615                 620

Asp Val Asn Pro Cys Glu Leu His Cys Arg Pro Ala Asn Glu Tyr Phe
625                 630                 635                 640
```

```
Ala Lys Lys Leu Arg Asp Ala Cys Val Asp Gly Thr Pro Cys Tyr Gln
                645                 650                 655

Val Arg Ala Ser Arg Asp Leu Cys Ile Asn Gly Ile Cys Lys Asn Val
            660                 665                 670

Gly Cys Asp Phe Glu Ile Asp Ser Gly Ala Met Glu Asp Arg Cys Gly
        675                 680                 685

Val Cys His Gly Asn Gly Ser Thr Cys His Thr Val Ser Gly Thr Phe
    690                 695                 700

Glu Glu Ala Glu Gly Leu Gly Tyr Val Asp Val Gly Leu Ile Pro Ala
705                 710                 715                 720

Gly Ala Arg Glu Ile Arg Ile Gln Glu Val Ala Glu Ala Ala Asn Phe
                725                 730                 735

Leu Ala Leu Arg Ser Glu Asp Pro Glu Lys Tyr Phe Leu Asn Gly Gly
            740                 745                 750

Trp Thr Ile Gln Trp Asn Gly Asp Tyr Gln Val Ala Gly Thr Thr Phe
        755                 760                 765

Thr Tyr Ala Arg Arg Gly Asn Trp Glu Asn Leu Thr Ser Pro Gly Pro
    770                 775                 780

Thr Lys Glu Pro Val Trp Ile Gln Val Pro Ala Ser Arg Gly Pro Gly
785                 790                 795                 800

Gly Gly Ser Arg Gly Gly Val Pro Arg Pro Ser Thr Leu His Gly Arg
                805                 810                 815

Ser Arg Pro Gly Gly Val Ser Pro Gly Ser Val Thr Glu Pro Gly Ser
            820                 825                 830

Glu Pro Gly Pro Pro Ala Ala Ala Ser Thr Ser Val Ser Pro Ser Leu
        835                 840                 845

Lys Trp Pro Asn Leu Val Ala Ala Val His Arg Gly Gly Trp Gly Gln
    850                 855                 860

Ala Pro Leu Gly Leu Gly Gly Trp Arg Arg His Leu Val Leu Met Gly
865                 870                 875                 880

Pro Arg Leu Pro Thr Gln Leu Leu Phe Gln Glu Ser Asn Pro Gly Val
                885                 890                 895

His Tyr Glu Tyr Thr Ile His Arg Glu Ala Gly Gly His Asp Glu Val
            900                 905                 910

Pro Pro Pro Val Phe Ser Trp His Tyr Gly Pro Trp Thr Lys Cys Thr
        915                 920                 925

Val Thr Cys Gly Arg Gly Glu Lys Trp Gly Arg His Ser Pro Thr Cys
    930                 935                 940

Arg Gly Leu Val Ser Gly Gln Gly His Trp Leu Gln Leu Pro Ala His
945                 950                 955                 960

Cys Trp Ala Thr Thr Gly Leu Glu Val Cys Phe Ser Glu Pro Gln Phe
                965                 970                 975

Ser Ile Cys Glu Met Arg Leu Ala Ile Ala Leu Cys Pro Arg Pro Ala
            980                 985                 990
```

Gly Arg Val His Gly
995

<210> 8
<211> 3638
<212> DNA
<213> Mus musculus ADAMTS-8

<220>
<221> CDS
<222> (278)..(2992)

<400> 8
tagggcgact gcacgggacg ccgcggagga cgcgcgctcg cggcccgggg cgccacgtgc 60

tcgagttctg ctaggttggc tggcgcagga ggagcgggct gcgcgatcca gaggggccgc 120

cagggaccgc cgcgccacgt gccgctagcc gagtcggcct ccccatccga ttgatcattt 180

ttcctggaca gagcgacccg gccgcctcgg gccaccagca cctgcccgcg cgcggcgatc 240

ttcttccctc tcccgcgctc cgcagcactc tgccccc atg ctc cgc gac ccc acc 295
Met Leu Arg Asp Pro Thr
1 5

acc acc ggg tgg ccg ccc ctc ctg ctg ctg cta ttg cag ctg ccg ccg 343
Thr Thr Gly Trp Pro Pro Leu Leu Leu Leu Leu Gln Leu Pro Pro
10 15 20

ccg cca ctc gtc tgc gga gcc ccg gcg ggg ccg gga acc ggg gcg cag 391
Pro Pro Leu Val Cys Gly Ala Pro Ala Gly Pro Gly Thr Gly Ala Gln
25 30 35

gcc tcg gag cta gtg gtg ccc acg cgg ttg ccc ggc agc gcg agc gag 439
Ala Ser Glu Leu Val Val Pro Thr Arg Leu Pro Gly Ser Ala Ser Glu
40 45 50

ctc gcc ttc cac ctg tcc gcc ttc ggc cag ggc ttc gtg ctg cgc ctg 487
Leu Ala Phe His Leu Ser Ala Phe Gly Gln Gly Phe Val Leu Arg Leu
55 60 65 70

gcg cct gac gcc agc ttc ctg gcg ccg gaa ttc aag atc gag cgc ctc 535
Ala Pro Asp Ala Ser Phe Leu Ala Pro Glu Phe Lys Ile Glu Arg Leu
75 80 85

ggg ggc tcg agc gcg gcg gcc ggg ggc gag ccg gga ctg cgt ggc tgc 583
Gly Gly Ser Ser Ala Ala Ala Gly Gly Glu Pro Gly Leu Arg Gly Cys
90 95 100

ttc ttc tct ggc aca gtg aat gga gaa cgg gag tcg ctg gcg gcg atg 631
Phe Phe Ser Gly Thr Val Asn Gly Glu Arg Glu Ser Leu Ala Ala Met
105 110 115

agc tgt gtc gcg ggc tgg agc ggc tcg ttc ttg ctg gca ggc gag gag 679
Ser Cys Val Ala Gly Trp Ser Gly Ser Phe Leu Leu Ala Gly Glu Glu
120 125 130

ttc acc atc cag cca cag ggc gct ggg gac tcc ctg gac cag cct cat 727
Phe Thr Ile Gln Pro Gln Gly Ala Gly Asp Ser Leu Asp Gln Pro His
135 140 145 150

cgc ctg cag cgc tgg ggg ccg gga cag cgc cgc gaa gac ccc ggg ctc 775
Arg Leu Gln Arg Trp Gly Pro Gly Gln Arg Arg Glu Asp Pro Gly Leu
155 160 165

```
   gct gcc gcc gaa gtt ttc ccc ctc cct caa gga ctg gag tgg gag gtg   823
   Ala Ala Ala Glu Val Phe Pro Leu Pro Gln Gly Leu Glu Trp Glu Val
               170                 175                 180
5
   gag atg ggt aat ggg cag gga cag gag aga agt gac aac gaa gag gac   871
   Glu Met Gly Asn Gly Gln Gly Gln Glu Arg Ser Asp Asn Glu Glu Asp
           185                 190                 195

10 aag aag cag gac aag gag ggg ttg ctc aaa gag aca gaa gac tcc cgc   919
   Lys Lys Gln Asp Lys Glu Gly Leu Leu Lys Glu Thr Glu Asp Ser Arg
       200                 205                 210

   aaa gtg cca cca ccc ttc gga tcc aaa act aga agc aag agg ttt gtg   967
15 Lys Val Pro Pro Pro Phe Gly Ser Lys Thr Arg Ser Lys Arg Phe Val
   215                 220                 225                 230

   tcc gag gct cgc ttc gtg gaa aca ctt ctg gtg gct gat gcg tcc atg   1015
   Ser Glu Ala Arg Phe Val Glu Thr Leu Leu Val Ala Asp Ala Ser Met
20                 235                 240                 245

   gct gcc ttc tat ggg acc gac ctg cag aac cac atc ctc acg gtg atg   1063
   Ala Ala Phe Tyr Gly Thr Asp Leu Gln Asn His Ile Leu Thr Val Met
               250                 255                 260
25
   tca atg gca gcc cga atc tac aag cac ccg agc atc agg aac tcc gtc   1111
   Ser Met Ala Ala Arg Ile Tyr Lys His Pro Ser Ile Arg Asn Ser Val
           265                 270                 275

30 aac ctt gtg gtg gtg aaa gtg cta ata gtg gaa aaa gaa aga tgg ggc   1159
   Asn Leu Val Val Val Lys Val Leu Ile Val Glu Lys Glu Arg Trp Gly
       280                 285                 290

   ccg gaa gtg tcc gac aac ggg ggg ctc aca ctg cgc aac ttc tgc agc   1207
35 Pro Glu Val Ser Asp Asn Gly Gly Leu Thr Leu Arg Asn Phe Cys Ser
   295                 300                 305                 310

   tgg caa cgg cgt ttc aac aag ccc agt gac cgc cac ccg gag cac tat   1255
   Trp Gln Arg Arg Phe Asn Lys Pro Ser Asp Arg His Pro Glu His Tyr
40                 315                 320                 325

   gac act gcc atc ttg ttc acc aga cag aac ttc tgt ggg aag gga gag   1303
   Asp Thr Ala Ile Leu Phe Thr Arg Gln Asn Phe Cys Gly Lys Gly Glu
               330                 335                 340
45
   cag tgt gac acc ctg ggg atg gca gac gtt ggc acc atc tgt gac ccc   1351
   Gln Cys Asp Thr Leu Gly Met Ala Asp Val Gly Thr Ile Cys Asp Pro
           345                 350                 355

50 gac aag agc tgc tca gtg atc aag gat gag gga ctg cag gca gcc tac   1399
   Asp Lys Ser Cys Ser Val Ile Lys Asp Glu Gly Leu Gln Ala Ala Tyr
       360                 365                 370

   acc ctg gcc cat gag cta ggg cac gtt ctc agc atg ccc cat gat gat   1447
55 Thr Leu Ala His Glu Leu Gly His Val Leu Ser Met Pro His Asp Asp
   375                 380                 385                 390

   tct aag ccc tgt gtg aga ttg ttt ggg ccc atg ggc aag tac cac atg   1495
   Ser Lys Pro Cys Val Arg Leu Phe Gly Pro Met Gly Lys Tyr His Met
60                 395                 400                 405

   atg gcg cca ttc ttc atc cac gtg aac aag acg ctg ccc tgg tct ccc   1543
   Met Ala Pro Phe Phe Ile His Val Asn Lys Thr Leu Pro Trp Ser Pro
               410                 415                 420
65
   tgc agt gct gtc tac ctc aca gag ctc ctg gat gat ggt cac gga gat   1591
```

BNSDOCID: <WO___0111074A2_I_>

```
   Cys Ser Ala Val Tyr Leu Thr Glu Leu Leu Asp Asp Gly His Gly Asp
           425                 430                 435

   tgt ctt ctg gat gcc ccc acc tcg gtt ctg ccc ctc ccc aca ggc ctc   1639
 5 Cys Leu Leu Asp Ala Pro Thr Ser Val Leu Pro Leu Pro Thr Gly Leu
       440                 445                 450

   ccg ggc cac agc acc ctc tac gag ctg gac cag cag tgc aag cag atc   1687
   Pro Gly His Ser Thr Leu Tyr Glu Leu Asp Gln Gln Cys Lys Gln Ile
10 455                 460                 465                 470

   ttt ggg cct gat ttc cga cac tgc ccc aac acc tct gtg gag gac atc   1735
   Phe Gly Pro Asp Phe Arg His Cys Pro Asn Thr Ser Val Glu Asp Ile
                 475                 480                 485
15
   tgt gtc cag ctc tgt gcc cgt cat cgg gat agt gat gag ccc att tgc   1783
   Cys Val Gln Leu Cys Ala Arg His Arg Asp Ser Asp Glu Pro Ile Cys
             490                 495                 500

20 cac aca aag aat ggt agc ctg ctc tgg gct gat ggt aca ccc tgt ggc   1831
   His Thr Lys Asn Gly Ser Leu Leu Trp Ala Asp Gly Thr Pro Cys Gly
           505                 510                 515

   cct ggg cac ctg tgc ctg gat ggt agc tgt gta ctc aag gag gat gtg   1879
25 Pro Gly His Leu Cys Leu Asp Gly Ser Cys Val Leu Lys Glu Asp Val
       520                 525                 530

   gag aat ccc aag gct gtg gta gat gga gac tgg ggt ccc tgg aga ccc   1927
   Glu Asn Pro Lys Ala Val Val Asp Gly Asp Trp Gly Pro Trp Arg Pro
30 535                 540                 545                 550

   tgg gga caa tgt tct cgc acc tgt ggt gga ggg ata caa ttc tcg aac   1975
   Trp Gly Gln Cys Ser Arg Thr Cys Gly Gly Gly Ile Gln Phe Ser Asn
                 555                 560                 565
35
   cgt gaa tgt gat aat cca atg cct cag aat gga gga aga ttt tgc ctg   2023
   Arg Glu Cys Asp Asn Pro Met Pro Gln Asn Gly Gly Arg Phe Cys Leu
             570                 575                 580

40 ggt gaa aga gtc aag tac caa tca tgc aac aca gag gaa tgt cca cca   2071
   Gly Glu Arg Val Lys Tyr Gln Ser Cys Asn Thr Glu Glu Cys Pro Pro
           585                 590                 595

   aac gga aaa agc ttc cgg gag cag cag tgt gag aaa tat aat gcc tac   2119
45 Asn Gly Lys Ser Phe Arg Glu Gln Gln Cys Glu Lys Tyr Asn Ala Tyr
       600                 605                 610

   aac cac act gac ctg gat ggg aat ttc ctg cag tgg gtc ccc aag tat   2167
   Asn His Thr Asp Leu Asp Gly Asn Phe Leu Gln Trp Val Pro Lys Tyr
50 615                 620                 625                 630

   tca gga gtg tcc ccc cga gac cga tgc aag ctg ttt tgc aga gcc cgt   2215
   Ser Gly Val Ser Pro Arg Asp Arg Cys Lys Leu Phe Cys Arg Ala Arg
                 635                 640                 645
55
   ggg agg agt gag ttc aaa gtg ttt gaa gct aag gtg atc gat ggc act   2263
   Gly Arg Ser Glu Phe Lys Val Phe Glu Ala Lys Val Ile Asp Gly Thr
             650                 655                 660

60 ctg tgt gga ccg gat act ctg tcc atc tgc gtc cgg ggg caa tgt gtt   2311
   Leu Cys Gly Pro Asp Thr Leu Ser Ile Cys Val Arg Gly Gln Cys Val
           665                 670                 675

   aag gct ggc tgt gac cat gtg gtg aac tca cct aag aag ctg gac aaa   2359
65 Lys Ala Gly Cys Asp His Val Val Asn Ser Pro Lys Lys Leu Asp Lys
       680                 685                 690
```

```
   tgt ggg gtg tgt ggg ggc aaa ggc act gcc tgt agg aag atc tcc ggt   2407
   Cys Gly Val Cys Gly Gly Lys Gly Thr Ala Cys Arg Lys Ile Ser Gly
   695                 700                 705                 710
5
   tct ttc acc ccc ttc agt tat ggc tac aat gac att gtc acc atc cca   2455
   Ser Phe Thr Pro Phe Ser Tyr Gly Tyr Asn Asp Ile Val Thr Ile Pro
                   715                 720                 725

10 gct ggt gcc aca aac att gat gtg aaa cag cgg agt cac cca ggg gtc   2503
   Ala Gly Ala Thr Asn Ile Asp Val Lys Gln Arg Ser His Pro Gly Val
               730                 735                 740

   agg aac gac ggc agc tac ctg gcg ctg aag aca gcc aat ggg cag tac   2551
15 Arg Asn Asp Gly Ser Tyr Leu Ala Leu Lys Thr Ala Asn Gly Gln Tyr
           745                 750                 755

   ctg ctc aat ggt aac ctg gcc atc tct gcc ata gag caa gac atc ttg   2599
   Leu Leu Asn Gly Asn Leu Ala Ile Ser Ala Ile Glu Gln Asp Ile Leu
20     760                 765                 770

   gtg aag ggg acc atc ctg aag tac agt ggc tcc atg gct acc ctg gag   2647
   Val Lys Gly Thr Ile Leu Lys Tyr Ser Gly Ser Met Ala Thr Leu Glu
   775                 780                 785                 790
25
   cgg ctg cag agc ttc cag gcc ctg cct gag cct ctt aca gta cag ctc   2695
   Arg Leu Gln Ser Phe Gln Ala Leu Pro Glu Pro Leu Thr Val Gln Leu
                   795                 800                 805

30 ctg act gtg tct ggt gag gtc ttc cct cca aaa gtc aga tat acc ttc   2743
   Leu Thr Val Ser Gly Glu Val Phe Pro Pro Lys Val Arg Tyr Thr Phe
               810                 815                 820

   ttt gtc ccc aat gac atg gac ttc agc gtg cag aat agc aag gaa aga   2791
35 Phe Val Pro Asn Asp Met Asp Phe Ser Val Gln Asn Ser Lys Glu Arg
           825                 830                 835

   gca acc acc aac atc att cag tca ctg ccc tct gcg gag tgg gtt ctg   2839
   Ala Thr Thr Asn Ile Ile Gln Ser Leu Pro Ser Ala Glu Trp Val Leu
40     840                 845                 850

   gga gac tgg tct gaa tgt ccg agc acg tgc aga ggt agc tgg cag cgg   2887
   Gly Asp Trp Ser Glu Cys Pro Ser Thr Cys Arg Gly Ser Trp Gln Arg
   855                 860                 865                 870
45
   cgg act gtg gaa tgc agg gac ccc tca ggt cag gcc tct gac acc tgt   2935
   Arg Thr Val Glu Cys Arg Asp Pro Ser Gly Gln Ala Ser Asp Thr Cys
                   875                 880                 885

50 gat gag gct ctg aaa cct gag gat gcc aag ccc tgt gga agc cag ccg   2983
   Asp Glu Ala Leu Lys Pro Glu Asp Ala Lys Pro Cys Gly Ser Gln Pro
               890                 895                 900

   tgt ccc ctc tgatcccctt ggtggaaatc tcttaggctt atggatttgg           3032
55 Cys Pro Leu
           905

   gctactggtg taacagacaa aggtcccctc caaggtgata ctacatatca agatggcacg 3092

60 gccctttcag gccttctatt actacaaccc cttgggtact acctaattca taaggaagag 3152

   agaagagggt ataagggtaa cagattgtaa agttgactgt ctggtggact ggaccttgct 3212

   tatgaccaag aagtcgggat aggttaaaag gtagaagtgc acttattgat ccaaatggga 3272
65
   gatttcagag ccagtctctt tgcaaaggac tagcaaagct aaatgaaaaa gaagaatttt 3332
```

tttttttctat ttggtttccc caataatcaa tctacctcac agcggggaaa aatcagtata 3392

caagaggtat aaggccaggt gttggcagtg aacgccaaag caagctccat aggtatctcc 3452

aagctatctt cagaaatgtc cgtggctgtt ttcagtatta aaatctgttg tctaaaaggg 3512

cagcagtgtc catcacaggg ttatagaaag ccacttttct caggctgcca cctgctgggg 3572

cggacccatt tcaagtattt atgcaaatat gtctccgaac taaagtgtgt cttacaccaa 3632

aagngc 3638

<210> 9
<211> 905
<212> PRT
<213> Mus musculus ADAMTS-8

<400> 9
Met Leu Arg Asp Pro Thr Thr Thr Gly Trp Pro Pro Leu Leu Leu Leu
1 5 10 15

Leu Leu Gln Leu Pro Pro Pro Pro Leu Val Cys Gly Ala Pro Ala Gly
20 25 30

Pro Gly Thr Gly Ala Gln Ala Ser Glu Leu Val Val Pro Thr Arg Leu
35 40 45

Pro Gly Ser Ala Ser Glu Leu Ala Phe His Leu Ser Ala Phe Gly Gln
50 55 60

Gly Phe Val Leu Arg Leu Ala Pro Asp Ala Ser Phe Leu Ala Pro Glu
65 70 75 80

Phe Lys Ile Glu Arg Leu Gly Gly Ser Ser Ala Ala Ala Gly Gly Glu
85 90 95

Pro Gly Leu Arg Gly Cys Phe Phe Ser Gly Thr Val Asn Gly Glu Arg
100 105 110

Glu Ser Leu Ala Ala Met Ser Cys Val Ala Gly Trp Ser Gly Ser Phe
115 120 125

Leu Leu Ala Gly Glu Glu Phe Thr Ile Gln Pro Gln Gly Ala Gly Asp
130 135 140

Ser Leu Asp Gln Pro His Arg Leu Gln Arg Trp Gly Pro Gly Gln Arg
145 150 155 160

Arg Glu Asp Pro Gly Leu Ala Ala Ala Glu Val Phe Pro Leu Pro Gln
165 170 175

Gly Leu Glu Trp Glu Val Glu Met Gly Asn Gly Gln Gly Gln Glu Arg
180 185 190

Ser Asp Asn Glu Glu Asp Lys Lys Gln Asp Lys Glu Gly Leu Leu Lys
195 200 205

Glu Thr Glu Asp Ser Arg Lys Val Pro Pro Pro Phe Gly Ser Lys Thr
210 215 220

Arg Ser Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu Leu
225 230 235 240

Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Thr Asp Leu Gln Asn

245 250 255

His Ile Leu Thr Val Met Ser Met Ala Ala Arg Ile Tyr Lys His Pro
260 265 270

Ser Ile Arg Asn Ser Val Asn Leu Val Val Val Lys Val Leu Ile Val
275 280 285

Glu Lys Glu Arg Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu Thr
290 295 300

Leu Arg Asn Phe Cys Ser Trp Gln Arg Arg Phe Asn Lys Pro Ser Asp
305 310 315 320

Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Phe Thr Arg Gln Asn
325 330 335

Phe Cys Gly Lys Gly Glu Gln Cys Asp Thr Leu Gly Met Ala Asp Val
340 345 350

Gly Thr Ile Cys Asp Pro Asp Lys Ser Cys Ser Val Ile Lys Asp Glu
355 360 365

Gly Leu Gln Ala Ala Tyr Thr Leu Ala His Glu Leu Gly His Val Leu
370 375 380

Ser Met Pro His Asp Asp Ser Lys Pro Cys Val Arg Leu Phe Gly Pro
385 390 395 400

Met Gly Lys Tyr His Met Met Ala Pro Phe Phe Ile His Val Asn Lys
405 410 415

Thr Leu Pro Trp Ser Pro Cys Ser Ala Val Tyr Leu Thr Glu Leu Leu
420 425 430

Asp Asp Gly His Gly Asp Cys Leu Leu Asp Ala Pro Thr Ser Val Leu
435 440 445

Pro Leu Pro Thr Gly Leu Pro Gly His Ser Thr Leu Tyr Glu Leu Asp
450 455 460

Gln Gln Cys Lys Gln Ile Phe Gly Pro Asp Phe Arg His Cys Pro Asn
465 470 475 480

Thr Ser Val Glu Asp Ile Cys Val Gln Leu Cys Ala Arg His Arg Asp
485 490 495

Ser Asp Glu Pro Ile Cys His Thr Lys Asn Gly Ser Leu Leu Trp Ala
500 505 510

Asp Gly Thr Pro Cys Gly Pro Gly His Leu Cys Leu Asp Gly Ser Cys
515 520 525

Val Leu Lys Glu Asp Val Glu Asn Pro Lys Ala Val Val Asp Gly Asp
530 535 540

Trp Gly Pro Trp Arg Pro Trp Gly Gln Cys Ser Arg Thr Cys Gly Gly
545 550 555 560

Gly Ile Gln Phe Ser Asn Arg Glu Cys Asp Asn Pro Met Pro Gln Asn
565 570 575

Gly Gly Arg Phe Cys Leu Gly Glu Arg Val Lys Tyr Gln Ser Cys Asn
580 585 590

Thr Glu Glu Cys Pro Pro Asn Gly Lys Ser Phe Arg Glu Gln Gln Cys

595 600 605

Glu Lys Tyr Asn Ala Tyr Asn His Thr Asp Leu Asp Gly Asn Phe Leu
610 615 620

Gln Trp Val Pro Lys Tyr Ser Gly Val Ser Pro Arg Asp Arg Cys Lys
625 630 635 640

Leu Phe Cys Arg Ala Arg Gly Arg Ser Glu Phe Lys Val Phe Glu Ala
645 650 655

Lys Val Ile Asp Gly Thr Leu Cys Gly Pro Asp Thr Leu Ser Ile Cys
660 665 670

Val Arg Gly Gln Cys Val Lys Ala Gly Cys Asp His Val Val Asn Ser
675 680 685

Pro Lys Lys Leu Asp Lys Cys Gly Val Cys Gly Gly Lys Gly Thr Ala
690 695 700

Cys Arg Lys Ile Ser Gly Ser Phe Thr Pro Phe Ser Tyr Gly Tyr Asn
705 710 715 720

Asp Ile Val Thr Ile Pro Ala Gly Ala Thr Asn Ile Asp Val Lys Gln
725 730 735

Arg Ser His Pro Gly Val Arg Asn Asp Gly Ser Tyr Leu Ala Leu Lys
740 745 750

Thr Ala Asn Gly Gln Tyr Leu Leu Asn Gly Asn Leu Ala Ile Ser Ala
755 760 765

Ile Glu Gln Asp Ile Leu Val Lys Gly Thr Ile Leu Lys Tyr Ser Gly
770 775 780

Ser Met Ala Thr Leu Glu Arg Leu Gln Ser Phe Gln Ala Leu Pro Glu
785 790 795 800

Pro Leu Thr Val Gln Leu Leu Thr Val Ser Gly Glu Val Phe Pro Pro
805 810 815

Lys Val Arg Tyr Thr Phe Phe Val Pro Asn Asp Met Asp Phe Ser Val
820 825 830

Gln Asn Ser Lys Glu Arg Ala Thr Thr Asn Ile Ile Gln Ser Leu Pro
835 840 845

Ser Ala Glu Trp Val Leu Gly Asp Trp Ser Glu Cys Pro Ser Thr Cys
850 855 860

Arg Gly Ser Trp Gln Arg Arg Thr Val Glu Cys Arg Asp Pro Ser Gly
865 870 875 880

Gln Ala Ser Asp Thr Cys Asp Glu Ala Leu Lys Pro Glu Asp Ala Lys
885 890 895

Pro Cys Gly Ser Gln Pro Cys Pro Leu
900 905

<210> 10
<211> 739
<212> DNA
<213> Homo sapiens ADAMTS-8

<220>
<221> CDS
<222> (3)..(737)

<400> 10

```
cg agg gca gaa ggc gct agc gag ccg cca ccg ccc ctg ggg gcc acg    47
   Arg Ala Glu Gly Ala Ser Glu Pro Pro Pro Leu Gly Ala Thr
     1               5                  10                  15

agt agg acc aag cgg ttt gtg tct gag gcg cgc ttc gtg gag acg ctg    95
Ser Arg Thr Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu
                20                  25                  30

ctg gtg gcc gat gcg tcc atg gct gcc ttc tac ggg gcc gac ctg cag   143
Leu Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Ala Asp Leu Gln
            35                  40                  45

aac cac atc ctg acg tta atg tct gtg gca gcc cga atc tac aag cac   191
Asn His Ile Leu Thr Leu Met Ser Val Ala Ala Arg Ile Tyr Lys His
        50                  55                  60

ccc agc atc aag aat tcc atc aac ctg atg gtg gta aaa gtg ctg atc   239
Pro Ser Ile Lys Asn Ser Ile Asn Leu Met Val Val Lys Val Leu Ile
    65                  70                  75

gta gaa gat gaa aaa tgg ggc cca gag gtg tcc gac aat ggg ggg ctt   287
Val Glu Asp Glu Lys Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu
 80                  85                  90                  95

aca ctg cgt aac ttc tgc aac tgg cag cgg cgt ttc aac cag ccc agc   335
Thr Leu Arg Asn Phe Cys Asn Trp Gln Arg Arg Phe Asn Gln Pro Ser
                100                 105                 110

gac cgc cac cca gag cac tac gac acg gcc atc ctg ctc acc aga cag   383
Asp Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Leu Thr Arg Gln
            115                 120                 125

aac ttc tgt ggg cag gag ggg ctg tgt gac acc ctg ggt gtg gca gac   431
Asn Phe Cys Gly Gln Glu Gly Leu Cys Asp Thr Leu Gly Val Ala Asp
        130                 135                 140

atc ggg acc att tgt gac ccc aac aaa agc tgc tcc gtg atc gag gat   479
Ile Gly Thr Ile Cys Asp Pro Asn Lys Ser Cys Ser Val Ile Glu Asp
    145                 150                 155

gag ggg ctc cag gcg gcc cac acc ctg gcc cat gaa cta ggg cac gtc   527
Glu Gly Leu Gln Ala Ala His Thr Leu Ala His Glu Leu Gly His Val
160                 165                 170                 175

ctc agc atg ccc cac gac gac tcc aag ccc tgc aca cgg ctc ttc ggg   575
Leu Ser Met Pro His Asp Asp Ser Lys Pro Cys Thr Arg Leu Phe Gly
                180                 185                 190

ccc atg ggc aag cac cac gtg atg gca ccg ctg ttc gtc cac ctg aac   623
Pro Met Gly Lys His His Val Met Ala Pro Leu Phe Val His Leu Asn
            195                 200                 205

cag acg ctg ccc tgg tcc ccc tgc agc gcc atg ttc tca ggc tgc cac   671
Gln Thr Leu Pro Trp Ser Pro Cys Ser Ala Met Phe Ser Gly Cys His
        210                 215                 220

ctg cag ggg tgg atc cat ttc aag tat tta tgc aaa tgt gtc tct gaa   719
Leu Gln Gly Trp Ile His Phe Lys Tyr Leu Cys Lys Cys Val Ser Glu
    225                 230                 235

cta aag tgt gat ctt atg cc                                       739
```

Leu Lys Cys Asp Leu Met
240 245

<210> 11
<211> 245
<212> PRT
<213> Homo sapiens ADAMTS-8

<400> 11
Arg Ala Glu Gly Ala Ser Glu Pro Pro Pro Pro Leu Gly Ala Thr Ser
1 5 10 15

Arg Thr Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu Leu
20 25 30

Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Ala Asp Leu Gln Asn
35 40 45

His Ile Leu Thr Leu Met Ser Val Ala Ala Arg Ile Tyr Lys His Pro
50 55 60

Ser Ile Lys Asn Ser Ile Asn Leu Met Val Val Lys Val Leu Ile Val
65 70 75 80

Glu Asp Glu Lys Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu Thr
85 90 95

Leu Arg Asn Phe Cys Asn Trp Gln Arg Arg Phe Asn Gln Pro Ser Asp
100 105 110

Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Leu Thr Arg Gln Asn
115 120 125

Phe Cys Gly Gln Glu Gly Leu Cys Asp Thr Leu Gly Val Ala Asp Ile
130 135 140

Gly Thr Ile Cys Asp Pro Asn Lys Ser Cys Ser Val Ile Glu Asp Glu
145 150 155 160

Gly Leu Gln Ala Ala His Thr Leu Ala His Glu Leu Gly His Val Leu
165 170 175

Ser Met Pro His Asp Asp Ser Lys Pro Cys Thr Arg Leu Phe Gly Pro
180 185 190

Met Gly Lys His His Val Met Ala Pro Leu Phe Val His Leu Asn Gln
195 200 205

Thr Leu Pro Trp Ser Pro Cys Ser Ala Met Phe Ser Gly Cys His Leu
210 215 220

Gln Gly Trp Ile His Phe Lys Tyr Leu Cys Lys Cys Val Ser Glu Leu
225 230 235 240

Lys Cys Asp Leu Met
245

<210> 12
<211> 5804
<212> DNA
<213> Homo sapiens ADAMTS-9

<220>

<221> CDS
<222> (3)..(5648)

<220>
<221> misc_feature
<222> (1563)..(1565)

<220>
<221> misc_feature
<222> (1404)..(1406)

<400> 12

```
ga agc acc atg cag ttt gta tcc tgg gcc aca ctg cta acg ctc ctg    47
   Ser Thr Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu
     1               5                  10                  15

gtg cgg gac ctg gcc gag atg ggg agc cca gac gcc gcg gcg gcc gtg   95
Val Arg Asp Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Ala Val
                20                  25                  30

cgc aag gac agg ctg cac ccg agg caa gtg aaa tta tta gag acc ctg   143
Arg Lys Asp Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu
            35                  40                  45

agc gaa tac gaa atc gtg tct ccc atc cga gtg aac gct ctc gga gaa   191
Ser Glu Tyr Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu
        50                  55                  60

ccc ttt ccc acg aac gtc cac ttc aaa aga acg cga cgg agc att aac   239
Pro Phe Pro Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn
    65                  70                  75

tct gcc act gac ccc tgg cct gcc ttc gcc tcc tcc tct tcc tcc tct   287
Ser Ala Thr Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser
80                  85                  90                  95

acc tcc tcc cag gcg cat tac cgc ctc tct gcc ttc ggc cag cag ttt   335
Thr Ser Ser Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe
                100                 105                 110

cta ttt aat ctc acc gcc aat gcc gga ttt atc gct cca ctg ttc act   383
Leu Phe Asn Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr
            115                 120                 125

gtc acc ctc ctt ggg acg ccc ggg gtg aat cag acc aag ttt tat tcc   431
Val Thr Leu Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser
        130                 135                 140

gaa gag gaa gcg gaa cta aag cac tgt ttc tac aaa agg cta tgt caa   479
Glu Glu Glu Ala Glu Leu Lys His Cys Phe Tyr Lys Arg Leu Cys Gln
    145                 150                 155

tac caa ctc cga gca cac ggc cgt cat cag cct ctg ctc agg aat gaa   527
Tyr Gln Leu Arg Ala His Gly Arg His Gln Pro Leu Leu Arg Asn Glu
160                 165                 170                 175

cac aaa aat agg cac agt aaa gac aag aag aaa acc aga gca aga aaa   575
His Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys
                180                 185                 190

tgg gga gaa agg att aac ctg gct ggt gac gta gca gca tta aac agc   623
Trp Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser
            195                 200                 205

ggc tta gca aca gag gca ttt tct gct tat ggt aat aag acg gac aac   671
Gly Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn
```

```
          210                 215                 220

   aca aga gaa aag agg acc cac aga agg aca aaa cgt ttt tta tcc tat   719
   Thr Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr
 5     225                 230                 235

   cca cgg ttt gta gaa gtc ttg gtg gtg gca gac aac aga atg gtt tca   767
   Pro Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser
   240                 245                 250                 255
10
   tac cat gga gaa aac ctt caa cac tat att tta act tta atg tca att   815
   Tyr His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile
                   260                 265                 270

15 gta gcc tct atc tat aaa gac cca agt att gga aat tta att aat att   863
   Val Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile
               275                 280                 285

   gtt att gtg aac tta att gtg att cat aat gaa cag gat ggg cct tcc   911
20 Val Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser
           290                 295                 300

   ata tct ttt aat gct cag aca aca tta aaa aac ttt tgc cag tgg cag   959
   Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln
25     305                 310                 315

   cat tcg aac agt cca ggt gga atc cat cat gat act gct gtt ctc tta   1007
   His Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu
   320                 325                 330                 335
30
   aca aga cag gat atc tgc aga gct cac gac aaa tgt gat acc tta ggc   1055
   Thr Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly
                   340                 345                 350

35 ctg gct gaa ctg gga acc att tgt gat ccc tat aga agc tgt tct att   1103
   Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile
               355                 360                 365

   agt gaa gat agt gga ttg agt aca gct ttt acg atc gcc cat gag ctg   1151
40 Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu
           370                 375                 380

   ggc cat gtg ttt aac atg cct cat gat gac aac aac aaa tgt aaa gaa   1199
   Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu
45     385                 390                 395

   gaa gga gtt aag agt ccc cag cat gtc atg gct cca aca ctg aac ttc   1247
   Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe
   400                 405                 410                 415
50
   tac acc aac ccc tgg atg tgg tca aag tgt agt cga aaa tat atc act   1295
   Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr
                   420                 425                 430

55 gag ttt tta gac act ggt tat ggc gag tgt ttg ctt aac gaa cct gaa   1343
   Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Glu
               435                 440                 445

   tcc aga ccc tac cct ttg cct gtc caa ctg cca ggc atc ctt tac aac   1391
60 Ser Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile Leu Tyr Asn
           450                 455                 460

   gtg aat aaa caa tgn gaa ttg att ttt gga cca ggt tct cag gtg tgc   1439
   Val Asn Lys Gln Xaa Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys
65     465                 470                 475
```

```
   cca tat atg atg cag tgc aga cgg ctc tgg tgc aat aac gtc aat gga   1487
   Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn Val Asn Gly
   480                 485                 490                 495

 5 gta cac aaa ggc tgc cgg act cag cac aca ccc tgg gcc gat ggg acg   1535
   Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr
                   500                 505                 510

   gag tgc gag cct gga aag cac tgc aag nat gga ttt tgt gtt ccc aaa   1583
10 Glu Cys Glu Pro Gly Lys His Cys Lys Xaa Gly Phe Cys Val Pro Lys
               515                 520                 525

   gaa atg gat gtc ccc gtg aca gat gga tcc tgg gga agt tgg agt ccc   1631
   Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro
15         530                 535                 540

   ttt gga acc tgc tcc aga aca tgt gga ggg ggc atc aaa aca gcc att   1679
   Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile
       545                 550                 555
20
   cga gag tgc aac aga cca gaa cca aaa aat ggt gga aaa tac tgt gta   1727
   Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val
   560                 565                 570                 575

25 gga cgt aga atg aaa ttt aag tcc tgc aac acg gag cca tgt ctc aag   1775
   Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys
                   580                 585                 590

   cag aag cga gac ttc cga gat gaa cag tgt gct cac ttt gac ggg aag   1823
30 Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys
               595                 600                 605

   cat ttt aac atc aac ggt ctg ctt ccc aat gtg cgc tgg gtc cct aaa   1871
   His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys
35         610                 615                 620

   tac agt gga att ctg atg aag gac cgg tgc aag ttg ttc tgc aga gtg   1919
   Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val
       625                 630                 635
40
   gca ggg aac aca gcc tac tat cag ctt cga gac aga gtg ata gat gga   1967
   Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly
   640                 645                 650                 655

45 act cct tgt ggc cag gac aca aat gat atc tgt gtc cag ggc ctt tgc   2015
   Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys
                   660                 665                 670

   cgg caa gct gga tgc gat cat gtt tta aac tca aaa gcc cgg aga gat   2063
50 Arg Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp
               675                 680                 685

   aaa tgc ggg gtt tgt ggt ggc gat aat tct tca tgc aaa aca gtg gca   2111
   Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala
55         690                 695                 700

   gga aca ttt aat aca gta cat tat ggt tac aat act gtg gtc cga att   2159
   Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile
       705                 710                 715
60
   cca gct ggt gct acc aat att gat gtg cgg cag cac agt ttc tca ggg   2207
   Pro Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly
   720                 725                 730                 735

65 gaa aca gac gat gac aac tac tta gct tta tca agc agt aaa ggt gaa   2255
   Glu Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser Ser Lys Gly Glu
```

BNSDOCID: <WO___0111074A2_I_>

```
                740                 745                 750

   ttc ttg cta aat gga aac ttt gtt gtc aca atg gcc aaa agg gaa att   2303
   Phe Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile
 5           755                 760                 765

   cgc att ggg aat gct gtg gta gag tac agt ggg tcc gag act gcc gta   2351
   Arg Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val
       770                 775                 780
10
   gaa aga att aac tca aca gat cgc att gag caa gaa ctt ttg ctt cag   2399
   Glu Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Leu Gln
   785                 790                 795

15 gtt ttg tcg gtg gga aag ttg tac aac ccc gat gta cgc tat tct ttc   2447
   Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe
   800                 805                 810                 815

   aat att cca att gaa gat aaa cct cag cag ttt tac tgg aac agt cat   2495
20 Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His
                   820                 825                 830

   ggg cca tgg caa gca tgc agt aaa ccc tgc caa ggg gaa cgg aaa cga   2543
   Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg
25           835                 840                 845

   aaa ctt gtt tgc acc agg gaa tct gat cag ctt act gtt tct gat caa   2591
   Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln
       850                 855                 860
30
   aga tgc gat cgg ctg ccc cag cct gga cac att act gaa ccc tgt ggt   2639
   Arg Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly
   865                 870                 875

35 aca ggc tgt gac ctg agg tgg cat gtt gcc agc agg agt gaa tgt agt   2687
   Thr Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser
   880                 885                 890                 895

   gcc cag tgt ggc ttg ggt tac cgc aca ttg gac atc tac tgt gcc aaa   2735
40 Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys
                   900                 905                 910

   tat agc agg ctg gat ggg aag act gag aag gtt gat gat ggt ttt tgc   2783
   Tyr Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys
45           915                 920                 925

   agc agc cat ccc aaa cca agc aac cgt gaa aaa tgc tca ggg gaa tgt   2831
   Ser Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys
       930                 935                 940
50
   aac acg ggt ggc tgg cgc tat tct gcc tgg act gaa tgt tca aaa agc   2879
   Asn Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser
   945                 950                 955

55 tgt gac ggt ggg acc cag agg aga agg gct att tgt gtc aat acc cga   2927
   Cys Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg
   960                 965                 970                 975

   aat gat gta ctg gat gac agc aaa tgc aca cat caa gag aaa gtt acc   2975
60 Asn Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr
                   980                 985                 990

   att cag agg tgc agt gag ttc cct tgt cca cag tgg aaa tct gga gac   3023
   Ile Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp
65           995                1000                1005
```

```
   tgg tca gag tgc ttg gtc acc tgt gga aaa ggg cat aag cac agc cag   3071
   Trp Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys His Ser Gln
         1010                1015                1020

 5 gtc tgg tgt cag ttt ggt gaa gat cga tta aat gat aga atg tgt gac   3119
   Val Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp
      1025                1030                1035

   cct gag acc aag cca aca tct atg cag act tgt cag cag ccg gaa tgt   3167
10 Pro Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Cys
   1040                1045                1050                1055

   gca tcc tgg cag gcg ggt ccc tgg gta cag tgc agt gtc act tgt gga   3215
   Ala Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly
15                1060                1065                1070

   cag gga tac cag cta aga gca gtg aaa tgc atc att ggg act tat atg   3263
   Gln Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met
             1075                1080                1085
20
   tca gtg gta gat gac aat gac tgt aat gca gca act aga cca act gat   3311
   Ser Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp
         1090                1095                1100

25 acc cag gac tgt gaa tta cca tca tgt cat cct ccc cca gct gcc ccg   3359
   Thr Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro
      1105                1110                1115

   gaa acg agg aga agc aca tac agt gca cca aga acc cag tgg cga ttt   3407
30 Glu Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe
   1120                1125                1130                1135

   ggg tct tgg acc cca tgc tca gcc act tgt ggg aaa ggt acc cgg atg   3455
   Gly Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met
35                1140                1145                1150

   aga tac gtc agc tgc cga gat gag aat ggc tct gtg gct gac gag agt   3503
   Arg Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser
             1155                1160                1165
40
   gcc tgt gct acc ctg cct aga cca gtg gca aag gaa gaa tgt tct gtg   3551
   Ala Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val
         1170                1175                1180

45 aca ccc tgt ggg caa tgg aag gcc ttg gac tgg agc tct tgc tct gtg   3599
   Thr Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser Cys Ser Val
      1185                1190                1195

   acc tgt ggg caa ggt agg gca acc cgg caa gtg atg tgt gtc aac tac   3647
50 Thr Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys Val Asn Tyr
   1200                1205                1210                1215

   agt gac cac gtg atc gat cgg agt gag tgt gac cag gat tat atc cca   3695
   Ser Asp His Val Ile Asp Arg Ser Glu Cys Asp Gln Asp Tyr Ile Pro
55                1220                1225                1230

   gaa act gac cag gac tgt tcc atg tca cca tgc cct caa agg acc cca   3743
   Glu Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro
             1235                1240                1245
60
   gac agt ggc tta gct cag cac ccc ttc caa aat gag gac tat cgt ccc   3791
   Asp Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp Tyr Arg Pro
         1250                1255                1260

65 cgg agc gcc agc ccc agc cgc acc cat gtg ctc ggt gga aac cag tgg   3839
   Arg Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp
```

BNSDOCID: <WO___0111074A2_I_>

```
      1265                1270                1275

   aga act ggc ccc tgg gga gca tgt tcc agt acc tgt gct ggc gga tcc   3887
   Arg Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser
 5 1280              1285                1290                1295

   cag cgg cgt gtt gtt gta tgt cag gat gaa aat gga tac acc gca aac   3935
   Gln Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn
                  1300                1305                1310
10
   gac tgt gtg gag aga ata aaa cct gat gag caa aga gcc tgt gaa tcc   3983
   Asp Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser
             1315                1320                1325

15 ggc cct tgt cct cag tgg gct tat ggc aac tgg gga gag tgc act aag   4031
   Gly Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys
          1330                1335                1340

   ctg tgt ggt gga ggc ata aga aca aga ctg gtg gtc tct cag cgg tcc   4079
20 Leu Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Ser Gln Arg Ser
      1345                1350                1355

   aac ggt gaa cgg ttt cca gat ttg agc tgt gaa att ctt gat aaa cct   4127
   Asn Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro
25 1360              1365                1370                1375

   ccc gat cgt gag cag tgt aac aca cat gct tgt cca cac gac gct gca   4175
   Pro Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala
                  1380                1385                1390
30
   tgg agt act ggc cct tgg agc tcg tgt tct gtc tct tgt ggt cga ggg   4223
   Trp Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly
             1395                1400                1405

35 cat aaa caa cga aat gtt tac tgc atg gca aaa gat gga agc cat tta   4271
   His Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu
          1410                1415                1420

   gaa agt gat tac tgt aag cac ctg gct aag cca cat ggg cac aga aag   4319
40 Glu Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys
      1425                1430                1435

   tgc cga gga gga aga tgc ccc aaa tgg aaa gct ggc gct tgg agt cag   4367
   Cys Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln
45 1440              1445                1450                1455

   tgc tct gtg tcc atg ggc cga ggc gta cag cag agg cat gtg ggc tgt   4415
   Cys Ser Val Ser Met Gly Arg Gly Val Gln Gln Arg His Val Gly Cys
                  1460                1465                1470
50
   cag atc gga aca cac aaa ata gcc aga gag acc gag tgc aac cca tac   4463
   Gln Ile Gly Thr His Lys Ile Ala Arg Glu Thr Glu Cys Asn Pro Tyr
             1475                1480                1485

55 acc aga ccg gag tcg gaa tgc gaa tgc caa ggc cca cgg tgt ccc ctt   4511
   Thr Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu
          1490                1495                1500

   tac act tgg agg gca gag gaa tgg caa gaa tgc acc aag acc tgc ggc   4559
60 Tyr Thr Trp Arg Ala Glu Glu Trp Gln Glu Cys Thr Lys Thr Cys Gly
      1505                1510                1515

   gaa ggc tcc agg tac cgc aag gtg gtg tgt gtg gat gac aac aaa aac   4607
   Glu Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn
65 1520              1525                1530                1535
```

BNSDOCID: <WO___0111074A2_I_>

```
   gag gtg cat ggg gca cgc tgt gac gtg agc aag cgg ccg gtg gac cgt   4655
   Glu Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg
                  1540                1545                1550

 5 gaa agc tgt agt ttg caa ccc tgc gag tat gtc tgg act aca gga gaa   4703
   Glu Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Thr Thr Gly Glu
             1555                1560                1565

   tgg tca gag tgc tca gtg acc tgt gga aaa ggc tac aaa caa agg ctt   4751
10 Trp Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu
         1570                1575                1580

   gtc tcg tgc agc gag att tac acc ggg aaa gag aat tat gaa tac agc   4799
   Val Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser
15    1585                1590                1595

   tac caa acc acc atc aac tgc cca ggc acg cag ccc ccc agt gtt cac   4847
   Tyr Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His
   1600                1605                1610                1615
20
   ccc tgt tac ctg agg gag tgc cct gtc tcg gcc acc tgg aga gtt ggc   4895
   Pro Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly
                  1620                1625                1630

25 aac tgg ggg agc tgc tca gtg tct tgt ggt gtt gga gtg atg cag aga   4943
   Asn Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg
             1635                1640                1645

   tct gtg caa tgt tta acc aat gag gac caa ccc agc cac tta tgc cac   4991
30 Ser Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His
         1650                1655                1660

   act gat ctg aag cca gaa gaa cga aaa acc tgc cgt aat gtc tat aac   5039
   Thr Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn
35    1665                1670                1675

   tgt gag tta ccc cag aat tgc aag gag gta aaa aga ctt aaa ggt gcc   5087
   Cys Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala
   1680                1685                1690                1695
40
   agt gaa gat ggt gaa tat ttc ctg atg att aga gga aag ctt ctg aag   5135
   Ser Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys
                  1700                1705                1710

45 ata ttc tgt gcg ggg atg cac tct gac cac ccc aaa gag tac gtg aca   5183
   Ile Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr
             1715                1720                1725

   ctg gtg cat gga gac tct gag aat ttc tcc gag gtt tat ggg cac agg   5231
50 Leu Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg
         1730                1735                1740

   tta cac aac cca aca gaa tgt ccc tat aac ggg agc cgg cgc gat gac   5279
   Leu His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp
55    1745                1750                1755

   tgc caa tgt cgg aag gat tac acg gcc gct ggg ttt tcc agt ttt cag   5327
   Cys Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln
   1760                1765                1770                1775
60
   aaa atc aga ata gac ctg acc agc atg cag ata atc acc act gac tta   5375
   Lys Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu
                  1780                1785                1790

65 cag ttt gca agg aca agc gaa gga cat ccc gtc cct ttt gcc aca gcc   5423
   Gln Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala
```

```
            1795                1800                1805

   ggg gat tgc tac agc gct gcc aag tgc cca cag ggt cgt ttt agc atc   5471
   Gly Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile
 5       1810                1815                1820

   aac ctt tat gga acc ggc ttg tct tta act gaa tct gcc aga tgg ata   5519
   Asn Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile
      1825                1830                1835
10
   tca caa ggg aat tat gct gtc tct gac atc aag aag tcg ccg gat ggt   5567
   Ser Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly
   1840                1845                1850                1855

15 acc cga gtc gta ggg aaa tgc ggt ggt tac tgt gga aaa tgc act cca   5615
   Thr Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro
                  1860                1865                1870

   tcc tct ggt act ggc ctg gag gtg cga gtt tta tagctaaggt gctttgaaga 5668
20 Ser Ser Gly Thr Gly Leu Glu Val Arg Val Leu
              1875                1880

   ggaagccatt atggatggat gaaggatagt aatgcaatac ctccacctta atttgggtgc 5728

25 atgtgtatgt gtgtgtgtgt ttgtgtgtga cttgtatgct tgtgtgtgta aatgtgtgta 5788

   catatacata tataca                                                 5804


30 <210> 13
   <211> 1882
   <212> PRT
   <213> Homo sapiens ADAMTS-9

35 <400> 13
   Ser Thr Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu Val
     1               5                  10                  15

   Arg Asp Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Ala Val Arg
40              20                  25                  30

   Lys Asp Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu Ser
           35                  40                  45

45 Glu Tyr Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu Pro
       50                  55                  60

   Phe Pro Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn Ser
   65                  70                  75                  80
50
   Ala Thr Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser Thr
                   85                  90                  95

   Ser Ser Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe Leu
55             100                 105                 110

   Phe Asn Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr Val
           115                 120                 125

60 Thr Leu Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser Glu
       130                 135                 140

   Glu Glu Ala Glu Leu Lys His Cys Phe Tyr Lys Arg Leu Cys Gln Tyr
   145                 150                 155                 160
65
   Gln Leu Arg Ala His Gly Arg His Gln Pro Leu Leu Arg Asn Glu His
```

```
                    165                 170                 175

   Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys Trp
                180                 185                 190
 5
   Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser Gly
            195                 200                 205

   Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn Thr
10      210                 215                 220

   Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr Pro
   225                 230                 235                 240

15 Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser Tyr
                    245                 250                 255

   His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile Val
                260                 265                 270
20
   Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile Val
            275                 280                 285

   Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser Ile
25      290                 295                 300

   Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln His
   305                 310                 315                 320

30 Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu Thr
                    325                 330                 335

   Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly Leu
                340                 345                 350
35
   Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile Ser
            355                 360                 365

   Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu Gly
40      370                 375                 380

   His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu Glu
   385                 390                 395                 400

45 Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe Tyr
                    405                 410                 415

   Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr Glu
                420                 425                 430
50
   Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Glu Ser
            435                 440                 445

   Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile Leu Tyr Asn Val
55      450                 455                 460

   Asn Lys Gln Xaa Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys Pro
   465                 470                 475                 480

60 Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn Val Asn Gly Val
                    485                 490                 495

   His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr Glu
                500                 505                 510
65
   Cys Glu Pro Gly Lys His Cys Lys Xaa Gly Phe Cys Val Pro Lys Glu
```

BNSDOCID: <WO___0111074A2_I_>

```
          515                 520                 525

   Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro Phe
       530                 535                 540
 5
   Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile Arg
   545                 550                 555                 560

   Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val Gly
10                 565                 570                 575

   Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys Gln
              580                 585                 590

15 Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys His
          595                 600                 605

   Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys Tyr
       610                 615                 620
20
   Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val Ala
   625                 630                 635                 640

   Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly Thr
25                 645                 650                 655

   Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys Arg
              660                 665                 670

30 Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp Lys
          675                 680                 685

   Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala Gly
       690                 695                 700
35
   Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile Pro
   705                 710                 715                 720

   Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly Glu
40                 725                 730                 735

   Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser Ser Lys Gly Glu Phe
              740                 745                 750

45 Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile Arg
          755                 760                 765

   Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val Glu
       770                 775                 780
50
   Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Leu Gln Val
   785                 790                 795                 800

   Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe Asn
55                 805                 810                 815

   Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His Gly
              820                 825                 830

60 Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg Lys
          835                 840                 845

   Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln Arg
       850                 855                 860
65
   Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly Thr
```

```
   865                 870                 875                 880

   Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser Ala
                   885                 890                 895
 5
   Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys Tyr
               900                 905                 910

   Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys Ser
10         915                 920                 925

   Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys Asn
       930                 935                 940

15 Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser Cys
   945                 950                 955                 960

   Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg Asn
                   965                 970                 975
20
   Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr Ile
               980                 985                 990

   Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp Trp
25         995                1000                1005

   Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys His Ser Gln Val
      1010                1015                1020

30 Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp Pro
   1025                1030                1035                1040

   Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Cys Ala
                  1045                1050                1055
35
   Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly Gln
              1060                1065                1070

   Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met Ser
40        1075                1080                1085

   Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp Thr
      1090                1095                1100

45 Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro Glu
   1105                1110                1115                1120

   Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe Gly
                  1125                1130                1135
50
   Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met Arg
              1140                1145                1150

   Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser Ala
55        1155                1160                1165

   Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val Thr
      1170                1175                1180

60 Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser Cys Ser Val Thr
   1185                1190                1195                1200

   Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys Val Asn Tyr Ser
                  1205                1210                1215
65
   Asp His Val Ile Asp Arg Ser Glu Cys Asp Gln Asp Tyr Ile Pro Glu
```

BNSDOCID: <WO___0111074A2_I_>

```
            1220                1225                1230

   Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro Asp
         1235                1240                1245

5
   Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp Tyr Arg Pro Arg
      1250                1255                1260

   Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp Arg
10 1265                1270                1275                1280

   Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser Gln
                  1285                1290                1295

15 Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn Asp
               1300                1305                1310

   Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser Gly
         1315                1320                1325

20
   Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys Leu
      1330                1335                1340

   Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Ser Gln Arg Ser Asn
25 1345                1350                1355                1360

   Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro Pro
                  1365                1370                1375

30 Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala Trp
               1380                1385                1390

   Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly His
         1395                1400                1405

35
   Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu Glu
      1410                1415                1420

   Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys Cys
40 1425                1430                1435                1440

   Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln Cys
                  1445                1450                1455

45 Ser Val Ser Met Gly Arg Gly Val Gln Gln Arg His Val Gly Cys Gln
               1460                1465                1470

   Ile Gly Thr His Lys Ile Ala Arg Glu Thr Glu Cys Asn Pro Tyr Thr
         1475                1480                1485

50
   Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu Tyr
      1490                1495                1500

   Thr Trp Arg Ala Glu Glu Trp Gln Glu Cys Thr Lys Thr Cys Gly Glu
55 1505                1510                1515                1520

   Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn Glu
                  1525                1530                1535

60 Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg Glu
               1540                1545                1550

   Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Thr Thr Gly Glu Trp
         1555                1560                1565

65
   Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu Val
```

```
      1570                1575                1580

   Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser Tyr
   1585                1590                1595                1600
 5
   Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His Pro
                    1605                1610                1615

   Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly Asn
10              1620                1625                1630

   Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg Ser
          1635                1640                1645

15 Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His Thr
      1650                1655                1660

   Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn Cys
   1665                1670                1675                1680
20
   Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala Ser
                    1685                1690                1695

   Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys Ile
25              1700                1705                1710

   Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr Leu
          1715                1720                1725

30 Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg Leu
      1730                1735                1740

   His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp Cys
   1745                1750                1755                1760
35
   Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln Lys
                    1765                1770                1775

   Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu Gln
40              1780                1785                1790

   Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala Gly
          1795                1800                1805

45 Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile Asn
      1810                1815                1820

   Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile Ser
   1825                1830                1835                1840
50
   Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly Thr
                    1845                1850                1855

   Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro Ser
55              1860                1865                1870

   Ser Gly Thr Gly Leu Glu Val Arg Val Leu
          1875                1880

60

   <210> 14
   <211> 2625
   <212> DNA
65 <213> Mus musculus ADAMTS-9
```

BNSDOCID: <WO___0111074A2_I_>

<220>
<221> CDS
<222> (2)..(2623)

<400> 14

```
g cac act gcg gtc atc agc ctg tgc tcc gga atg atg ggc acg ttc cgc  49
  His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Met Gly Thr Phe Arg
    1               5                  10                  15

tct cac gat gga gat tat ttc att gaa cca ctg cag tct gtg gat gag   97
Ser His Asp Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Val Asp Glu
            20                  25                  30

caa gag gat gaa gag gaa caa aac aaa ccc cac att att tat agg cac  145
Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg His
        35                  40                  45

agc acc cct cag agg gaa ccc tcc aca gga aag cat gcc tgt gcc acc  193
Ser Thr Pro Gln Arg Glu Pro Ser Thr Gly Lys His Ala Cys Ala Thr
    50                  55                  60

tca gaa ctc aaa aat agt cac agt aaa gac aag cgg aaa atc aga atg  241
Ser Glu Leu Lys Asn Ser His Ser Lys Asp Lys Arg Lys Ile Arg Met
65                  70                  75                  80

cga aaa cgg aga aag agg aat agc ctg gct gac gac gtg gca ctg cta  289
Arg Lys Arg Arg Lys Arg Asn Ser Leu Ala Asp Asp Val Ala Leu Leu
                85                  90                  95

aag agc ggt ttg gca aca aag gtg ctc tct ggc tat agc aac cag aca  337
Lys Ser Gly Leu Ala Thr Lys Val Leu Ser Gly Tyr Ser Asn Gln Thr
            100                 105                 110

aac aac aca agg gac aga tgg aac cac aaa aga acc aaa cgc ttt ctg  385
Asn Asn Thr Arg Asp Arg Trp Asn His Lys Arg Thr Lys Arg Phe Leu
        115                 120                 125

tcc tac cca cgg ttt gta gag gtg atg gtg gtg gct gac cac agg atg  433
Ser Tyr Pro Arg Phe Val Glu Val Met Val Val Ala Asp His Arg Met
    130                 135                 140

gtt tta tac cac gga gca aac ctt caa cat tat atc tta acc tta atg  481
Val Leu Tyr His Gly Ala Asn Leu Gln His Tyr Ile Leu Thr Leu Met
145                 150                 155                 160

tcc att gta gct tct atc tat aaa gac tca agt att gga aat tta att  529
Ser Ile Val Ala Ser Ile Tyr Lys Asp Ser Ser Ile Gly Asn Leu Ile
                165                 170                 175

aat att gtt att gtg aac tta gtt gtg att cat aat gaa cag gaa gga  577
Asn Ile Val Ile Val Asn Leu Val Val Ile His Asn Glu Gln Glu Gly
            180                 185                 190

cct tac ata aat ttc aat gcc cag aca aca tta aag aac ttt tgc cag  625
Pro Tyr Ile Asn Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln
        195                 200                 205

tgg cag cac tca aag aac tac ttg ggt ggg att cag cac gac aca gcc  673
Trp Gln His Ser Lys Asn Tyr Leu Gly Gly Ile Gln His Asp Thr Ala
    210                 215                 220

gtt ctg gtc aca agg gaa gat atc tgc aga gct cag gac aaa tgt gac  721
Val Leu Val Thr Arg Glu Asp Ile Cys Arg Ala Gln Asp Lys Cys Asp
225                 230                 235                 240

acc tta ggt ctt gct gaa ctg gga acc att tgc gac ccc tac cga agc  769
```

```
   Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser
                   245                 250                 255

   tgt tcc att agt gaa gac agt ggg ctg agc aca gct ttc aca ata gct  817
 5 Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala
               260                 265                 270

   cac gag ctg ggc cat gtg ttt aat atg cct cac gat gac agc aat aaa  865
   His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Ser Asn Lys
10         275                 280                 285

   tgc aaa gaa gaa gga gtt aag agt ccc cag cat gtc atg gca cca aca  913
   Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr
       290                 295                 300
15
   ctg aac ttc tac acc aac ccc tgg atg tgg tca aag tgc agt cgg aaa  961
   Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys
   305                 310                 315                 320

20 tac atc act gag ttc cta gac act ggg tac gga gag tgc ttg ctg aat 1009
   Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn
                   325                 330                 335

   gaa cct gca tcc agg acc tat cct ttg cct tcc caa ctg ccc ggc ctt 1057
25 Glu Pro Ala Ser Arg Thr Tyr Pro Leu Pro Ser Gln Leu Pro Gly Leu
               340                 345                 350

   ctc tac aac gtg aat aaa caa tgt gaa ctg att ttt ggg cca ggc tct 1105
   Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser
30         355                 360                 365

   caa gtg tgc ccc tat atg atg cag tgc aga cgg ctc tgg tgc aat aat 1153
   Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn
       370                 375                 380
35
   gtg gat gga gca cac aaa ggc tgc aag act cag cac acg ccc tgg gca 1201
   Val Asp Gly Ala His Lys Gly Cys Lys Thr Gln His Thr Pro Trp Ala
   385                 390                 395                 400

40 gat gga acc gag tgt gag cct gga aag cac tgc aag ttt gga ttt tgt 1249
   Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Phe Gly Phe Cys
                   405                 410                 415

   gtt ccc aaa gaa atg gag ggc cct gca att gat gga tcc tgg gga ggt 1297
45 Val Pro Lys Glu Met Glu Gly Pro Ala Ile Asp Gly Ser Trp Gly Gly
               420                 425                 430

   tgg agc cac ttt ggg acc tgc tca aga acg tgt gga gga ggc atc aaa 1345
   Trp Ser His Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys
50         435                 440                 445

   aca gcc atc aga gag tgc aac aga cca gag cca aaa aat ggt ggg aag 1393
   Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys
       450                 455                 460
55
   tac tgt gta gga agg aga atg aag ttc aaa tcc tgc aac acg gag ccc 1441
   Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro
   465                 470                 475                 480

60 tgc atg aag cag aag cga gac ttc cga gag gag cag tgt gct cac ttt 1489
   Cys Met Lys Gln Lys Arg Asp Phe Arg Glu Glu Gln Cys Ala His Phe
                   485                 490                 495

   gat ggc aaa cac ttc aac atc aat ggt ctg ctg ccc agc gta cgc tgg 1537
65 Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Ser Val Arg Trp
               500                 505                 510
```

```
   ttt cct aag tac agc gga att ttg atg aag gac cgg tgc aag ttg ttc   1585
   Phe Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe
           515                 520                 525
5
   tgc aga gtg gca gga aac aca gcc tac tac cag ctc cga gac aga gtg   1633
   Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val
       530                 535                 540

10 att gac gga acc cct tgt ggc cag gac aca aat gac atc tgt gtc caa   1681
   Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln
   545                 550                 555                 560

   ggc ctt tgc cgg caa gct gga tgt gat cat att tta aac tca aag gtc   1729
15 Gly Leu Cys Arg Gln Ala Gly Cys Asp His Ile Leu Asn Ser Lys Val
                   565                 570                 575

   cgg aaa gat aaa tgt ggg att tgt ggt gga gat aat tct tca tgc aaa   1777
   Arg Lys Asp Lys Cys Gly Ile Cys Gly Gly Asp Asn Ser Ser Cys Lys
20             580                 585                 590

   aca gtg gca gga aca ttt aac act gtc cat tat ggt tac aat act gtt   1825
   Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val
           595                 600                 605
25
   gtc cga att ccg gct ggt gct acc agc att gac gtg cgt cag cac agc   1873
   Val Arg Ile Pro Ala Gly Ala Thr Ser Ile Asp Val Arg Gln His Ser
       610                 615                 620

30 ttc tca ggg aag tct gag gat gac aac tac cta gct tta tca aac agt   1921
   Phe Ser Gly Lys Ser Glu Asp Asp Asn Tyr Leu Ala Leu Ser Asn Ser
   625                 630                 635                 640

   aaa ggt gaa ttc ctg cta aat gga gac ttt gtt gtc tcc atg tcc aaa   1969
35 Lys Gly Glu Phe Leu Leu Asn Gly Asp Phe Val Val Ser Met Ser Lys
                   645                 650                 655

   agg gag gtc cgc gtg ggg agc gcc gtc att gag tac agc gga tcg gac   2017
   Arg Glu Val Arg Val Gly Ser Ala Val Ile Glu Tyr Ser Gly Ser Asp
40             660                 665                 670

   aat gtg tgt gaa aga ctg aac tgt acg gac cgt atc gag gaa gaa ctt   2065
   Asn Val Cys Glu Arg Leu Asn Cys Thr Asp Arg Ile Glu Glu Glu Leu
           675                 680                 685
45
   ctc ctt cag gtg ttg tcc gtg gga aag ctg tat aac cca gat gtg cgg   2113
   Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg
       690                 695                 700

50 tac tca ttc aat att ccc att gag gac aaa cct cag caa ttt tac tgg   2161
   Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp
   705                 710                 715                 720

   aac agt cac ggg ccg tgg caa gca tgc agc aag ccc tgc caa ggg gag   2209
55 Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu
                   725                 730                 735

   cgg aga cca aaa ctt gtt tgc acc agg gag tct gat cag cta acc gtt   2257
   Arg Arg Pro Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val
60             740                 745                 750

   tct gat caa aga tgt gac cgg ctg ccc cag cca gga cct gtc act gaa   2305
   Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly Pro Val Thr Glu
           755                 760                 765
65
   gcg tgc ggc aca gac tgt gac ttg agg tgg cac gtt gcc agc aag agc   2353
```

```
   Ala Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Lys Ser
       770                 775                 780

   gaa tgc agt gcc cag tgt ggt ttg ggc tac cgt act tta gac atc cac   2401
 5 Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile His
   785                 790                 795                 800

   tgt gcc aaa tac agc agg atg gac ggg aag acg gag aag gtg gat gac   2449
   Cys Ala Lys Tyr Ser Arg Met Asp Gly Lys Thr Glu Lys Val Asp Asp
10                 805                 810                 815

   agt ttc tgt agc agt caa ccc aga ccg agt aac cag gag aaa tgc tca   2497
   Ser Phe Cys Ser Ser Gln Pro Arg Pro Ser Asn Gln Glu Lys Cys Ser
              820                 825                 830
15
   gga gag tgc agc aca ggt gga tgg cgc tat tca gcc tgg acc gaa tgt   2545
   Gly Glu Cys Ser Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys
          835                 840                 845

20 tct aga agc tgt gat ggt ggt acc cac aga aga aga gca att tgt gtc   2593
   Ser Arg Ser Cys Asp Gly Gly Thr His Arg Arg Arg Ala Ile Cys Val
       850                 855                 860

   aac acc cgc aat gat gtc ctg gat gac agc aa                       2625
25 Asn Thr Arg Asn Asp Val Leu Asp Asp Ser
   865                 870


   <210> 15
30 <211> 874
   <212> PRT
   <213> Mus musculus ADAMTS-9

   <400> 15
35 His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Met Gly Thr Phe Arg
     1               5                  10                  15

   Ser His Asp Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Val Asp Glu
              20                  25                  30
40
   Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg His
          35                  40                  45

   Ser Thr Pro Gln Arg Glu Pro Ser Thr Gly Lys His Ala Cys Ala Thr
45      50                  55                  60

   Ser Glu Leu Lys Asn Ser His Ser Lys Asp Lys Arg Lys Ile Arg Met
    65                  70                  75                  80

50 Arg Lys Arg Arg Lys Arg Asn Ser Leu Ala Asp Asp Val Ala Leu Leu
                   85                  90                  95

   Lys Ser Gly Leu Ala Thr Lys Val Leu Ser Gly Tyr Ser Asn Gln Thr
              100                 105                 110
55
   Asn Asn Thr Arg Asp Arg Trp Asn His Lys Arg Thr Lys Arg Phe Leu
          115                 120                 125

   Ser Tyr Pro Arg Phe Val Glu Val Met Val Val Ala Asp His Arg Met
60     130                 135                 140

   Val Leu Tyr His Gly Ala Asn Leu Gln His Tyr Ile Leu Thr Leu Met
   145                 150                 155                 160

65 Ser Ile Val Ala Ser Ile Tyr Lys Asp Ser Ser Ile Gly Asn Leu Ile
                   165                 170                 175
```

BNSDOCID: <WO___0111074A2_I_>

```
Asn Ile Val Ile Val Asn Leu Val Val Ile His Asn Glu Gln Glu Gly
            180                 185                 190

Pro Tyr Ile Asn Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln
        195                 200                 205

Trp Gln His Ser Lys Asn Tyr Leu Gly Gly Ile Gln His Asp Thr Ala
    210                 215                 220

Val Leu Val Thr Arg Glu Asp Ile Cys Arg Ala Gln Asp Lys Cys Asp
225                 230                 235                 240

Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser
                245                 250                 255

Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala
            260                 265                 270

His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Ser Asn Lys
        275                 280                 285

Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr
    290                 295                 300

Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys
305                 310                 315                 320

Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn
                325                 330                 335

Glu Pro Ala Ser Arg Thr Tyr Pro Leu Pro Ser Gln Leu Pro Gly Leu
            340                 345                 350

Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser
        355                 360                 365

Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn
    370                 375                 380

Val Asp Gly Ala His Lys Gly Cys Lys Thr Gln His Thr Pro Trp Ala
385                 390                 395                 400

Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Phe Gly Phe Cys
                405                 410                 415

Val Pro Lys Glu Met Glu Gly Pro Ala Ile Asp Gly Ser Trp Gly Gly
            420                 425                 430

Trp Ser His Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys
        435                 440                 445

Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys
    450                 455                 460

Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro
465                 470                 475                 480

Cys Met Lys Gln Lys Arg Asp Phe Arg Glu Glu Gln Cys Ala His Phe
                485                 490                 495

Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Ser Val Arg Trp
            500                 505                 510

Phe Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe
        515                 520                 525
```

```
Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val
    530                 535                 540

Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln
545                 550                 555                 560

Gly Leu Cys Arg Gln Ala Gly Cys Asp His Ile Leu Asn Ser Lys Val
                565                 570                 575

Arg Lys Asp Lys Cys Gly Ile Cys Gly Gly Asp Asn Ser Ser Cys Lys
            580                 585                 590

Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val
        595                 600                 605

Val Arg Ile Pro Ala Gly Ala Thr Ser Ile Asp Val Arg Gln His Ser
    610                 615                 620

Phe Ser Gly Lys Ser Glu Asp Asp Asn Tyr Leu Ala Leu Ser Asn Ser
625                 630                 635                 640

Lys Gly Glu Phe Leu Leu Asn Gly Asp Phe Val Val Ser Met Ser Lys
                645                 650                 655

Arg Glu Val Arg Val Gly Ser Ala Val Ile Glu Tyr Ser Gly Ser Asp
            660                 665                 670

Asn Val Cys Glu Arg Leu Asn Cys Thr Asp Arg Ile Glu Glu Glu Leu
        675                 680                 685

Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg
    690                 695                 700

Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp
705                 710                 715                 720

Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu
                725                 730                 735

Arg Arg Pro Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val
            740                 745                 750

Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly Pro Val Thr Glu
        755                 760                 765

Ala Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Lys Ser
    770                 775                 780

Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile His
785                 790                 795                 800

Cys Ala Lys Tyr Ser Arg Met Asp Gly Lys Thr Glu Lys Val Asp Asp
                805                 810                 815

Ser Phe Cys Ser Ser Gln Pro Arg Pro Ser Asn Gln Glu Lys Cys Ser
            820                 825                 830

Gly Glu Cys Ser Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys
        835                 840                 845

Ser Arg Ser Cys Asp Gly Gly Thr His Arg Arg Arg Ala Ile Cys Val
    850                 855                 860

Asn Thr Arg Asn Asp Val Leu Asp Asp Ser
865                 870
```

BNSDOCID: <WO___0111074A2_I_>

<210> 16
<211> 3885
<212> DNA
<213> Homo sapiens ADAMTS-10

<220>
<221> CDS
<222> (1)..(3246)

<400> 16

```
tca cgc acg cct tcc ggt ctc aag atg agt tcc tgt cca gtc tgg aga   48
Ser Arg Thr Pro Ser Gly Leu Lys Met Ser Ser Cys Pro Val Trp Arg
  1               5                  10                  15

gct atg aga tcg cct tcc cca ccc gcg tgg acc aca acg ggg cac tgc   96
Ala Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys
            20                  25                  30

tgg cct tct cgc cac ctc ctc ccc gga gca gcg ccg cgg cac ggg ggc   144
Trp Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly
         35                  40                  45

cac agc cga gtc ccg cct ctt cta caa agt ggc ctc gcc agc acc cac   192
His Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His
     50                  55                  60

ttc ctg ctg aac ctg acc cgc agc tcc cgt cta ctg gca ggg cgc gtc   240
Phe Leu Leu Asn Leu Thr Arg Ser Ser Arg Leu Leu Ala Gly Arg Val
 65                  70                  75                  80

tcc gtg gag tac tgg aca cgg gag ggc ctg gcc tgg cag agg gcg gcc   288
Ser Val Glu Tyr Trp Thr Arg Glu Gly Leu Ala Trp Gln Arg Ala Ala
                85                  90                  95

cgg ccc cac tgc ctc tac gct ggt cac ctg cag ggc cag gcc agc agc   336
Arg Pro His Cys Leu Tyr Ala Gly His Leu Gln Gly Gln Ala Ser Ser
            100                 105                 110

tcc cat gtg gcc atc agc acc tgt gga ggc ctg cac ggc ctg atc gtg   384
Ser His Val Ala Ile Ser Thr Cys Gly Gly Leu His Gly Leu Ile Val
        115                 120                 125

gca gac gag gaa gag tac ctg att gag ccc ctg cac ggt ggg ccc aag   432
Ala Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys
    130                 135                 140

ggt tct cgg agc ccg gag gaa agt gga cca cat tgt gtg tac aag cgt   480
Gly Ser Arg Ser Pro Glu Glu Ser Gly Pro His Cys Val Tyr Lys Arg
145                 150                 155                 160

tcc tct ctg cgt cac ccc cac ctg gac aca gcc tgt gga gtg aga gat   528
Ser Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp
                165                 170                 175

gag aaa ccg tgg aaa ggg cgg cca tgg tgg ctg cgg acc ttg aag cca   576
Glu Lys Pro Trp Lys Gly Arg Pro Trp Trp Leu Arg Thr Leu Lys Pro
            180                 185                 190

ccg cct gcc aga ccc ctg ggg aat gaa aca gag cgt ggc cag cca ggc   624
Pro Pro Ala Arg Pro Leu Gly Asn Glu Thr Glu Arg Gly Gln Pro Gly
        195                 200                 205

ctg aag cga tcg gtc agc cga gag cgc tac gtg gag acc atg gat gtg   672
```

```
   Leu Lys Arg Ser Val Ser Arg Glu Arg Tyr Val Glu Thr Met Asp Val
       210                 215                 220

   gct gac aag atg atg gtg gcc tat cac ggg cgc cgg gat gtg gag cag   720
 5 Ala Asp Lys Met Met Val Ala Tyr His Gly Arg Arg Asp Val Glu Gln
   225                 230                 235                 240

   tat gtc ctg gcc atc atg aac att gtt gcc aaa ctt ttc cag gac tcg   768
   Tyr Val Leu Ala Ile Met Asn Ile Val Ala Lys Leu Phe Gln Asp Ser
10                 245                 250                 255

   agt ctg gga agc acc gtt aac atc ctc gta act cgc ctc atc ctg ctc   816
   Ser Leu Gly Ser Thr Val Asn Ile Leu Val Thr Arg Leu Ile Leu Leu
              260                 265                 270
15
   acg gag gac cag ccc act ctg gag atc acc cac cat gcc ggg aag tcc   864
   Thr Glu Asp Gln Pro Thr Leu Glu Ile Thr His His Ala Gly Lys Ser
          275                 280                 285

20 cta gac agc ttc tgt aag tgg cag aaa tcc atc gtg aac cac agc ggc   912
   Leu Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Val Asn His Ser Gly
       290                 295                 300

   cat ggc aat gcc att cca gag aac ggt gtg gct aac cat gac aca gca   960
25 His Gly Asn Ala Ile Pro Glu Asn Gly Val Ala Asn His Asp Thr Ala
   305                 310                 315                 320

   gtg ctc atc aca cgc tat gac atc tgc atc tac aag aac aaa ccc tgc  1008
   Val Leu Ile Thr Arg Tyr Asp Ile Cys Ile Tyr Lys Asn Lys Pro Cys
30                 325                 330                 335

   ggc aca cta ggc ctg gcc cgg tgg gcg gaa tgt gtg agc gcg aga gaa  1056
   Gly Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu
              340                 345                 350
35
   gct gca gcg tca atg agg aca ttg gct gcc aca agc gtt cac cat tgc  1104
   Ala Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys
          355                 360                 365

40 cac gag atc ggg cac aca ttc ggc atg aac cat gac ggc gtg gga aac  1152
   His Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn
       370                 375                 380

   agc tgt ggg gcc cgt ggt cag gac cca gcc aag ctc atg gct gcc cac  1200
45 Ser Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His
   385                 390                 395                 400

   att acc atg aag acc aac cca ttc gtg tgg tca tcc tgc aac cgt gac  1248
   Ile Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp
50                 405                 410                 415

   tac atc acc agc ttt cta gac tcg ggc ctg ggg ctc tgc ctg aac aac  1296
   Tyr Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn
              420                 425                 430
55
   cgg ccc ccc aga cag gac ttt gtg tac ccg aca gtg gca ccg ggc caa  1344
   Arg Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln
          435                 440                 445

60 gcc tac gat gca gat gag caa tgc cgc ttt cag cat gga gtc aaa tcg  1392
   Ala Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser
       450                 455                 460

   cgt cag tgt aaa tac ggg gag gtc tgc agc gag ctg tgg tgt ctg agc  1440
65 Arg Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser
   465                 470                 475                 480
```

```
aag agc aac cgg tgc atc acc aac agc atc ccg gcc gcc gag ggc acg   1488
Lys Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr
                485                 490                 495

ctg tgc cag acg cac acc atc gac aag ggg tgg tgc tac aaa cgg gtc   1536
Leu Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val
            500                 505                 510

tgt gtc ccc ttt ggg tcg cgc cca gag ggt gtg gac gga gcc tgg ggg   1584
Cys Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly
        515                 520                 525

ccg tgg act cca tgg ggc gac tgc agc cgg acc tgt ggc ggc ggc gtg   1632
Pro Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val
    530                 535                 540

tcc tct tct agt cgt cac tgc gac agc ccc agg cca acc atc ggg ggc   1680
Ser Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly
545                 550                 555                 560

aag tac tgt ctg ggt gag aga agg cgg cac cgc tcc tgc aac acg gat   1728
Lys Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp
                565                 570                 575

gac tgt ccc cct ggc tcc cag gac ttc aga gaa gtg cag tgt gct gaa   1776
Asp Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ala Glu
            580                 585                 590

ttt gac agc atc cct ttc cgt ggg aaa ttc tac aag tgg aaa acg tac   1824
Phe Asp Ser Ile Pro Phe Arg Gly Lys Phe Tyr Lys Trp Lys Thr Tyr
        595                 600                 605

cgg gga ggg ggc gtg aag gcc tgc tcg ctc acg agc cta gcg gaa ggc   1872
Arg Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly
    610                 615                 620

ttc aac ttc tac acg gag agg gcg gca gcc gtg gtg gac ggg aca ccc   1920
Phe Asn Phe Tyr Thr Glu Arg Ala Ala Ala Val Val Asp Gly Thr Pro
625                 630                 635                 640

tgc cgt cca gac acg gtg gac att tgc gtc agt ggc gaa tgc aag cac   1968
Cys Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His
                645                 650                 655

gtg ggc tgc gac cga gtc ctg ggc tcc gac ctg cgg gag gac aag tgc   2016
Val Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys
            660                 665                 670

cga gtg tgt ggc ggt gac ggc agt gcc tgc gag acc atc gag ggc gtc   2064
Arg Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val
        675                 680                 685

ttc agc cca gcc tca cct ggg gcc ggg tac gag gat gtc gtc tgg att   2112
Phe Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile
    690                 695                 700

ccc aaa ggc tcc gtc cac atc ttc atc cag gat ctg aac ctc tct ctc   2160
Pro Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu
705                 710                 715                 720

agt cac ttg gcc ctg aag gga gac cag gag tcc ctg ctg ctg gag ggg   2208
Ser His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly
                725                 730                 735

ctg cct ggg acc ccc cag ccc cac cgt ctg cct cta gct ggg acc acc   2256
```

```
   Leu Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr
                740                 745                 750

   ttt caa ctg cga cag ggg cca gac cag gtc cag agc ctc gaa gcc ctg   2304
 5 Phe Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu
          755                 760                 765

   gga ccg att aat gca tct ctc atc gtc atg gtg ctg gcc cgg acc gag   2352
   Gly Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu
10     770                 775                 780

   ctg cct gcc ctc cgc tac cgc ttc aat gcc ccc atc gcc cgt gac tcg   2400
   Leu Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser
   785                 790                 795                 800
15
   ctg ccc ccc tac tcc tgg cac tat gcg ccc tgg acc aag tgc tcg gcc   2448
   Leu Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala
                805                 810                 815

20 cag tgt gca ggc ggt agc cag gtg cag gcg gtg gag tgc cgc aac cag   2496
   Gln Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln
                820                 825                 830

   ctg gac agc tcc gcg gtc gcc ccc cac tac tgc agt gcc cac agc aag   2544
25 Leu Asp Ser Ser Ala Val Ala Pro His Tyr Cys Ser Ala His Ser Lys
          835                 840                 845

   ctg ccc aaa agg cag cgc gcc tgc aac acg gag cct tgc cct cca gac   2592
   Leu Pro Lys Arg Gln Arg Ala Cys Asn Thr Glu Pro Cys Pro Pro Asp
30     850                 855                 860

   tgg gtt gta ggg aac tgg tcg ctc tgc agc cgc agc tgc gat gca ggc   2640
   Trp Val Val Gly Asn Trp Ser Leu Cys Ser Arg Ser Cys Asp Ala Gly
   865                 870                 875                 880
35
   gtg cgc agt acg tcg gtc gtg tgc cag cgc cgc gtc tct gcc gcg gag   2688
   Val Arg Ser Thr Ser Val Val Cys Gln Arg Arg Val Ser Ala Ala Glu
                885                 890                 895

40 gag aag gcg ctg gac gac agc gca tgc ccg cag ccg cgc cca cct gta   2736
   Glu Lys Ala Leu Asp Asp Ser Ala Cys Pro Gln Pro Arg Pro Pro Val
                900                 905                 910

   ctg gag gcc tgc cac ggc ccc act tgc cct ccg gag tgg gca acc ctc   2784
45 Leu Glu Ala Cys His Gly Pro Thr Cys Pro Pro Glu Trp Ala Thr Leu
          915                 920                 925

   gac tgg tct gag tgt acc cca agc tgt ggg cct ggt ctc cgc cac cga   2832
   Asp Trp Ser Glu Cys Thr Pro Ser Cys Gly Pro Gly Leu Arg His Arg
50     930                 935                 940

   gtg gtc ctt tgt aag agt gca gat caa cga tct act ctg ccc cct ggg   2880
   Val Val Leu Cys Lys Ser Ala Asp Gln Arg Ser Thr Leu Pro Pro Gly
   945                 950                 955                 960
55
   cac tgc ctt cct gca gcc aag cca cca tct act atg cga tgt aac ttg   2928
   His Cys Leu Pro Ala Ala Lys Pro Pro Ser Thr Met Arg Cys Asn Leu
                965                 970                 975

60 cgc cgc tgc cct cct gcc cgc tgg gtg acc agt gag tgg ggt gag tgt   2976
   Arg Arg Cys Pro Pro Ala Arg Trp Val Thr Ser Glu Trp Gly Glu Cys
                980                 985                 990

   tcc aca cag tgt ggc ctc ggc cag cag cag cgc aca gtg cgc tgc acc   3024
65 Ser Thr Gln Cys Gly Leu Gly Gln Gln Gln Arg Thr Val Arg Cys Thr
          995                1000                1005
```

```
   agc cac acc ggc cag cca tct cga gag tgc act gaa gcc ttg cgg cca   3072
   Ser His Thr Gly Gln Pro Ser Arg Glu Cys Thr Glu Ala Leu Arg Pro
      1010                1015                1020
5
   tcc acc atg cag cag tgt gag gcc aag tgt gac agt gtg gtg ccg cct   3120
   Ser Thr Met Gln Gln Cys Glu Ala Lys Cys Asp Ser Val Val Pro Pro
   1025                1030                1035                1040

10 gga gat ggc cca gaa gaa tgc aag gat gtg aac aag gtg gct tac tgc   3168
   Gly Asp Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys
                  1045                1050                1055

   ccc ctg gtg ctc aaa ttt cag ttc tgt agc cga gcc tac ttc cgc cag   3216
15 Pro Leu Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln
             1060                1065                1070

   atg tgc tgc aaa acc tgc caa ggc cgc tag ggtacctgga accaacctgg     3266
   Met Cys Cys Lys Thr Cys Gln Gly Arg
20        1075                1080

   agcacaggct gaggcagggg acatcccact ggagagggca tgagggaaag gggggcttga 3326

   attgaagggt gagatgcagt tgaaagttat ttattgggta accctacagg gctcctgact 3386
25
   aaggggtgga gaagagctgg ctacccaggg accctctgct gtatcttgcc cagttgatag 3446

   tgaagagaga ggactccttg ttgcacacat atttaagtcc ctagcacccc tcccaccctt 3506

30 tgatcggaat atgtactgtg aagagtgggg gtggggaggg gtgtgctggt gccctgcccc 3566

   ctgcactgtt ctatccctac actctgagct ggggggattt atatctgcta tgggggagt 3626

   aggcttgata ccacctccct gtagccctcc cccagactga cgaaggggaa gatccacccc 3686
35
   aacctctgcc ctgcctgccc caggggggag ttcaacatcc aggccgttcc ccatcatggt 3746

   gctacaagcc ctgccctggg gcccacacac tcctcaccaa gaagccttac attaaaaaag 3806

40 ttgtgttatc ctacaaaaaa aaaaaaaaac tcgaggggg gcccggtacc caattcgcgc 3866

   tatagtaaat ngggtntta                                              3885


45 <210> 17
   <211> 1081
   <212> PRT
   <213> Homo sapiens ADAMTS-10

50 <400> 17
   Ser Arg Thr Pro Ser Gly Leu Lys Met Ser Ser Cys Pro Val Trp Arg
     1               5                  10                  15
   Ala Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys
                20                  25                  30
55 Trp Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly
           35                  40                  45
   His Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His
        50                  55                  60
   Phe Leu Leu Asn Leu Thr Arg Ser Ser Arg Leu Leu Ala Gly Arg Val
60 65                  70                  75                  80
   Ser Val Glu Tyr Trp Thr Arg Glu Gly Leu Ala Trp Gln Arg Ala Ala
                   85                  90                  95
   Arg Pro His Cys Leu Tyr Ala Gly His Leu Gln Gly Gln Ala Ser Ser
              100                 105                 110
65 Ser His Val Ala Ile Ser Thr Cys Gly Gly Leu His Gly Leu Ile Val
           115                 120                 125
```

```
Ala Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys
    130                 135                 140
Gly Ser Arg Ser Pro Glu Glu Ser Gly Pro His Cys Val Tyr Lys Arg
145                 150                 155                 160
Ser Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp
                165                 170                 175
Glu Lys Pro Trp Lys Gly Arg Pro Trp Trp Leu Arg Thr Leu Lys Pro
            180                 185                 190
Pro Pro Ala Arg Pro Leu Gly Asn Glu Thr Glu Arg Gly Gln Pro Gly
        195                 200                 205
Leu Lys Arg Ser Val Ser Arg Glu Arg Tyr Val Glu Thr Met Asp Val
    210                 215                 220
Ala Asp Lys Met Met Val Ala Tyr His Gly Arg Arg Asp Val Glu Gln
225                 230                 235                 240
Tyr Val Leu Ala Ile Met Asn Ile Val Ala Lys Leu Phe Gln Asp Ser
                245                 250                 255
Ser Leu Gly Ser Thr Val Asn Ile Leu Val Thr Arg Leu Ile Leu Leu
            260                 265                 270
Thr Glu Asp Gln Pro Thr Leu Glu Ile Thr His His Ala Gly Lys Ser
        275                 280                 285
Leu Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Val Asn His Ser Gly
    290                 295                 300
His Gly Asn Ala Ile Pro Glu Asn Gly Val Ala Asn His Asp Thr Ala
305                 310                 315                 320
Val Leu Ile Thr Arg Tyr Asp Ile Cys Ile Tyr Lys Asn Lys Pro Cys
                325                 330                 335
Gly Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu
            340                 345                 350
Ala Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys
        355                 360                 365
His Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn
    370                 375                 380
Ser Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His
385                 390                 395                 400
Ile Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp
                405                 410                 415
Tyr Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn
            420                 425                 430
Arg Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln
        435                 440                 445
Ala Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser
    450                 455                 460
Arg Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser
465                 470                 475                 480
Lys Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr
                485                 490                 495
Leu Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val
            500                 505                 510
Cys Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly
        515                 520                 525
Pro Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val
    530                 535                 540
Ser Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly
545                 550                 555                 560
Lys Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp
                565                 570                 575
Asp Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ala Glu
            580                 585                 590
Phe Asp Ser Ile Pro Phe Arg Gly Lys Phe Tyr Lys Trp Lys Thr Tyr
        595                 600                 605
Arg Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly
    610                 615                 620
Phe Asn Phe Tyr Thr Glu Arg Ala Ala Ala Val Val Asp Gly Thr Pro
625                 630                 635                 640
Cys Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His
                645                 650                 655
```

```
   Val Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys
               660                 665                 670
   Arg Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val
           675                 680                 685
 5 Phe Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile
       690                 695                 700
   Pro Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu
   705                 710                 715                 720
   Ser His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly
10                 725                 730                 735
   Leu Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr
               740                 745                 750
   Phe Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu
           755                 760                 765
15 Gly Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu
       770                 775                 780
   Leu Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser
   785                 790                 795                 800
   Leu Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala
20                 805                 810                 815
   Gln Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln
               820                 825                 830
   Leu Asp Ser Ser Ala Val Ala Pro His Tyr Cys Ser Ala His Ser Lys
           835                 840                 845
25 Leu Pro Lys Arg Gln Arg Ala Cys Asn Thr Glu Pro Cys Pro Pro Asp
       850                 855                 860
   Trp Val Val Gly Asn Trp Ser Leu Cys Ser Arg Ser Cys Asp Ala Gly
   865                 870                 875                 880
   Val Arg Ser Thr Ser Val Val Cys Gln Arg Arg Val Ser Ala Ala Glu
30                 885                 890                 895
   Glu Lys Ala Leu Asp Asp Ser Ala Cys Pro Gln Pro Arg Pro Pro Val
               900                 905                 910
   Leu Glu Ala Cys His Gly Pro Thr Cys Pro Pro Glu Trp Ala Thr Leu
           915                 920                 925
35 Asp Trp Ser Glu Cys Thr Pro Ser Cys Gly Pro Gly Leu Arg His Arg
       930                 935                 940
   Val Val Leu Cys Lys Ser Ala Asp Gln Arg Ser Thr Leu Pro Pro Gly
   945                 950                 955                 960
   His Cys Leu Pro Ala Ala Lys Pro Pro Ser Thr Met Arg Cys Asn Leu
40                 965                 970                 975
   Arg Arg Cys Pro Pro Ala Arg Trp Val Thr Ser Glu Trp Gly Glu Cys
               980                 985                 990
   Ser Thr Gln Cys Gly Leu Gly Gln Gln Gln Arg Thr Val Arg Cys Thr
           995                1000                1005
45 Ser His Thr Gly Gln Pro Ser Arg Glu Cys Thr Glu Ala Leu Arg Pro
      1010                1015                1020
   Ser Thr Met Gln Gln Cys Glu Ala Lys Cys Asp Ser Val Val Pro Pro
   1025                1030                1035                1040
   Gly Asp Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys
50                 1045                1050                1055
   Pro Leu Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln
              1060                1065                1070
   Met Cys Cys Lys Thr Cys Gln Gly Arg
          1075                1080
55


   <210> 18
   <211> 1642
60 <212> DNA
   <213> Mus musculus ADAMTS-10

   <220>
   <221> CDS
65 <222> (2)..(1351)
```

<220>
<221> misc_feature
<222> (338)..(340)

<220>
<221> misc_feature
<222> (353)..(355)

<400> 18

```
a gca gca gct gtg gtg gat gga aca ccc tgc cgc cct gac acg gtg gac 49
  Ala Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp
    1               5                  10                  15

att tgt gtc agc ggc gag tgc aag cat gta ggc tgt gac agg ctc ctg   97
Ile Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Leu Leu
            20                  25                  30

ggt tct gat ctc cga gag gac aaa tgc cgt gtg tgt ggg ggt gat ggc   145
Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg Val Cys Gly Gly Asp Gly
        35                  40                  45

agt gcc tgt gag acc att gaa ggt gtc ttt agc cca gct ttg cca gga   193
Ser Ala Cys Glu Thr Ile Glu Gly Val Phe Ser Pro Ala Leu Pro Gly
    50                  55                  60

act ggg tat gag gac gtc gtc tgg atc ccc aaa ggc tcg gtc cac att   241
Thr Gly Tyr Glu Asp Val Val Trp Ile Pro Lys Gly Ser Val His Ile
65                  70                  75                  80

ttc atc caa gat ctg aac ctg tcc ctg agt cac ctg gcc cta aag ggg   289
Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly
                85                  90                  95

gac caa gag tct ctg cta ctg gag ggg cta cct ggg acc ccc caa cct   337
Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro
            100                 105                 110

nac cgc ctt ccc ctg gnt ggg acc aca ttt cat cta cgg cag ggg ccg   385
Xaa Arg Leu Pro Leu Xaa Gly Thr Thr Phe His Leu Arg Gln Gly Pro
        115                 120                 125

gac cag gca cag agc ctg gaa gcc ctg gga ccc att aat gca tct ctc   433
Asp Gln Ala Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu
    130                 135                 140

atc atc atg gtg ctg gcc cag gca gag ttg cct gct ctc cac tac cgc   481
Ile Ile Met Val Leu Ala Gln Ala Glu Leu Pro Ala Leu His Tyr Arg
145                 150                 155                 160

ttc aat gca ccc att gcc cgg gat gca ctg cct ccc tac tcc tgg cac   529
Phe Asn Ala Pro Ile Ala Arg Asp Ala Leu Pro Pro Tyr Ser Trp His
                165                 170                 175

tat gcc ccc tgg acc aaa tgc tca gcc cag tgt gca ggc ggc agc cag   577
Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln
            180                 185                 190

gtg caa gta gtg gag tgc cga aat cag ctg gac agc tca gca gtg gcc   625
Val Gln Val Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala
        195                 200                 205

cca cac tac tgt agt ggc cac agt aaa ttg ccc aag agg cag cgt gcc   673
Pro His Tyr Cys Ser Gly His Ser Lys Leu Pro Lys Arg Gln Arg Ala
    210                 215                 220

tgc aac aca gaa cca tgt cca cca gat tgg gtt gta gga aac tgg tca   721
```

BNSDOCID: <WO___0111074A2_I_>

```
   Cys Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser
   225                 230                 235                 240

   cgc tgc agc cgt agc tgt gac gct ggt gtg cgt agc cgc tca gtg gtg   769
 5 Arg Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val
                   245                 250                 255

   tgc caa cgc cgg gtg tct gct gca gag gaa aaa gcc tta gac gac agt   817
   Cys Gln Arg Arg Val Ser Ala Ala Glu Glu Lys Ala Leu Asp Asp Ser
10             260                 265                 270

   gcc tgt cca cag cca cgc cca cct gtg ctg gag gcc tgc caa ggc cca   865
   Ala Cys Pro Gln Pro Arg Pro Pro Val Leu Glu Ala Cys Gln Gly Pro
         275                 280                 285
15
   atg tgc cct cct gag tgg gca acc ctc gac tgg tct gag tgt acc cca   913
   Met Cys Pro Pro Glu Trp Ala Thr Leu Asp Trp Ser Glu Cys Thr Pro
     290                 295                 300

20 agc tgt ggg cct ggt ctc cgc cac cga gtg gtc ctt tgt aag agt gca   961
   Ser Cys Gly Pro Gly Leu Arg His Arg Val Val Leu Cys Lys Ser Ala
   305                 310                 315                 320

   gat caa cga tct act ctg ccc cct ggg cac tgc ctt cct gca gcc aag   1009
25 Asp Gln Arg Ser Thr Leu Pro Pro Gly His Cys Leu Pro Ala Ala Lys
                   325                 330                 335

   cca cca tct act atg cga tgt aac ttg cgc cgc tgc cct cct gcc cgc   1057
   Pro Pro Ser Thr Met Arg Cys Asn Leu Arg Arg Cys Pro Pro Ala Arg
30             340                 345                 350

   tgg gtg acc agt gag tgg ggt gag tgt tcc aca cag tgt ggc ctc ggc   1105
   Trp Val Thr Ser Glu Trp Gly Glu Cys Ser Thr Gln Cys Gly Leu Gly
         355                 360                 365
35
   cag cag cag cgc aca gtg cgc tgc acc agc cac acc ggc cag cca tct   1153
   Gln Gln Gln Arg Thr Val Arg Cys Thr Ser His Thr Gly Gln Pro Ser
     370                 375                 380

40 cga gag tgc act gaa gcc ttg cgg cca tcc acc atg cag cag tgt gag   1201
   Arg Glu Cys Thr Glu Ala Leu Arg Pro Ser Thr Met Gln Gln Cys Glu
   385                 390                 395                 400

   gcc aag tgt gac agt gtg gtg ccg cct gga gat ggc cca gaa gaa tgc   1249
45 Ala Lys Cys Asp Ser Val Val Pro Pro Gly Asp Gly Pro Glu Glu Cys
                   405                 410                 415

   aag gat gtg aac aag gtg gct tac tgc ccc ctg gtg ctc aaa ttt cag   1297
   Lys Asp Val Asn Lys Val Ala Tyr Cys Pro Leu Val Leu Lys Phe Gln
50             420                 425                 430

   ttc tgt agc cga gcc tac ttc cgc cag atg agc tgc aaa acc tgc caa   1345
   Phe Cys Ser Arg Ala Tyr Phe Arg Gln Met Ser Cys Lys Thr Cys Gln
         435                 440                 445
55
   ggc cgc tagggtacct ggaaccaacc tggagcacag gctgaggcag gggacatccc    1401
   Gly Arg
     450

60 actggagagg gcatgaggga aaggggggct tgaattgaag ggtgagatgc aagttgaaag 1461

   tatttatttg ggtaacccct acagggcttc tgacttaagg ggtggagaan agctggctac 1521

   cccagggacc cttttgttgg atcttggccc anttgatagt gaagagagag gacttcttgg 1581
65
   tgnacacatt tttaagtcct tagacccttc caccnttgat cggatatgtc tgggaagagg 1641
```

n 1642

<210> 19
<211> 450
<212> PRT
<213> Mus musculus ADAMTS-10

<400> 19
Ala Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp
1 5 10 15

Ile Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Leu Leu
20 25 30

Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg Val Cys Gly Gly Asp Gly
35 40 45

Ser Ala Cys Glu Thr Ile Glu Gly Val Phe Ser Pro Ala Leu Pro Gly
50 55 60

Thr Gly Tyr Glu Asp Val Val Trp Ile Pro Lys Gly Ser Val His Ile
65 70 75 80

Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly
85 90 95

Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro
100 105 110

Xaa Arg Leu Pro Leu Xaa Gly Thr Thr Phe His Leu Arg Gln Gly Pro
115 120 125

Asp Gln Ala Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu
130 135 140

Ile Ile Met Val Leu Ala Gln Ala Glu Leu Pro Ala Leu His Tyr Arg
145 150 155 160

Phe Asn Ala Pro Ile Ala Arg Asp Ala Leu Pro Pro Tyr Ser Trp His
165 170 175

Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln
180 185 190

Val Gln Val Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala
195 200 205

Pro His Tyr Cys Ser Gly His Ser Lys Leu Pro Lys Arg Gln Arg Ala
210 215 220

Cys Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser
225 230 235 240

Arg Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val
245 250 255

Cys Gln Arg Arg Val Ser Ala Ala Glu Glu Lys Ala Leu Asp Asp Ser
260 265 270

Ala Cys Pro Gln Pro Arg Pro Pro Val Leu Glu Ala Cys Gln Gly Pro
275 280 285

Met Cys Pro Pro Glu Trp Ala Thr Leu Asp Trp Ser Glu Cys Thr Pro
290 295 300

```
Ser Cys Gly Pro Gly Leu Arg His Arg Val Val Leu Cys Lys Ser Ala
305                 310                 315                 320

Asp Gln Arg Ser Thr Leu Pro Pro Gly His Cys Leu Pro Ala Ala Lys
                325                 330                 335

Pro Pro Ser Thr Met Arg Cys Asn Leu Arg Arg Cys Pro Pro Ala Arg
            340                 345                 350

Trp Val Thr Ser Glu Trp Gly Glu Cys Ser Thr Gln Cys Gly Leu Gly
        355                 360                 365

Gln Gln Gln Arg Thr Val Arg Cys Thr Ser His Thr Gly Gln Pro Ser
    370                 375                 380

Arg Glu Cys Thr Glu Ala Leu Arg Pro Ser Thr Met Gln Gln Cys Glu
385                 390                 395                 400

Ala Lys Cys Asp Ser Val Val Pro Pro Gly Asp Gly Pro Glu Glu Cys
                405                 410                 415

Lys Asp Val Asn Lys Val Ala Tyr Cys Pro Leu Val Leu Lys Phe Gln
            420                 425                 430

Phe Cys Ser Arg Ala Tyr Phe Arg Gln Met Ser Cys Lys Thr Cys Gln
        435                 440                 445

Gly Arg
    450
```

<210> 20
<211> 1803
<212> DNA
<213> Homo sapiens ADAMTS-R1

<220>
<221> CDS
<222> (51)..(1634)

<400> 20

```
gaattcggca cgaggcagtg tccgattctg attccggcaa ggatccaagc atg gaa    56
                                                        Met Glu
                                                          1

tgc tgc cgt cgg gca act cct ggc aca ctg ctc ctc ttt ctg gct ttc   104
Cys Cys Arg Arg Ala Thr Pro Gly Thr Leu Leu Leu Phe Leu Ala Phe
          5                  10                  15

ctg ctc ctg agt tcc agg acc gca cgc tcc gag gag gac cgg gac ggc   152
Leu Leu Leu Ser Ser Arg Thr Ala Arg Ser Glu Glu Asp Arg Asp Gly
     20                  25                  30

cta tgg gat gcc tgg ggc cca tgg agt gaa tgc tca cgc acc tgc ggg   200
Leu Trp Asp Ala Trp Gly Pro Trp Ser Glu Cys Ser Arg Thr Cys Gly
 35                  40                  45                  50

ggt ggg gcc gcc aac tct ctg agg cgc tgc ctg agc agc aag agc tgt   248
Gly Gly Ala Ala Asn Ser Leu Arg Arg Cys Leu Ser Ser Lys Ser Cys
                 55                  60                  65

gaa gga aga aat atc cga tac aga aca tgc agt aat gtg gac tgc cca   296
Glu Gly Arg Asn Ile Arg Tyr Arg Thr Cys Ser Asn Val Asp Cys Pro
             70                  75                  80
```

BNSDOCID: <WO___0111074A2_I_>

```
   cca gaa gca ggt gat ttc cga gct cag caa tgc tca gct cat aat gat   344
   Pro Glu Ala Gly Asp Phe Arg Ala Gln Gln Cys Ser Ala His Asn Asp
            85                  90                  95
5
   gtc aag cac cat ggc cag ttt tat gaa tgg ctt cct gtg tct aat gac   392
   Val Lys His His Gly Gln Phe Tyr Glu Trp Leu Pro Val Ser Asn Asp
       100                 105                 110

10 cct gac aac cca tgt tca ctc aag tgc caa gcc aaa gga aca acc ctg   440
   Pro Asp Asn Pro Cys Ser Leu Lys Cys Gln Ala Lys Gly Thr Thr Leu
   115                 120                 125                 130

   gtt gtt gaa cta gca cct aag gtc tta gat ggt acg cgt tgc tat aca   488
15 Val Val Glu Leu Ala Pro Lys Val Leu Asp Gly Thr Arg Cys Tyr Thr
                   135                 140                 145

   gaa tct ttg gat atg tgc atc agt ggt tta tgc caa att gtt ggc tgc   536
   Glu Ser Leu Asp Met Cys Ile Ser Gly Leu Cys Gln Ile Val Gly Cys
20             150                 155                 160

   gat cac cag ctg gga agc acc gtc aag gaa gat aac tgt ggg gtc tgc   584
   Asp His Gln Leu Gly Ser Thr Val Lys Glu Asp Asn Cys Gly Val Cys
           165                 170                 175
25
   aac gga gat ggg tcc acc tgc cgg ctg gtc cga ggg cag tat aaa tcc   632
   Asn Gly Asp Gly Ser Thr Cys Arg Leu Val Arg Gly Gln Tyr Lys Ser
       180                 185                 190

30 cag ctc tcc gca acc aaa tcg gat gat act gtg gtt gca att ccc tat   680
   Gln Leu Ser Ala Thr Lys Ser Asp Asp Thr Val Val Ala Ile Pro Tyr
   195                 200                 205                 210

   gga agt aga cat att cgc ctt gtc tta aaa ggt cct gat cac tta tat   728
35 Gly Ser Arg His Ile Arg Leu Val Leu Lys Gly Pro Asp His Leu Tyr
                   215                 220                 225

   ctg gaa acc aaa acc ctc cag ggg act aaa ggt gaa aac agt ctc agc   776
   Leu Glu Thr Lys Thr Leu Gln Gly Thr Lys Gly Glu Asn Ser Leu Ser
40             230                 235                 240

   tcc aca gga act ttc ctt gtg gac aat tct agt gtg gac ttc cag aaa   824
   Ser Thr Gly Thr Phe Leu Val Asp Asn Ser Ser Val Asp Phe Gln Lys
           245                 250                 255
45
   ttt cca gac aaa gag ata ctg aga atg gct gga cca ctc aca gca gat   872
   Phe Pro Asp Lys Glu Ile Leu Arg Met Ala Gly Pro Leu Thr Ala Asp
       260                 265                 270

50 ttc att gtc aag att cgt aac tcg ggc tcc gct gac agt aca gtc cag   920
   Phe Ile Val Lys Ile Arg Asn Ser Gly Ser Ala Asp Ser Thr Val Gln
   275                 280                 285                 290

   ttc atc ttc tat caa ccc atc atc cac cga tgg agg gag acg gat ttc   968
55 Phe Ile Phe Tyr Gln Pro Ile Ile His Arg Trp Arg Glu Thr Asp Phe
                   295                 300                 305

   ttt cct tgc tca gca acc tgt gga gga ggt tat cag ctg aca tcg gct  1016
   Phe Pro Cys Ser Ala Thr Cys Gly Gly Gly Tyr Gln Leu Thr Ser Ala
60             310                 315                 320

   gag tgc tac gat ctg agg agc aac cgt gtg gtt gct gac caa tac tgt  1064
   Glu Cys Tyr Asp Leu Arg Ser Asn Arg Val Val Ala Asp Gln Tyr Cys
           325                 330                 335
65
   cac tat tac cca gag aac atc aaa ccc aaa ccc aag ctt cag gag tgc  1112
```

```
   His Tyr Tyr Pro Glu Asn Ile Lys Pro Lys Pro Lys Leu Gln Glu Cys
       340                 345                 350

   aac ttg gat cct tgt cca gcc agt gac gga tac aag cag atc atg cct  1160
 5 Asn Leu Asp Pro Cys Pro Ala Ser Asp Gly Tyr Lys Gln Ile Met Pro
   355                 360                 365                 370

   tat gac ctc tac cat ccc ctt cct cgg tgg gag gcc acc cca tgg acc  1208
   Tyr Asp Leu Tyr His Pro Leu Pro Arg Trp Glu Ala Thr Pro Trp Thr
10                 375                 380                 385

   gcg tgc tcc tcc tcg tgt ggg ggg ggc atc cag agc cgg gca gtt tcc  1256
   Ala Cys Ser Ser Ser Cys Gly Gly Gly Ile Gln Ser Arg Ala Val Ser
               390                 395                 400
15
   tgt gtg gag gag gac atc cag ggg cat gtc act tca gtg gaa gag tgg  1304
   Cys Val Glu Glu Asp Ile Gln Gly His Val Thr Ser Val Glu Glu Trp
           405                 410                 415

20 aaa tgc atg tac acc cct aag atg ccc atc gcg cag ccc tgc aac att  1352
   Lys Cys Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys Asn Ile
       420                 425                 430

   ttt gac tgc cct aaa tgg ctg gca cag gag tgg tct ccg tgc aca gtg  1400
25 Phe Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys Thr Val
   435                 440                 445                 450

   acg tgt ggc cag ggc ctc aga tac cgt gtg gtc ctc tgc atc gac cat  1448
   Thr Cys Gly Gln Gly Leu Arg Tyr Arg Val Val Leu Cys Ile Asp His
30                 455                 460                 465

   cga gga atg cac aca gga ggc tgt agc cca aaa aca aag ccc cac ata  1496
   Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro His Ile
               470                 475                 480
35
   aaa gag gaa tgc atc gta ccc act ccc tgc tat aaa ccc aaa gag aaa  1544
   Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro Lys Glu Lys
           485                 490                 495

40 ctt cca gtc gag gcc aag ttg cca tgg ttc aaa caa gct caa gag cta  1592
   Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln Ala Gln Glu Leu
       500                 505                 510

   gaa gaa gga gct gct gtg tca gag gag ccc tcg taa gtt gta          1634
45 Glu Glu Gly Ala Ala Val Ser Glu Glu Pro Ser     Val Val
   515                 520                 525

   aaagcacaga ctgttctata tttgaaactt ttgtttaaag aaagcagtgt ctcactggtt 1694

50 gtagctttca tgggttctga actaagtgta atcatctcac caaagctttt tggctctcaa 1754

   attaaagatt gattagtttc aaaaaaaaaa aaaaaaaaga tgcggccgc            1803


55 <210> 21
   <211> 525
   <212> PRT
   <213> Homo sapiens ADAMTS-R1

60 <400> 21
   Met Glu Cys Cys Arg Arg Ala Thr Pro Gly Thr Leu Leu Leu Phe Leu
     1               5                  10                  15
   Ala Phe Leu Leu Leu Ser Ser Arg Thr Ala Arg Ser Glu Glu Asp Arg
                20                  25                  30
65 Asp Gly Leu Trp Asp Ala Trp Gly Pro Trp Ser Glu Cys Ser Arg Thr
            35                  40                  45
```

```
   Cys Gly Gly Gly Ala Ala Asn Ser Leu Arg Arg Cys Leu Ser Ser Lys
        50                  55                  60
   Ser Cys Glu Gly Arg Asn Ile Arg Tyr Arg Thr Cys Ser Asn Val Asp
    65                  70                  75                  80
 5 Cys Pro Pro Glu Ala Gly Asp Phe Arg Ala Gln Gln Cys Ser Ala His
                    85                  90                  95
   Asn Asp Val Lys His His Gly Gln Phe Tyr Glu Trp Leu Pro Val Ser
               100                 105                 110
   Asn Asp Pro Asp Asn Pro Cys Ser Leu Lys Cys Gln Ala Lys Gly Thr
10         115                 120                 125
   Thr Leu Val Val Glu Leu Ala Pro Lys Val Leu Asp Gly Thr Arg Cys
       130                 135                 140
   Tyr Thr Glu Ser Leu Asp Met Cys Ile Ser Gly Leu Cys Gln Ile Val
   145                 150                 155                 160
15 Gly Cys Asp His Gln Leu Gly Ser Thr Val Lys Glu Asp Asn Cys Gly
                   165                 170                 175
   Val Cys Asn Gly Asp Gly Ser Thr Cys Arg Leu Val Arg Gly Gln Tyr
               180                 185                 190
   Lys Ser Gln Leu Ser Ala Thr Lys Ser Asp Asp Thr Val Val Ala Ile
20         195                 200                 205
   Pro Tyr Gly Ser Arg His Ile Arg Leu Val Leu Lys Gly Pro Asp His
       210                 215                 220
   Leu Tyr Leu Glu Thr Lys Thr Leu Gln Gly Thr Lys Gly Glu Asn Ser
   225                 230                 235                 240
25 Leu Ser Ser Thr Gly Thr Phe Leu Val Asp Asn Ser Ser Val Asp Phe
                   245                 250                 255
   Gln Lys Phe Pro Asp Lys Glu Ile Leu Arg Met Ala Gly Pro Leu Thr
               260                 265                 270
   Ala Asp Phe Ile Val Lys Ile Arg Asn Ser Gly Ser Ala Asp Ser Thr
30         275                 280                 285
   Val Gln Phe Ile Phe Tyr Gln Pro Ile Ile His Arg Trp Arg Glu Thr
       290                 295                 300
   Asp Phe Phe Pro Cys Ser Ala Thr Cys Gly Gly Gly Tyr Gln Leu Thr
   305                 310                 315                 320
35 Ser Ala Glu Cys Tyr Asp Leu Arg Ser Asn Arg Val Val Ala Asp Gln
                   325                 330                 335
   Tyr Cys His Tyr Tyr Pro Glu Asn Ile Lys Pro Lys Pro Lys Leu Gln
               340                 345                 350
   Glu Cys Asn Leu Asp Pro Cys Pro Ala Ser Asp Gly Tyr Lys Gln Ile
40         355                 360                 365
   Met Pro Tyr Asp Leu Tyr His Pro Leu Pro Arg Trp Glu Ala Thr Pro
       370                 375                 380
   Trp Thr Ala Cys Ser Ser Ser Cys Gly Gly Gly Ile Gln Ser Arg Ala
   385                 390                 395                 400
45 Val Ser Cys Val Glu Glu Asp Ile Gln Gly His Val Thr Ser Val Glu
                   405                 410                 415
   Glu Trp Lys Cys Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys
               420                 425                 430
   Asn Ile Phe Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys
50         435                 440                 445
   Thr Val Thr Cys Gly Gln Gly Leu Arg Tyr Arg Val Val Leu Cys Ile
       450                 455                 460
   Asp His Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro
   465                 470                 475                 480
55 His Ile Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro Lys
                   485                 490                 495
   Glu Lys Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln Ala Gln
               500                 505                 510
   Glu Leu Glu Glu Gly Ala Ala Val Ser Glu Glu Pro Ser
60         515                 520                 525


   <210> 22
65 <211> 518
   <212> PRT
```

<213> Homo sapiens ADAMTS-5

<400> 22

```
Gly His Leu Leu Gly Leu Ser His Asp Asp Ser Lys Phe Cys Glu Glu
 1               5                  10                  15

Thr Phe Gly Ser Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu Thr
            20                  25                  30

Ser Ile Asp Ala Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr Ile
        35                  40                  45

Thr Glu Phe Leu Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu Pro
    50                  55                  60

Arg Lys Gln Ile Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr Asp
65                  70                  75                  80

Ala Thr Gln Gln Cys Asn Leu Thr Phe Gly Pro Asp Tyr Ser Val Cys
                85                  90                  95

Pro Gly Xaa Asp Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg Gln
            100                 105                 110

Gly Gln Met Val Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly Thr
        115                 120                 125

Pro Cys Gly Lys Gly Arg Ile Cys Leu Gln Gly Lys Cys Val Asp Lys
    130                 135                 140

Thr Lys Lys Lys Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly Ser
145                 150                 155                 160

Trp Gly Ser Trp Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val Gln
                165                 170                 175

Phe Ala Tyr Arg His Cys Asn Asn Pro Ala Pro Arg Asn Asn Gly Arg
            180                 185                 190

Tyr Cys Thr Gly Lys Arg Ala Ile Tyr His Ser Cys Ser Leu Met Pro
        195                 200                 205

Cys Pro Pro Asn Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala Lys
    210                 215                 220

Asn Gly Tyr Gln Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu Trp
225                 230                 235                 240

Val Pro Lys Tyr Ala Gly Val Leu Pro Ala Asp Val Cys Lys Leu Thr
                245                 250                 255

Cys Arg Ala Lys Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys Val
            260                 265                 270

Thr Asp Gly Thr Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val Arg
        275                 280                 285

Gly Lys Cys Val Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys Leu
    290                 295                 300

Gln Tyr Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Thr
305                 310                 315                 320

Lys Ile Val Gly Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp Val
                325                 330                 335
```

```
   Val Arg Ile Pro Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys
                340                 345                 350

   Ala Lys Asp Gln Thr Arg Phe Thr Ala Tyr Leu Ala Leu Lys Lys Lys
 5        355                 360                 365

   Asn Gly Glu Tyr Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu
     370                 375                 380

10 Thr Ile Ile Asp Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser
   385                 390                 395                 400

   His Arg Asp Asp Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu
                405                 410                 415
15
   Ile Leu Ile Val Gln Ile Leu Ala Thr Asp Pro Thr Lys Pro Leu Asp
                420                 425                 430

   Val Arg Tyr Ser Phe Phe Val Pro Lys Lys Ser Thr Pro Lys Val Asn
20       435                 440                 445

   Ser Val Thr Ser His Gly Ser Asn Lys Val Gly Ser His Thr Ser Gln
     450                 455                 460

25 Pro Gln Trp Val Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp
   465                 470                 475                 480

   Thr Gly Trp His Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg Lys
                485                 490                 495
30
   Leu Ala Lys Gly Cys Pro Leu Ser Gln Arg Pro Ser Ala Phe Lys Gln
                500                 505                 510

   Cys Leu Leu Lys Lys Cys
35       515


   <210> 23
   <211> 3409
40 <212> DNA
   <213> Homo sapiens ADAMTS-10

   <220>
   <221> CDS
45 <222> (25)..(3240)

   <400> 23
   tcacgcacgc cttccggtct caag atg agt tcc tgt cca gtc tgg aga gct    51
                            Met Ser Ser Cys Pro Val Trp Arg Ala
50                            1               5

   atg aga tcg cct tcc cca ccc gcg tgg acc aca acg ggg cac tgc tgg   99
   Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys Trp
    10                  15                  20                  25
55
   cct tct cgc cac ctc ctc ccc gga gca gcg ccg cgg cac ggg ggc cac   147
   Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly His
                30                  35                  40

60 agc cga gtc ccg cct ctt cta caa agt ggc ctc gcc agc acc cac ttc   195
   Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His Phe
               45                  50                  55

   ctg ctg aac ctg acc cgc agc tcc cgt cta ctg gca ggg cgc gtc tcc   243
65 Leu Leu Asn Leu Thr Arg Ser Ser Arg Leu Leu Ala Gly Arg Val Ser
           60                  65                  70
```

```
   gtg gag tac tgg aca cgg gag ggc ctg gcc tgg cag agg gcg gcc cgg   291
   Val Glu Tyr Trp Thr Arg Glu Gly Leu Ala Trp Gln Arg Ala Ala Arg
        75                  80                  85
5
   ccc cac tgc ctc tac gct ggt cac ctg cag ggc cag gcc agc agc tcc   339
   Pro His Cys Leu Tyr Ala Gly His Leu Gln Gly Gln Ala Ser Ser Ser
    90                  95                 100                 105

10 cat gtg gcc atc agc acc tgt gga ggc ctg cac ggc ctg atc gtg gca   387
   His Val Ala Ile Ser Thr Cys Gly Gly Leu His Gly Leu Ile Val Ala
                   110                 115                 120

   gac gag gaa gag tac ctg att gag ccc ctg cac ggt ggg ccc aag ggt   435
15 Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys Gly
               125                 130                 135

   tct cgg agc ccg gag gaa agt gga cca cat gtg gtg tac aag cgt tcc   483
   Ser Arg Ser Pro Glu Glu Ser Gly Pro His Val Val Tyr Lys Arg Ser
20         140                 145                 150

   tct ctg cgt cac ccc cac ctg gac aca gcc tgt gga gtg aga gat gag   531
   Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp Glu
       155                 160                 165
25
   aaa ccg tgg aaa ggg cgg cca tgg tgg ctg cgg acc ttg aag cca ccg   579
   Lys Pro Trp Lys Gly Arg Pro Trp Trp Leu Arg Thr Leu Lys Pro Pro
   170                 175                 180                 185

30 cct gcc aga ccc ctg ggg aat gaa aca gag cgt ggc cag cca ggc ctg   627
   Pro Ala Arg Pro Leu Gly Asn Glu Thr Glu Arg Gly Gln Pro Gly Leu
                   190                 195                 200

   aag cga tcg gtc agc cga gag cgc tac gtg gag acc ctg gtg gtg gct   675
35 Lys Arg Ser Val Ser Arg Glu Arg Tyr Val Glu Thr Leu Val Val Ala
               205                 210                 215

   gac aag atg atg gtg gcc tat cac ggg cgc cgg gat gtg gag cag tat   723
   Asp Lys Met Met Val Ala Tyr His Gly Arg Arg Asp Val Glu Gln Tyr
40         220                 225                 230

   gtc ctg gcc atc atg aac att gtt gcc aaa ctt ttc cag gac tcg agt   771
   Val Leu Ala Ile Met Asn Ile Val Ala Lys Leu Phe Gln Asp Ser Ser
       235                 240                 245
45
   ctg gga agc acc gtt aac atc ctc gta act cgc ctc atc ctg ctc acg   819
   Leu Gly Ser Thr Val Asn Ile Leu Val Thr Arg Leu Ile Leu Leu Thr
   250                 255                 260                 265

50 gag gac cag ccc act ctg gag atc acc cac cat gcc ggg aag tcc cta   867
   Glu Asp Gln Pro Thr Leu Glu Ile Thr His His Ala Gly Lys Ser Leu
                   270                 275                 280

   gac agc ttc tgt aag tgg cag aaa tcc atc gtg aac cac agc ggc cat   915
55 Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Val Asn His Ser Gly His
               285                 290                 295

   ggc aat gcc att cca gag aac ggt gtg gct aac cat gac aca gca gtg   963
   Gly Asn Ala Ile Pro Glu Asn Gly Val Ala Asn His Asp Thr Ala Val
60         300                 305                 310

   ctc atc aca cgc tat gac atc tgc atc tac aag aac aaa ccc tgc ggc   1011
   Leu Ile Thr Arg Tyr Asp Ile Cys Ile Tyr Lys Asn Lys Pro Cys Gly
       315                 320                 325
65
   aca cta ggc ctg gcc cgg tgg gcg gaa tgt gtg agc gcg aga gaa gct   1059
```

```
   Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu Ala
   330                 335                 340                 345

   gca gcg tca atg agg aca ttg gct gcc aca agc gtt cac cat tgc cac   1107
 5 Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys His
                   350                 355                 360

   gag atc ggg cac aca ttc ggc atg aac cat gac ggc gtg gga aac agc   1155
   Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn Ser
10             365                 370                 375

   tgt ggg gcc cgt ggt cag gac cca gcc aag ctc atg gct gcc cac att   1203
   Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His Ile
           380                 385                 390
15
   acc atg aag acc aac cca ttc gtg tgg tca tcc tgc aac cgt gac tac   1251
   Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp Tyr
       395                 400                 405

20 atc acc agc ttt cta gac tcg ggc ctg ggg ctc tgc ctg aac aac cgg   1299
   Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn Arg
   410                 415                 420                 425

   ccc ccc aga cag gac ttt gtg tac ccg aca gtg gca ccg ggc caa gcc   1347
25 Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln Ala
                   430                 435                 440

   tac gat gca gat gag caa tgc cgc ttt cag cat gga gtc aaa tcg cgt   1395
   Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser Arg
30             445                 450                 455

   cag tgt aaa tac ggg gag gtc tgc agc gag ctg tgg tgt ctg agc aag   1443
   Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser Lys
           460                 465                 470
35
   agc aac cgg tgc atc acc aac agc atc ccg gcc gcc gag ggc acg ctg   1491
   Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr Leu
       475                 480                 485

40 tgc cag acg cac acc atc gac aag ggg tgg tgc tac aaa cgg gtc tgt   1539
   Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val Cys
   490                 495                 500                 505

   gtc ccc ttt ggg tcg cgc cca gag ggt gtg gac gga gcc tgg ggg ccg   1587
45 Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly Pro
                   510                 515                 520

   tgg act cca tgg ggc gac tgc agc cgg acc tgt ggc ggc ggc gtg tcc   1635
   Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val Ser
50             525                 530                 535

   tct tct agt cgt cac tgc gac agc ccc agg cca acc atc ggg ggc aag   1683
   Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly Lys
           540                 545                 550
55
   tac tgt ctg ggt gag aga agg cgg cac cgc tcc tgc aac acg gat gac   1731
   Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp Asp
       555                 560                 565

60 tgt ccc cct ggc tcc cag gac ttc aga gaa gtg cag tgt tct gaa ttt   1779
   Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ser Glu Phe
   570                 575                 580                 585

   gac agc atc cct ttc cgt ggg aaa ttc tac aag tgg aaa acg tac cgg   1827
65 Asp Ser Ile Pro Phe Arg Gly Lys Phe Tyr Lys Trp Lys Thr Tyr Arg
                   590                 595                 600
```

```
gga ggg ggc gtg aag gcc tgc tcg ctc acg agc cta gcg gaa ggc ttc   1875
Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly Phe
            605                 610                 615

aac ttc tac acg gag agg gcg gca gcc gtg gtg gac ggg aca ccc tgc   1923
Asn Phe Tyr Thr Glu Arg Ala Ala Ala Val Val Asp Gly Thr Pro Cys
        620                 625                 630

cgt cca gac acg gtg gac att tgc gtc agt ggc gaa tgc aag cac gtg   1971
Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His Val
    635                 640                 645

ggc tgc gac cga gtc ctg ggc tcc gac ctg cgg gag gac aag tgc cga   2019
Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg
650                 655                 660                 665

gtg tgt ggc ggt gac ggc agt gcc tgc gag acc atc gag ggc gtc ttc   2067
Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val Phe
            670                 675                 680

agc cca gcc tca cct ggg gcc ggg tac gag gat gtc gtc tgg att ccc   2115
Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile Pro
            685                 690                 695

aaa ggc tcc gtc cac atc ttc atc cag gat ctg aac ctc tct ctc agt   2163
Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser
        700                 705                 710

cac ttg gcc ctg aag gga gac cag gag tcc ctg ctg ctg gag ggg ctg   2211
His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu
    715                 720                 725

cct ggg acc ccc cag ccc cac cgt ctg cct cta gct ggg acc acc ttt   2259
Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr Phe
730                 735                 740                 745

caa ctg cga cag ggg cca gac cag gtc cag agc ctc gaa gcc ctg gga   2307
Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu Gly
            750                 755                 760

ccg att aat gca tct ctc atc gtc atg gtg ctg gcc cgg acc gag ctg   2355
Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu Leu
            765                 770                 775

cct gcc ctc cgc tac cgc ttc aat gcc ccc atc gcc cgt gac tcg ctg   2403
Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser Leu
        780                 785                 790

ccc ccc tac tcc tgg cac tat gcg ccc tgg acc aag tgc tcg gcc cag   2451
Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln
    795                 800                 805

tgt gca ggc ggt agc cag gtg cag gcg gtg gag tgc cgc aac cag ctg   2499
Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln Leu
810                 815                 820                 825

gac agc tcc gcg gtc gcc ccc cac tac tgc agt gcc cac agc aag ctg   2547
Asp Ser Ser Ala Val Ala Pro His Tyr Cys Ser Ala His Ser Lys Leu
            830                 835                 840

ccc aaa agg cag cgc gcc tgc aac acg gag cct tgc cct cca gac tgg   2595
Pro Lys Arg Gln Arg Ala Cys Asn Thr Glu Pro Cys Pro Pro Asp Trp
            845                 850                 855

gtt gta ggg aac tgg tcg ctc tgc agc cgc agc tgc gat gca ggc gtg   2643
```

```
   Val Val Gly Asn Trp Ser Leu Cys Ser Arg Ser Cys Asp Ala Gly Val
            860                 865                 870

   cgc agt cgc tcg gtc gtg tgc cag cgc cgc gtc tct gcc gcg gag gag   2691
 5 Arg Ser Arg Ser Val Val Cys Gln Arg Arg Val Ser Ala Ala Glu Glu
       875                 880                 885

   aag gcg ctg gac gac agc gca tgc ccg cag ccg cgc cca cct gta ctg   2739
   Lys Ala Leu Asp Asp Ser Ala Cys Pro Gln Pro Arg Pro Pro Val Leu
10 890                 895                 900                 905

   gag gcc tgc cac ggc ccc act tgc cct ccg gag tgg gcg gcc ctc gac   2787
   Glu Ala Cys His Gly Pro Thr Cys Pro Pro Glu Trp Ala Ala Leu Asp
                  910                 915                 920
15
   tgg tct gag tgc acc ccc agc tgc ggg ccg ggc ctc cgc cac cgc gtg   2835
   Trp Ser Glu Cys Thr Pro Ser Cys Gly Pro Gly Leu Arg His Arg Val
              925                 930                 935

20 gtc ctt tgc aag agc gca gac cac cgc gcc acg ctg ccc ccg gcg cac   2883
   Val Leu Cys Lys Ser Ala Asp His Arg Ala Thr Leu Pro Pro Ala His
            940                 945                 950

   tgc tca ccc gcc gcc aag cca ccg gcc acc atg cgc tgc aac ttg cgc   2931
25 Cys Ser Pro Ala Ala Lys Pro Pro Ala Thr Met Arg Cys Asn Leu Arg
       955                 960                 965

   cgc tgc ccc ccg gcc cgc tgg gtg gct ggc gag tgg ggt gag tgc tct   2979
   Arg Cys Pro Pro Ala Arg Trp Val Ala Gly Glu Trp Gly Glu Cys Ser
30 970                 975                 980                 985

   gca cag tgc ggc gtc ggg cag cgg cag cgc tcg gtg cgc tgc acc agc   3027
   Ala Gln Cys Gly Val Gly Gln Arg Gln Arg Ser Val Arg Cys Thr Ser
                  990                 995                1000
35
   cac acg ggc cag gcg tcg cac gag tgc acg gag gcc ctg cgg ccg ccc   3075
   His Thr Gly Gln Ala Ser His Glu Cys Thr Glu Ala Leu Arg Pro Pro
             1005                1010                1015

40 acc acg cag cag tgt gag gcc aag tgc gac agc cca acc ccc ggg gac   3123
   Thr Thr Gln Gln Cys Glu Ala Lys Cys Asp Ser Pro Thr Pro Gly Asp
          1020                1025                1030

   ggc cct gaa gag tgc aag gat gtg aac aag gtc gcc tac tgc ccc ctg   3171
45 Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys Pro Leu
      1035                1040                1045

   gtg ctc aaa ttt cag ttc tgc agc cga gcc tac ttc cgc cag atg tgc   3219
   Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln Met Cys
50 1050                1055                1060                1065

   tgc aaa acc tgc cag ggc cac taggggcgc gcggcacccg gagccacagc       3270
   Cys Lys Thr Cys Gln Gly His
                  1070
55
   tggcggggtc tccgccgcca gccctgcagc gggccggcca aaggggccc cgggggggcg 3330

   ggaactggga gggaagggtg agacggagcc ggaagttatt tattgggaac ccctgcaggg 3390

60 ccctggctgg ggggatgga                                            3409


   <210> 24
   <211> 1072
65 <212> PRT
   <213> Homo sapiens ADAMTS-10
```

<400> 24
Met Ser Ser Cys Pro Val Trp Arg Ala Met Arg Ser Pro Ser Pro Pro
1 5 10 15

Ala Trp Thr Thr Thr Gly His Cys Trp Pro Ser Arg His Leu Leu Pro
20 25 30

Gly Ala Ala Pro Arg His Gly Gly His Ser Arg Val Pro Pro Leu Leu
35 40 45

Gln Ser Gly Leu Ala Ser Thr His Phe Leu Leu Asn Leu Thr Arg Ser
50 55 60

Ser Arg Leu Leu Ala Gly Arg Val Ser Val Glu Tyr Trp Thr Arg Glu
65 70 75 80

Gly Leu Ala Trp Gln Arg Ala Ala Arg Pro His Cys Leu Tyr Ala Gly
85 90 95

His Leu Gln Gly Gln Ala Ser Ser Ser His Val Ala Ile Ser Thr Cys
100 105 110

Gly Gly Leu His Gly Leu Ile Val Ala Asp Glu Glu Glu Tyr Leu Ile
115 120 125

Glu Pro Leu His Gly Gly Pro Lys Gly Ser Arg Ser Pro Glu Glu Ser
130 135 140

Gly Pro His Val Val Tyr Lys Arg Ser Ser Leu Arg His Pro His Leu
145 150 155 160

Asp Thr Ala Cys Gly Val Arg Asp Glu Lys Pro Trp Lys Gly Arg Pro
165 170 175

Trp Trp Leu Arg Thr Leu Lys Pro Pro Pro Ala Arg Pro Leu Gly Asn
180 185 190

Glu Thr Glu Arg Gly Gln Pro Gly Leu Lys Arg Ser Val Ser Arg Glu
195 200 205

Arg Tyr Val Glu Thr Leu Val Val Ala Asp Lys Met Met Val Ala Tyr
210 215 220

His Gly Arg Arg Asp Val Glu Gln Tyr Val Leu Ala Ile Met Asn Ile
225 230 235 240

Val Ala Lys Leu Phe Gln Asp Ser Ser Leu Gly Ser Thr Val Asn Ile
245 250 255

Leu Val Thr Arg Leu Ile Leu Leu Thr Glu Asp Gln Pro Thr Leu Glu
260 265 270

Ile Thr His His Ala Gly Lys Ser Leu Asp Ser Phe Cys Lys Trp Gln
275 280 285

Lys Ser Ile Val Asn His Ser Gly His Gly Asn Ala Ile Pro Glu Asn
290 295 300

Gly Val Ala Asn His Asp Thr Ala Val Leu Ile Thr Arg Tyr Asp Ile
305 310 315 320

Cys Ile Tyr Lys Asn Lys Pro Cys Gly Thr Leu Gly Leu Ala Arg Trp
325 330 335

Ala Glu Cys Val Ser Ala Arg Glu Ala Ala Ala Ser Met Arg Thr Leu

```
                340                 345                 350

   Ala Ala Thr Ser Val His His Cys His Glu Ile Gly His Thr Phe Gly
           355                 360                 365
 5
   Met Asn His Asp Gly Val Gly Asn Ser Cys Gly Ala Arg Gly Gln Asp
       370                 375                 380

   Pro Ala Lys Leu Met Ala Ala His Ile Thr Met Lys Thr Asn Pro Phe
10 385                 390                 395                 400

   Val Trp Ser Ser Cys Asn Arg Asp Tyr Ile Thr Ser Phe Leu Asp Ser
                   405                 410                 415

15 Gly Leu Gly Leu Cys Leu Asn Asn Arg Pro Pro Arg Gln Asp Phe Val
               420                 425                 430

   Tyr Pro Thr Val Ala Pro Gly Gln Ala Tyr Asp Ala Asp Glu Gln Cys
           435                 440                 445
20
   Arg Phe Gln His Gly Val Lys Ser Arg Gln Cys Lys Tyr Gly Glu Val
       450                 455                 460

   Cys Ser Glu Leu Trp Cys Leu Ser Lys Ser Asn Arg Cys Ile Thr Asn
25 465                 470                 475                 480

   Ser Ile Pro Ala Ala Glu Gly Thr Leu Cys Gln Thr His Thr Ile Asp
                   485                 490                 495

30 Lys Gly Trp Cys Tyr Lys Arg Val Cys Val Pro Phe Gly Ser Arg Pro
               500                 505                 510

   Glu Gly Val Asp Gly Ala Trp Gly Pro Trp Thr Pro Trp Gly Asp Cys
           515                 520                 525
35
   Ser Arg Thr Cys Gly Gly Gly Val Ser Ser Ser Ser Arg His Cys Asp
       530                 535                 540

   Ser Pro Arg Pro Thr Ile Gly Gly Lys Tyr Cys Leu Gly Glu Arg Arg
40 545                 550                 555                 560

   Arg His Arg Ser Cys Asn Thr Asp Asp Cys Pro Pro Gly Ser Gln Asp
                   565                 570                 575

45 Phe Arg Glu Val Gln Cys Ser Glu Phe Asp Ser Ile Pro Phe Arg Gly
               580                 585                 590

   Lys Phe Tyr Lys Trp Lys Thr Tyr Arg Gly Gly Gly Val Lys Ala Cys
           595                 600                 605
50
   Ser Leu Thr Ser Leu Ala Glu Gly Phe Asn Phe Tyr Thr Glu Arg Ala
       610                 615                 620

   Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp Ile
55 625                 630                 635                 640

   Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Val Leu Gly
                   645                 650                 655

60 Ser Asp Leu Arg Glu Asp Lys Cys Arg Val Cys Gly Gly Asp Gly Ser
               660                 665                 670

   Ala Cys Glu Thr Ile Glu Gly Val Phe Ser Pro Ala Ser Pro Gly Ala
           675                 680                 685
65
   Gly Tyr Glu Asp Val Val Trp Ile Pro Lys Gly Ser Val His Ile Phe
```

BNSDOCID: <WO___0111074A2_I_>

690 695 700

Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly Asp
705 710 715 720

Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro His
725 730 735

Arg Leu Pro Leu Ala Gly Thr Thr Phe Gln Leu Arg Gln Gly Pro Asp
740 745 750

Gln Val Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu Ile
755 760 765

Val Met Val Leu Ala Arg Thr Glu Leu Pro Ala Leu Arg Tyr Arg Phe
770 775 780

Asn Ala Pro Ile Ala Arg Asp Ser Leu Pro Pro Tyr Ser Trp His Tyr
785 790 795 800

Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln Val
805 810 815

Gln Ala Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala Pro
820 825 830

His Tyr Cys Ser Ala His Ser Lys Leu Pro Lys Arg Gln Arg Ala Cys
835 840 845

Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser Leu
850 855 860

Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val Cys
865 870 875 880

Gln Arg Arg Val Ser Ala Ala Glu Glu Lys Ala Leu Asp Asp Ser Ala
885 890 895

Cys Pro Gln Pro Arg Pro Pro Val Leu Glu Ala Cys His Gly Pro Thr
900 905 910

Cys Pro Pro Glu Trp Ala Ala Leu Asp Trp Ser Glu Cys Thr Pro Ser
915 920 925

Cys Gly Pro Gly Leu Arg His Arg Val Val Leu Cys Lys Ser Ala Asp
930 935 940

His Arg Ala Thr Leu Pro Pro Ala His Cys Ser Pro Ala Ala Lys Pro
945 950 955 960

Pro Ala Thr Met Arg Cys Asn Leu Arg Arg Cys Pro Pro Ala Arg Trp
965 970 975

Val Ala Gly Glu Trp Gly Glu Cys Ser Ala Gln Cys Gly Val Gly Gln
980 985 990

Arg Gln Arg Ser Val Arg Cys Thr Ser His Thr Gly Gln Ala Ser His
995 1000 1005

Glu Cys Thr Glu Ala Leu Arg Pro Pro Thr Thr Gln Gln Cys Glu Ala
1010 1015 1020

Lys Cys Asp Ser Pro Thr Pro Gly Asp Gly Pro Glu Glu Cys Lys Asp
1025 1030 1035 1040

Val Asn Lys Val Ala Tyr Cys Pro Leu Val Leu Lys Phe Gln Phe Cys

```
                1045                1050                1055

   Ser Arg Ala Tyr Phe Arg Gln Met Cys Cys Lys Thr Cys Gln Gly His
              1060                1065                1070
5

   <210> 25
   <211> 5990
10 <212> DNA
   <213> Homo sapiens ADAMTS-9b

   <220>
   <221> CDS
15 <222> (33)..(5834)

   <400> 25
   tgggggcagc ggagggaggg gtgggaagca cc atg cag ttt gta tcc tgg gcc   53
                                      Met Gln Phe Val Ser Trp Ala
20                                      1               5

   aca ctg cta acg ctc ctg gtg cgg gac ctg gcc gag atg ggg agc cca   101
   Thr Leu Leu Thr Leu Leu Val Arg Asp Leu Ala Glu Met Gly Ser Pro
            10                  15                  20
25
   gac gcc gcg gcg gcc gtg cgc aag gac agg ctg cac ccg agg caa gtg   149
   Asp Ala Ala Ala Ala Val Arg Lys Asp Arg Leu His Pro Arg Gln Val
        25                  30                  35

30 aaa tta tta gag acc ctg agc gaa tac gaa atc gtg tct ccc atc cga   197
   Lys Leu Leu Glu Thr Leu Ser Glu Tyr Glu Ile Val Ser Pro Ile Arg
    40                  45                  50                  55

   gtg aac gct ctc gga gaa ccc ttt ccc acg aac gtc cac ttc aaa aga   245
35 Val Asn Ala Leu Gly Glu Pro Phe Pro Thr Asn Val His Phe Lys Arg
                    60                  65                  70

   acg cga cgg agc att aac tct gcc act gac ccc tgg cct gcc ttc gcc   293
   Thr Arg Arg Ser Ile Asn Ser Ala Thr Asp Pro Trp Pro Ala Phe Ala
40              75                  80                  85

   tcc tcc tct tcc tcc tct acc tcc ccc cag gcg cat tac cgc ctc tct   341
   Ser Ser Ser Ser Ser Ser Thr Ser Pro Gln Ala His Tyr Arg Leu Ser
            90                  95                  100
45
   gcc ttc ggc cag cag ttt cta ttt aat ctc acc gcc aat gcc gga ttt   389
   Ala Phe Gly Gln Gln Phe Leu Phe Asn Leu Thr Ala Asn Ala Gly Phe
        105                 110                 115

50 atc gct cca ctg ttc act gtc acc ctc ctc ggg acg ccc ggg gtg aat   437
   Ile Ala Pro Leu Phe Thr Val Thr Leu Leu Gly Thr Pro Gly Val Asn
   120                 125                 130                 135

   cag acc aag ttt tat tcc gaa gag gaa gcg gaa ctc aag cac tgt ttc   485
55 Gln Thr Lys Phe Tyr Ser Glu Glu Glu Ala Glu Leu Lys His Cys Phe
                    140                 145                 150

   tac aaa ggc tat gtc aat acc aac tcc gag cac acg gcc gtc atc agc   533
   Tyr Lys Gly Tyr Val Asn Thr Asn Ser Glu His Thr Ala Val Ile Ser
60              155                 160                 165

   ctc tgc tca gga atg ctg ggc aca ttc cgg tct cat gat ggg ggt tat   581
   Leu Cys Ser Gly Met Leu Gly Thr Phe Arg Ser His Asp Gly Gly Tyr
            170                 175                 180
65
   ttt att gaa cca cta cag tct atg gat gaa caa gaa gat gaa gag gaa   629
```

BNSDOCID: <WO___0111074A2_I_>

```
   Phe Ile Glu Pro Leu Gln Ser Met Asp Glu Gln Glu Asp Glu Glu Glu
       185                 190                 195

   caa aac aaa ccc cac atc att tat agg cgc agc gcc ccc cag aga gag   677
 5 Gln Asn Lys Pro His Ile Ile Tyr Arg Arg Ser Ala Pro Gln Arg Glu
   200                 205                 210                 215

   ccc tca aca gga agg cat gca tgt gac acc tca gaa cac aaa aat agg   725
   Pro Ser Thr Gly Arg His Ala Cys Asp Thr Ser Glu His Lys Asn Arg
10                 220                 225                 230

   cac agt aaa gac aag aag aaa acc aga gca aga aaa tgg gga gaa agg   773
   His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys Trp Gly Glu Arg
               235                 240                 245
15
   att aac ctg gct ggt gac gta gca gca tta aac agc ggc tta gca aca   821
   Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser Gly Leu Ala Thr
           250                 255                 260

20 gag gca ttt tct gct tat ggt aat aag acg gac aac aca aga gaa aag   869
   Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn Thr Arg Glu Lys
       265                 270                 275

   agg acc cac aga agg aca aaa cgt ttt tta tcc tat cca cgg ttt gta   917
25 Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr Pro Arg Phe Val
   280                 285                 290                 295

   gaa gtc ttg gtg gtg gca gac aac aga atg gtt tca tac cat gga gaa   965
   Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser Tyr His Gly Glu
30                 300                 305                 310

   aac ctt caa cac tat att tta act tta atg tca att gta gcc tct atc   1013
   Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile Val Ala Ser Ile
               315                 320                 325
35
   tat aaa gac cca agt att gga aat tta att aat att gtt att gtg aac   1061
   Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile Val Ile Val Asn
           330                 335                 340

40 tta att gtg att cat aat gaa cag gat ggg cct tcc ata tct ttt aat   1109
   Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser Ile Ser Phe Asn
       345                 350                 355

   gct cag aca aca tta aaa aac ttt tgc cag tgg cag cat tcg aac agt   1157
45 Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln His Ser Asn Ser
   360                 365                 370                 375

   cca ggt gga atc cat cat gat act gct gtt ctc tta aca aga cag gat   1205
   Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu Thr Arg Gln Asp
50                 380                 385                 390

   atc tgc aga gct cac gac aaa tgt gat acc tta ggc ctg gct gaa ctg   1253
   Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly Leu Ala Glu Leu
               395                 400                 405
55
   gga acc att tgt gat ccc tat aga agc tgt tct att agt gaa gat agt   1301
   Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile Ser Glu Asp Ser
           410                 415                 420

60 gga ttg agt aca gct ttt acg atc gcc cat gag ctg ggc cat gtg ttt   1349
   Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu Gly His Val Phe
       425                 430                 435

   aac atg cct cat gat gac aac aac aaa tgt aaa gaa gaa gga gtt aag   1397
65 Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu Glu Gly Val Lys
   440                 445                 450                 455
```

```
   agt ccc cag cat gtc atg gct cca aca ctg aac ttc tac acc aac ccc   1445
   Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe Tyr Thr Asn Pro
                   460                 465                 470
5
   tgg atg tgg tca aag tgt agt cga aaa tat atc act gag ttt tta gac   1493
   Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr Glu Phe Leu Asp
               475                 480                 485

10 act ggt tat ggc gag tgt ttg ctt aac gaa cct gaa tcc aga ccc tac   1541
   Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Glu Ser Arg Pro Tyr
           490                 495                 500

   cct ttg cct gtc caa ctg cca ggc atc ctt tac aac gtg aat aaa caa   1589
15 Pro Leu Pro Val Gln Leu Pro Gly Ile Leu Tyr Asn Val Asn Lys Gln
       505                 510                 515

   tgt gaa ttg att ttt gga cca ggt tct cag gtg tgc cca tat atg atg   1637
   Cys Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys Pro Tyr Met Met
20 520                 525                 530                 535

   cag tgc aga cgg ctc tgg tcg aat aac gtc aat gga gta cac aaa ggc   1685
   Gln Cys Arg Arg Leu Trp Ser Asn Asn Val Asn Gly Val His Lys Gly
                   540                 545                 550
25
   tgc cgg act cag cac aca ccc tgg gcc gat ggg acg gag tgc gag cct   1733
   Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr Glu Cys Glu Pro
               555                 560                 565

30 gga aag cac tgc aag tat gga ttt tgt gtt ccc aaa gaa atg gat gtc   1781
   Gly Lys His Cys Lys Tyr Gly Phe Cys Val Pro Lys Glu Met Asp Val
           570                 575                 580

   ccc gtg aca gat gga tcc tgg gga agt tgg agt ccc ttt gga acc tgc   1829
35 Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro Phe Gly Thr Cys
       585                 590                 595

   tcc aga aca tgt gga ggg ggc atc aaa aca gcc att cga gag tgc aac   1877
   Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile Arg Glu Cys Asn
40 600                 605                 610                 615

   aga cca gaa cca aaa aat ggt gga aaa tac tgt gta gga cgt aga atg   1925
   Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val Gly Arg Arg Met
                   620                 625                 630
45
   aaa ttt aag tcc tgc aac acg gag cca tgt ctc aag cag aag cga gac   1973
   Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys Gln Lys Arg Asp
               635                 640                 645

50 ttc cga gat gaa cag tgt gct cac ttt gac ggg aag cat ttt aac atc   2021
   Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys His Phe Asn Ile
           650                 655                 660

   aac ggt ctg ctt ccc aat gtg cgc tgg gtc cct aaa tac agt gga att   2069
55 Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys Tyr Ser Gly Ile
       665                 670                 675

   ctg atg aag gac cgg tgc aag ttg ttc tgc aga gtg gca ggg aac aca   2117
   Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val Ala Gly Asn Thr
60 680                 685                 690                 695

   gcc tac tat cag ctt cga gac aga gtg ata gat gga act cct tgt ggc   2165
   Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly Thr Pro Cys Gly
                   700                 705                 710
65
   cag gac aca aat gat atc tgt gtc cag ggc ctt tgc cgg caa gct gga   2213
```

```
  Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys Arg Gln Ala Gly
                715                 720                 725

  tgc gat cat gtt tta aac tca aaa gcc cgg aga gat aaa tgc ggg gtt   2261
5 Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp Lys Cys Gly Val
        730                 735                 740

  tgt ggt ggc gat aat tct tca tgc aaa aca gtg gca gga aca ttt aat   2309
  Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala Gly Thr Phe Asn
10    745                 750                 755

  aca gta cat tat ggt tac aat act gtg gtc cga att cca gct ggt gct   2357
  Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile Pro Ala Gly Ala
  760                 765                 770                 775
15
  acc aat att gat gtg cgg cag cac agt ttc tca ggg gaa aca gac gat   2405
  Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly Glu Thr Asp Asp
                780                 785                 790

20 gac aac tac tta gct tta tca agc agt aaa ggt gaa ttc ttg cta aat   2453
  Asp Asn Tyr Leu Ala Leu Ser Ser Ser Lys Gly Glu Phe Leu Leu Asn
                795                 800                 805

  gga aac ttt gtt gtc aca atg gcc aaa agg gaa att cgc att ggg aat   2501
25 Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile Arg Ile Gly Asn
        810                 815                 820

  gct gtg gta gag tac agt ggg tcc gag act gcc gta gaa aga att aac   2549
  Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val Glu Arg Ile Asn
30    825                 830                 835

  tca aca gat cgc att gag caa gaa ctt ttg ctt cag gtt ttg tcg gtg   2597
  Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Leu Gln Val Leu Ser Val
  840                 845                 850                 855
35
  gga aag ttg tac aac ccc gat gta cgc tat tct ttc aat att cca att   2645
  Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe Asn Ile Pro Ile
                860                 865                 870

40 gaa gat aaa cct cag cag ttt tac tgg aac agt cat ggg cca tgg caa   2693
  Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His Gly Pro Trp Gln
                875                 880                 885

  gca tgc agt aaa ccc tgc caa ggg gaa cgg aaa cga aaa ctt gtt tgc   2741
45 Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg Lys Leu Val Cys
        890                 895                 900

  acc agg gaa tct gat cag ctt act gtt tct gat caa aga tgc gat cgg   2789
  Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln Arg Cys Asp Arg
50    905                 910                 915

  ctg ccc cag cct gga cac att act gaa ccc tgt ggt aca ggc tgt gac   2837
  Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly Thr Gly Cys Asp
  920                 925                 930                 935
55
  ctg agg tgg cat gtt gcc agc agg agt gaa tgt agt gcc cag tgt ggc   2885
  Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser Ala Gln Cys Gly
                940                 945                 950

60 ttg ggt tac cgc aca ttg gac atc tac tgt gcc aaa tat agc agg ctg   2933
  Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys Tyr Ser Arg Leu
                955                 960                 965

  gat ggg aag act gag aag gtt gat gat ggt ttt tgc agc agc cat ccc   2981
65 Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys Ser Ser His Pro
        970                 975                 980
```

```
aaa cca agc aac cgt gaa aaa tgc tca ggg gaa tgt aac acg ggt ggc   3029
Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys Asn Thr Gly Gly
    985                 990                 995

tgg cgc tat tct gcc tgg act gaa tgt tca aaa agc tgt gac ggt ggg   3077
Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser Cys Asp Gly Gly
1000                1005                1010                1015

acc cag agg aga agg gct att tgt gtc aat acc cga aat gat gta ctg   3125
Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg Asn Asp Val Leu
                1020                1025                1030

gat gac agc aaa tgc aca cat caa gag aaa gtt acc att cag agg tgc   3173
Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr Ile Gln Arg Cys
            1035                1040                1045

agt gag ttc cct tgt cca cag tgg aaa tct gga gac tgg tca gag tgc   3221
Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp Trp Ser Glu Cys
        1050                1055                1060

ttg gtc acc tgt gga aaa ggg cat aag cac cgc cag gtc tgg tgt cag   3269
Leu Val Thr Cys Gly Lys Gly His Lys His Arg Gln Val Trp Cys Gln
    1065                1070                1075

ttt ggt gaa gat cga tta aat gat aga atg tgt gac cct gag acc aag   3317
Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp Pro Glu Thr Lys
1080                1085                1090                1095

cca aca tct atg cag act tgt cag cag ccg gaa atg gca tcc tgg cag   3365
Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Met Ala Ser Trp Gln
                1100                1105                1110

gcg ggt ccc tgg gta cag tgc agt gtc act tgt gga cag gga tac cag   3413
Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly Gln Gly Tyr Gln
            1115                1120                1125

cta aga gca gtg aaa tgc atc att ggg act tat atg tca gtg gta gat   3461
Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met Ser Val Val Asp
        1130                1135                1140

gac aat gac tgt aat gca gca act aga cca act gat acc cag gac tgt   3509
Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp Thr Gln Asp Cys
    1145                1150                1155

gaa tta cca tca tgt cat cct ccc cca gct gcc ccg gaa acg agg aga   3557
Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro Glu Thr Arg Arg
1160                1165                1170                1175

agc aca tac agt gca cca aga acc cag tgg cga ttt ggg tct tgg acc   3605
Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe Gly Ser Trp Thr
                1180                1185                1190

cca tgc tca gcc act tgt ggg aaa ggt acc cgg atg aga tac gtc agc   3653
Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met Arg Tyr Val Ser
            1195                1200                1205

tgc cga gat gag aat ggc tct gtg gct gac gag agt gcc tgt gct acc   3701
Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser Ala Cys Ala Thr
        1210                1215                1220

ctg cct aga cca gtg gca aag gaa gaa tgt tct gtg aca ccc tgt ggg   3749
Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val Thr Pro Cys Gly
    1225                1230                1235

caa tgg aag gcc ttg gac tgg agc tct tgc tct gtg acc tgt ggg caa   3797
```

BNSDOCID: <WO___0111074A2_I_>

```
   Gln Trp Lys Ala Leu Asp Trp Ser Ser Cys Ser Val Thr Cys Gly Gln
   1240                1245                1250                1255

   ggt agg gca acc cgg caa gtg atg tgt gtc aac tac agt gac cac gtg   3845
 5 Gly Arg Ala Thr Arg Gln Val Met Cys Val Asn Tyr Ser Asp His Val
                  1260                1265                1270

   atc gat cgg agt gag tgt gac cag gat tat atc cca gaa act gac cag   3893
   Ile Asp Arg Ser Glu Cys Asp Gln Asp Tyr Ile Pro Glu Thr Asp Gln
10            1275                1280                1285

   gac tgt tcc atg tca cca tgc cct caa agg acc cca gac agt ggc tta   3941
   Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro Asp Ser Gly Leu
         1290                1295                1300
15
   gct cag cac ccc ttc caa aat gag gac tat cgt ccc cgg agc gcc agc   3989
   Ala Gln His Pro Phe Gln Asn Glu Asp Tyr Arg Pro Arg Ser Ala Ser
      1305                1310                1315

20 ccc agc cgc acc cat gtg ctc ggt gga aac cag tgg aga act ggc ccc   4037
   Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp Arg Thr Gly Pro
   1320                1325                1330                1335

   tgg gga gca tgt tcc agt acc tgt gct ggc gga tcc cag cgg cgt gtt   4085
25 Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser Gln Arg Arg Val
                  1340                1345                1350

   gtt gta tgt cag gat gaa aat gga tac acc gca aac gac tgt gtg gag   4133
   Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn Asp Cys Val Glu
30            1355                1360                1365

   aga ata aaa cct gat gag caa aga gcc tgt gaa tcc ggc cct tgt cct   4181
   Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser Gly Pro Cys Pro
         1370                1375                1380
35
   cag tgg gct tat ggc aac tgg gga gag tgc act aag ctg tgt ggt gga   4229
   Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys Leu Cys Gly Gly
      1385                1390                1395

40 ggc ata aga aca aga ctg gtg gtc tgt cag cgg tcc aac ggt gaa cgg   4277
   Gly Ile Arg Thr Arg Leu Val Val Cys Gln Arg Ser Asn Gly Glu Arg
   1400                1405                1410                1415

   ttt cca gat ttg agc tgt gaa att ctt gat aaa cct ccc gat cgt gag   4325
45 Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro Pro Asp Arg Glu
                  1420                1425                1430

   cag tgt aac aca cat gct tgt cca cac gac gct gca tgg agt act ggc   4373
   Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala Trp Ser Thr Gly
50            1435                1440                1445

   cct tgg agc tcg tgt tct gtc tct tgt ggt cga ggg cat aaa caa cga   4421
   Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly His Lys Gln Arg
         1450                1455                1460
55
   aat gtt tac tgc atg gca aaa gat gga agc cat tta gaa agt gat tac   4469
   Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu Glu Ser Asp Tyr
      1465                1470                1475

60 tgt aag cac ctg gct aag cca cat ggg cac aga aag tgc cga gga gga   4517
   Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys Cys Arg Gly Gly
   1480                1485                1490                1495

   aga tgc ccc aaa tgg aaa gct ggc gct tgg agt cag tgc tct gtg tcc   4565
65 Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln Cys Ser Val Ser
                  1500                1505                1510
```

```
   tgt ggc cga ggc gta cag cag agg cat gtg ggc tgt cag atc gga aca   4613
   Cys Gly Arg Gly Val Gln Gln Arg His Val Gly Cys Gln Ile Gly Thr
             1515                1520                1525
 5
   cac aaa ata gcc aga gac acc gag tgc aac cca tac acc aga ccg gag   4661
   His Lys Ile Ala Arg Asp Thr Glu Cys Asn Pro Tyr Thr Arg Pro Glu
          1530                1535                1540

10 tcg gaa tgc gaa tgc caa ggc cca cgg tgt ccc ctt tac act tgg agg   4709
   Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu Tyr Thr Trp Arg
      1545                1550                1555

   gca gag gaa tcg caa gaa tgc acc aag acc tgc ggc gaa ggc tcc agg   4757
15 Ala Glu Glu Ser Gln Glu Cys Thr Lys Thr Cys Gly Glu Gly Ser Arg
   1560                1565                1570                1575

   tac cgc aag gtg gtg tgt gtg gat gac aac aaa aac gag gtg cat ggg   4805
   Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn Glu Val His Gly
20                 1580                1585                1590

   gca cgc tgt gac gtg agc aag cgg ccg gtg gac cgt gaa agc tgt agt   4853
   Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg Glu Ser Cys Ser
             1595                1600                1605
25
   ttg caa ccc tgc gag tat gtc tgg atc aca gga gaa tgg tca gag tgc   4901
   Leu Gln Pro Cys Glu Tyr Val Trp Ile Thr Gly Glu Trp Ser Glu Cys
          1610                1615                1620

30 tca gtg acc tgt gga aaa ggc tac aaa caa agg ctt gtc tcg tgc agc   4949
   Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu Val Ser Cys Ser
      1625                1630                1635

   gag att tac acc ggg aaa gag aat tat gaa tac agc tac caa acc acc   4997
35 Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser Tyr Gln Thr Thr
   1640                1645                1650                1655

   atc aac tgc cca ggc acg cag ccc ccc agt gtt cac ccc tgt tac ctg   5045
   Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His Pro Cys Tyr Leu
40                 1660                1665                1670

   agg gag tgc cct gtc tcg gcc acc tgg aga gtt ggc aac tgg ggg agc   5093
   Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly Asn Trp Gly Ser
             1675                1680                1685
45
   tgc tca gtg tct tgt ggt gtt gga gtg atg cag aga tct gtg caa tgt   5141
   Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg Ser Val Gln Cys
          1690                1695                1700

50 tta acc aat gag gac caa ccc agc cac tta tgc cac act gat ctg aag   5189
   Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His Thr Asp Leu Lys
      1705                1710                1715

   cca gaa gaa cga aaa acc tgc cgt aat gtc tat aac tgt gag tta ccc   5237
55 Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn Cys Glu Leu Pro
   1720                1725                1730                1735

   cag aat tgc aag gag gta aaa aga ctt aaa ggt gcc agt gaa gat ggt   5285
   Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala Ser Glu Asp Gly
60                 1740                1745                1750

   gaa tat ttc ctg atg att aga gga aag ctt ctg aag ata ttc tgt gcg   5333
   Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys Ile Phe Cys Ala
             1755                1760                1765
65
   ggg atg cac tct gac cac ccc aaa gag tac gtg aca ctg gtg cat gga   5381
```

```
   Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr Leu Val His Gly
          1770                1775                1780

   gac tct gag aat ttc tcc gag gtt tat ggg cac agg tta cac aac cca   5429
 5 Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg Leu His Asn Pro
      1785                1790                1795

   aca gaa tgt ccc tat aac ggg agc cgg cgc gat gac tgc caa tgt cgg   5477
   Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp Cys Gln Cys Arg
10 1800                1805                1810                1815

   aag gat tac acg gcc gct ggg ttt tcc agt ttt cag aaa atc aga ata   5525
   Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln Lys Ile Arg Ile
                  1820                1825                1830
15
   gac ctg acc agc atg cag ata atc acc act gac tta cag ttt gca agg   5573
   Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu Gln Phe Ala Arg
             1835                1840                1845

20 aca agc gaa gga cat ccc gtc cct ttt gcc aca gcc ggg gat tgc tac   5621
   Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala Gly Asp Cys Tyr
          1850                1855                1860

   agc gct gcc aag tgc cca cag ggt cgt ttt agc atc aac ctt tat gga   5669
25 Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile Asn Leu Tyr Gly
      1865                1870                1875

   acc ggc ttg tct tta act gaa tct gcc aga tgg ata tca caa ggg aat   5717
   Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile Ser Gln Gly Asn
30 1880                1885                1890                1895

   tat gct gtc tct gac atc aag aag tcg ccg gat ggt acc cga gtc gta   5765
   Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly Thr Arg Val Val
                  1900                1905                1910
35
   ggg aaa tgc ggt ggt tac tgt gga aaa tgc act cca tcc tct ggt act   5813
   Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro Ser Ser Gly Thr
             1915                1920                1925

40 ggc ctg gag gtg cga gtt tta tagctaaggt gctttgaaga ggaagccatt      5864
   Gly Leu Glu Val Arg Val Leu
          1930

   atggatggat gaaggatagt aatgcaatac ctccacctta atttgggtgc atgtgtatgt 5924
45
   gtgtgtgtgt ttgtgtgtga cttgtatgct tgtgtgtgta aatgtgtgta catatacata 5984

   tataca                                                            5990

50
   <210> 26
   <211> 1934
   <212> PRT
   <213> Homo sapiens ADAMTS-9b
55
   <400> 26
   Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu Val Arg Asp
     1               5                  10                  15

60 Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Ala Val Arg Lys Asp
                20                  25                  30

   Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu Ser Glu Tyr
            35                  40                  45
65
   Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu Pro Phe Pro
```

```
      50                  55                  60

   Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn Ser Ala Thr
    65                  70                  75                  80
 5
   Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser Thr Ser Pro
                   85                  90                  95

   Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe Leu Phe Asn
10             100                 105                 110

   Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr Val Thr Leu
           115                 120                 125

15 Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser Glu Glu Glu
       130                 135                 140

   Ala Glu Leu Lys His Cys Phe Tyr Lys Gly Tyr Val Asn Thr Asn Ser
   145                 150                 155                 160
20
   Glu His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Leu Gly Thr Phe
                   165                 170                 175

   Arg Ser His Asp Gly Gly Tyr Phe Ile Glu Pro Leu Gln Ser Met Asp
25             180                 185                 190

   Glu Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg
           195                 200                 205

30 Arg Ser Ala Pro Gln Arg Glu Pro Ser Thr Gly Arg His Ala Cys Asp
       210                 215                 220

   Thr Ser Glu His Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg
   225                 230                 235                 240
35
   Ala Arg Lys Trp Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala
                   245                 250                 255

   Leu Asn Ser Gly Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys
40             260                 265                 270

   Thr Asp Asn Thr Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe
           275                 280                 285

45 Leu Ser Tyr Pro Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg
       290                 295                 300

   Met Val Ser Tyr His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu
   305                 310                 315                 320
50
   Met Ser Ile Val Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu
                   325                 330                 335

   Ile Asn Ile Val Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp
55             340                 345                 350

   Gly Pro Ser Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys
           355                 360                 365

60 Gln Trp Gln His Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala
       370                 375                 380

   Val Leu Leu Thr Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp
   385                 390                 395                 400
65
   Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser
```

405 410 415

Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala
420 425 430

His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys
435 440 445

Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr
450 455 460

Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys
465 470 475 480

Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn
485 490 495

Glu Pro Glu Ser Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile
500 505 510

Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser
515 520 525

Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Ser Asn Asn
530 535 540

Val Asn Gly Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala
545 550 555 560

Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Tyr Gly Phe Cys
565 570 575

Val Pro Lys Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser
580 585 590

Trp Ser Pro Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys
595 600 605

Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys
610 615 620

Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro
625 630 635 640

Cys Leu Lys Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe
645 650 655

Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp
660 665 670

Val Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe
675 680 685

Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val
690 695 700

Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln
705 710 715 720

Gly Leu Cys Arg Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala
725 730 735

Arg Arg Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys
740 745 750

Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val

BNSDOCID: <WO___0111074A2_I_>

```
          755                 760                 765

   Val Arg Ile Pro Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His Ser
       770                 775                 780
 5
   Phe Ser Gly Glu Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser Ser
   785                 790                 795                 800

   Lys Gly Glu Phe Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys
10                 805                 810                 815

   Arg Glu Ile Arg Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu
               820                 825                 830

15 Thr Ala Val Glu Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu Leu
          835                 840                 845

   Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg
       850                 855                 860
20
   Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp
   865                 870                 875                 880

   Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu
25                 885                 890                 895

   Arg Lys Arg Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val
               900                 905                 910

30 Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr Glu
          915                 920                 925

   Pro Cys Gly Thr Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser
       930                 935                 940
35
   Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr
   945                 950                 955                 960

   Cys Ala Lys Tyr Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp
40                 965                 970                 975

   Gly Phe Cys Ser Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser
               980                 985                 990

45 Gly Glu Cys Asn Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys
          995                1000                1005

   Ser Lys Ser Cys Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val
      1010                1015                1020
50
   Asn Thr Arg Asn Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln Glu
   1025                1030                1035                1040

   Lys Val Thr Ile Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp Lys
55                 1045                1050                1055

   Ser Gly Asp Trp Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys
               1060                1065                1070

60 His Arg Gln Val Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg
          1075                1080                1085

   Met Cys Asp Pro Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln
      1090                1095                1100
65
   Pro Glu Met Ala Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val
```

```
1105                1110                1115                1120

Thr Cys Gly Gln Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly
                1125                1130                1135

Thr Tyr Met Ser Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg
            1140                1145                1150

Pro Thr Asp Thr Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro
        1155                1160                1165

Ala Ala Pro Glu Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln
    1170                1175                1180

Trp Arg Phe Gly Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly
1185                1190                1195                1200

Thr Arg Met Arg Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala
                1205                1210                1215

Asp Glu Ser Ala Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu
            1220                1225                1230

Cys Ser Val Thr Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser
        1235                1240                1245

Cys Ser Val Thr Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys
    1250                1255                1260

Val Asn Tyr Ser Asp His Val Ile Asp Arg Ser Glu Cys Asp Gln Asp
1265                1270                1275                1280

Tyr Ile Pro Glu Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln
                1285                1290                1295

Arg Thr Pro Asp Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp
            1300                1305                1310

Tyr Arg Pro Arg Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly
        1315                1320                1325

Asn Gln Trp Arg Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala
    1330                1335                1340

Gly Gly Ser Gln Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr
1345                1350                1355                1360

Thr Ala Asn Asp Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala
                1365                1370                1375

Cys Glu Ser Gly Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu
            1380                1385                1390

Cys Thr Lys Leu Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Cys
        1395                1400                1405

Gln Arg Ser Asn Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu
    1410                1415                1420

Asp Lys Pro Pro Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His
1425                1430                1435                1440

Asp Ala Ala Trp Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys
                1445                1450                1455

Gly Arg Gly His Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly
```

```
            1460                1465                1470

   Ser His Leu Glu Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly
          1475                1480                1485
5
   His Arg Lys Cys Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala
      1490                1495                1500

   Trp Ser Gln Cys Ser Val Ser Cys Gly Arg Gly Val Gln Gln Arg His
10 1505                1510                1515                1520

   Val Gly Cys Gln Ile Gly Thr His Lys Ile Ala Arg Asp Thr Glu Cys
                  1525                1530                1535

15 Asn Pro Tyr Thr Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg
              1540                1545                1550

   Cys Pro Leu Tyr Thr Trp Arg Ala Glu Glu Ser Gln Glu Cys Thr Lys
          1555                1560                1565
20
   Thr Cys Gly Glu Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp
      1570                1575                1580

   Asn Lys Asn Glu Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro
25 1585                1590                1595                1600

   Val Asp Arg Glu Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Ile
                  1605                1610                1615

30 Thr Gly Glu Trp Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys
              1620                1625                1630

   Gln Arg Leu Val Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr
          1635                1640                1645
35
   Glu Tyr Ser Tyr Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro
      1650                1655                1660

   Ser Val His Pro Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp
40 1665                1670                1675                1680

   Arg Val Gly Asn Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val
                  1685                1690                1695

45 Met Gln Arg Ser Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His
              1700                1705                1710

   Leu Cys His Thr Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn
          1715                1720                1725
50
   Val Tyr Asn Cys Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu
      1730                1735                1740

   Lys Gly Ala Ser Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys
55 1745                1750                1755                1760

   Leu Leu Lys Ile Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu
                  1765                1770                1775

60 Tyr Val Thr Leu Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr
              1780                1785                1790

   Gly His Arg Leu His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg
          1795                1800                1805
65
   Arg Asp Asp Cys Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser
```

```
      1810                1815                1820

   Ser Phe Gln Lys Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr
   1825                1830                1835                1840
 5
   Thr Asp Leu Gln Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe
                    1845                1850                1855

   Ala Thr Ala Gly Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg
10              1860                1865                1870

   Phe Ser Ile Asn Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala
          1875                1880                1885

15 Arg Trp Ile Ser Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser
      1890                1895                1900

   Pro Asp Gly Thr Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys
   1905                1910                1915                1920
20
   Cys Thr Pro Ser Ser Gly Thr Gly Leu Glu Val Arg Val Leu
                    1925                1930


25
```

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
15 February 2001 (15.02.2001)

PCT

(10) International Publication Number
WO 01/011074 A2

(51) International Patent Classification[7]: C12Q

(21) International Application Number: PCT/US00/21223

(22) International Filing Date: 3 August 2000 (03.08.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/369,364 6 August 1999 (06.08.1999) US

(71) Applicant *(for all designated States except US)*: **THE CLEVELAND CLINIC FOUNDATION** [US/US]; 9500 Euclid Avenue, Cleveland, OH 44195 (US).

(71) Applicants and
(72) Inventors: **APTE, Suneel, S.** [IN/US]; 19917 Malvern Road, Shaker Hts., OH 44122 (US). **HURSKAINEN, Tiina, L.** [FI/FI]; Onnelantie 3A, FIN-90230 Oulu (FI). **HIROHATA, Satoshi** [JP/US]; 6809 Mayfield Road, #859, Mayfield Hts., OH 44124 (US).

(74) Agent: **DOCHERTY, Pamela, A.**; Calfee, Halter & Griswold LLP, Suite 1400, 800 Superior Avenue, Cleveland, OH 44114 (US).

(81) Designated States *(national)*: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— *without international search report and to be republished upon receipt of that report*

[Continued on next page]

(54) Title: NUCLEIC ACIDS ENCODING ZINC METALLOPROTEASES



(57) Abstract: Isolated mammalian proteins having disintegrin-like and metalloprotease domains with thrombospondin type I motifs, i.e., ADAMTS proteins, are provided. The proteins are ADAMTS-5, ADAMTS-6, ADAMTS-7, ADAMTS-8, ADAMTS-9 and ADAMTS-10, collectively referred to as "ADAMTS-N". The present invention also provides isolated polynucleotides which encode an ADAMTS-N protein or a variant thereof, polynucleotide sequences complementary to such polynucleotides, vectors containing such polynucleotides, and host cells transformed or transfected with such vectors. The present invention also relates to antibodies which are immunospecific for one or more of the ADAMTS-N proteins. The present invention also relates to a protein referred to hereinafter as ADAMTS-R1 (ADAM-TS Related protein-1) and the polynucleotides which encode such protein.

WO 01/011074 A2

(48) **Date of publication of this corrected version:**
12 September 2002

(15) **Information about Correction:**
see PCT Gazette No. 37/2002 of 12 September 2002, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

NUCLEIC ACIDS ENCODING ZINC METALLOPROTEASES

Background of the Invention

This invention relates to isolated nucleic acid -molecules which encode proteins belonging to a zinc metalloprotease family. The zinc metalloproteases have been implicated in a variety of diseases and development disorders that involve* enhanced or depressed proteolysis of components of the extracellular matrix, receptors, or other extracellular molecules.

More particularly, the invention relates to isolated nucleic acid molecules encoding proteins belonging to a subfamily of zinc metalloproteases referred to as "ADAMTS", an abbreviation for A Disintegrin-like And Metalloprotease domain with ThromboSpondin type I motifs. Proteins in the ADAMTS subfamily all possess a Zn protease catalytic site consensus sequence (HEXXH+H), which suggests an intact catalytic activity for each of these proteins. The ADAMTS proteins also have putative N-terminal signal peptides and lack transmembrane domains, which suggests that the proteins in this subfamily are secreted. The proteins in the ADAMTS subfamily also possess at least one thrombospondin type (TSP1) motif, which suggests a binding of these proteins to components of the extracellular matrix (ECM) or to cell surface components.

Members of the ADAMTS subfamily of proteins are ADAMTS-1, ADAMTS-2, ADAMTS-3, and ADAMTS-4. ADAMTS-1 protein is selectively expressed in colon 26 adenocarcinoma cachexigenic sublines. ADAMTS-1 mRNA is induced by the inflammatory cytokine interleukin-1 in vitro and by intravenous administration of lipopolysaccharide in vivo. Thus, the ADAMTS-1 protein is believed to play a role in tumor cachexia and inflammation.

The ADAMTS-2 protein is also known as procollagen I/H amino-propetide processing enzyme or PCINP. The ADAMTS-2 protein catalyzes

cleavage of native triple-helical procollagen I and procollagen II. The ADAMTS-2 protein also has an affinity for collagen XIV. Lack of the ADAMTS-2 protein is known to cause dermatosparaxis in cattle, or Ehlers-Danlos syndrome type VIIC (EDS-VIIC) in humans. EDS-VIIC is characterized clinically by severe skin fragility, and biochemically by the presence in skin of procollagen which is incompletely processed at the amino terminus. Thus, it is believed that the ADAMTS-2 protein plays a role in processing of procollagen to mature collagen, an essential step for correct assembly of collagen into collagen fibrils. The ADAMTS-3 protein is similar in sequence to ADAMTS-2 and may have similar function.

The ADAMTS-4 protein catalyzes cleavage of the core protein of the extracellular matrix proteoglycan, aggrecan. Aggrecan degradation is an important factor in the erosion of articular cartilage in arthritic disease. Aggrecan fragments have been identified in cultures undergoing cartilage matrix degradation and in arthritic synovial fluids. Therefore, overexpression or activation of ADAMTS-4 protein may be related to both inflammatory and non-inflammatory arthritis.

On the basis of the structure, location, and the demonstrated proteolytic activity of ADAMTS proteins 1-4, it is expected that other members of the ADAMTS subfamily play a role in the cleavage of proteoglycan core proteins that are found in the extracellular matrix, such as, for example, versican, brevican, neuracan, NG-2, aggrecan, as well as molecules such as collagen. It is also expected that other members of the ADAMTS subfamily play a role in embryogenesis, implantation of a fertilized egg, angiogenesis, arthritic degradation of cartilage, inflammation, nerve regeneration, tumor growth, and metastases.

Thus, it is desirable to have other members of the ADAMTS

BNSDOCID: <WO___0111074A2_IA>

subfamily of proteins, the nucleic acids that encode such proteins, and antibodies that are specific for such proteins. Such molecules are useful research tools for studying development of the extracellular matrix during embryogenesis and fetal development, and for studying disorders or diseases that are characterized by improper development of the extracellular matrix or enhanced or reduced destruction of the extracellular matrix. Such molecules, particularly the nucleic acids and the antibodies, are also useful tools for diagnosing such diseases or for monitoring the efficacy of therapeutic agents that have been developed to treat such diseases.

Summary of the Invention

The present invention provides novel, isolated, and substantially purified proteins having the characteristics of an ADAMTS protein. The novel proteins are referred to hereinafter individually as "ADAMTS-5", "ADAMTS-6", "ADAMTS-7", "ADAMTS-8", "ADAMTS-9" and "ADAMTS-10", and collectively as "ADAMTS-N". In one embodiment, the ADAMTS-5 protein is a mature mouse protein which comprises amino acid 231 through amino acid 930 of the sequence set forth set forth in SEQ ID NO: 2. In another embodiment, ADAMTS-5 is a human ADAMTS-5 protein which comprises amino acid 1 through amino acid 518 of the sequence set forth in SEQ ID NO: 4. In one embodiment, mature human ADAMTS-6 protein comprises amino acid 245 through amino acid 860 of SEQ ID NO: 6. In one embodiment, mature human ADAMTS-7 protein comprises amino acid 233 through amino acid 997 of the sequence set forth in SEQ ID NO: 8. In one embodiment, mature ADAMTS-8 protein is a mouse protein which comprises amino acid 229 through amino acid 905 of the sequence set forth in SEQ ID NO: 10. In another embodiment, ADAMTS-8 protein is a human protein which comprises amino acid 1 through amino acid 245 of the sequence set forth in SEQ ID NO: 12. In one embodiment, mature ADAMTS-9 protein

is a human protein which comprises amino acid 236 through amino acid 1882 of the sequence set forth in SEQ ID NO: 14. In another embodiment, ADAMTS-9 protein is a mouse protein which comprises amino acid 1 through amino acid 974 of the sequence set forth in SEQ ID NO: 16. In one embodiment, mature ADAMTS 10 protein is a human protein which comprises amino acid 212 through amino acid 1081 of the sequence set forth in SEQ ID NO: 18. In another embodiment, ADAMTS-10 protein is a mouse protein which comprises amino acid 1 through amino acid 547 of the sequence set forth in SEQ ID NO: 20.

The present invention also provides isolated polynucleotides which encode an ADAMTS-N protein or a variant thereof, polynucleotide sequences complementary to such polynucleotides, vectors containing such polynucleotides, and host cells transformed or transfected with such vectors. The present invention also relates to antibodies which are immunospecific for one or more of the ADAMTS-N proteins. The present invention also relates to a protein referred to hereinafter as ADAMTS-R1 (ADAM-T-S Related protein-1) and the polynucleotides which encode such protein. In one embodiment, the ADAMTS-R1 protein comprises amino acid 1 through amino acid 525 of the sequence set forth in SEQ. ID NO: 22.

Brief Description of the Drawings

Figure 1 shows an amino acid sequence (SEQ ID NO:2) of a full-length mouse ADAMTS-5 protein and a nucleic acid sequence (SEQ ID NO: 1) which encodes such protein.

Figure 2 shows an amino acid sequence (SEQ ID NO:4) of a partial human ADAMTS-5 protein and a nucleic acid sequence (SEQ ID NO: 3) which encodes such protein.

Figure 3 shows an amino acid sequence (SEQ ID NO:6) of a full-length human ADAMTS-6 protein and a nucleic acid sequence (SEQ ID NO:5) which encodes such protein.

Figure 4 shows an amino acid sequence (SEQ ID NO:8) of a full-length human ADAMTS-7 protein and a nucleic acid sequence (SEQ ID NO:7) which encodes such protein.

Figure 5 shows an amino acid sequence (SEQ ID NO: 10) of a full-length mouse ADAMTS-8 protein and a nucleic acid sequence (SEQ ID NO:9) which encodes such protein.

Figure 6 shows an amino acid sequence (SEQ ID NO: 12) of a partial human ADAMTS-8 protein and a nucleic acid sequence (SEQ ID NO: 11) which encodes such amino acid sequence.

Figure 7 shows an amino acid sequence (SEQ ID NO: 14), of a full-length human ADAMTS-9 protein and a nucleic acid sequence (SEQ ID NO: 13) Which encodes such protein.

Figure 8 shows an amino acid sequence (SEQ ID NO: 16) of a partial mouse ADAMTS-9 protein and a nucleic acid sequence (SEQ ID NO: 15) which encodes such amino acid sequence.

Figure 9 shows an amino acid sequence (SEQ ID NO:18) of a full-length human ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 17) which encodes such protein.

Figure 10 show's an amino acid sequence (SEQ ID NO:20) of a partial mouse ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 19) which encodes such amino acid sequence.

Figure 11 shows an amino acid sequence (SEQ ID NO:22) of a full length ADAMTS-R1 protein and a nucleic acid sequence (SEQ ID NO: 21) which encodes such protein.

Figure 12 depicts the cloning strategy used for isolation of a. mouse and human ADAMTS-5 cDNAs b. human ADAMTS-6 cDNA and c. human ADAMTS-7 cDNA. The domain organization of each protein relative to the cDNA clones (thin line) is shown as is the extent of overlap between clones. The original I.M.A.G.E. clones are underlined. Intronic regions of incompletely spliced transcripts are shown by the angled

dotted lines. DNA scale marker (in bp) and amino acid scale marker are at upper right. Location of the probe used for *in situ* hybridization (ISH) is shown in a.

Figure 13 shows the predicted amino acid sequences of **a.** the mouse and human ADAMTS-5 proteins (alignment shows mouse sequence above, partial human sequence below) **b.** ADAMTS-6, and **c.** ADAMTS-7. The active-site sequences and proposed Met-turn are enclosed in boxes. Potential furin cleavage site(s) are indicated by arrows. Thrombospondin type-1 modules are underlined. Potential sites for N-inked glycosylation are overlined. Cysteine residues within the context of an MMP-like "cysteine switch" are indicated by the solid circles. Other cysteine residues are indicated by asterisks. The prodomain extends until the furin cleavage site, and the catalytic domain extends from the furin cleavage site to the approximate start of the disintegrin-like sequence (Dis). The start of the spacer domain is indicated; the region between the N-terminal TS domain and the spacer domain is the cysteine-rich domain. The single letter amino acid code is used.

Figure 14 shows Northern analysis of expression of ADAMTS-5, 6 and 7. RNA kilobase markers are shown at left of each autoradiogram, and tissue origin is indicated above each lane. **a.** Mouse embryo northern blots. **b.** Human multiple adult tissue northern blots.

Figure 15 is a schematic representation of the domain structure of ADAMTS-R1 protein as compared to ADAMTS-1 protein.

Figure 16 shows an amino acid sequence (SEQ ID NO: 24) of an alternative embodiment of a full-length human ADAMTS-10 protein and a nucleic acid sequence (SEQ ID NO: 23) which encodes such protein.

Figure 17 shows an amino acid sequence (SEQ ID NO: 26) of an alternative embodiment of human ADAMTS-9, which is a full-length protein designated as human ADAMTS-9b and a nucleic acid sequence

(SEQ ID NO: 25) which encodes such protein.

Figure 18 is a schematic representation of the domain structure of human ADAMTS-9b protein as compared to human and mouse ADAMTS-9 protein.

Detailed Description of the Invention

ADAMTS-N Proteins

The present invention relates to novel, isolated, substantially purified, mammalian proteins belonging to the ADAMTS subfamily of metalloproteases. As used herein, the term "substantially purified" refers to a protein that is removed from its natural environment, isolated or separated, and at least 60% free, preferably 75% free, and most preferably 90% free from other components with which it is naturally associated.

The novel mammalian proteins are ADAMTS-5, ADAMTS-6, ADAMTS-7, ADAMTS-8, ADAMTS-9 and ADAMTS-10, collectively ADAMTS-N. In one embodiment, the ADAMTS-5 protein is a mature mouse protein which comprises amino acid 231 through amino acid 930 of the sequence set forth in SEQ ID NO: 2. In another embodiment, the ADAMTS-5 protein is a human protein which comprises amino acid 1 through amino acid 518 of the sequence set forth in SEQ ID NO: 4. In one embodiment, ADAMTS-6 protein is a mat-Lire human protein which comprises amino acid 245 through amino acid 860 of SEQ ID NO:6. In one embodiment, the ADAMTS-7 protein is a mature human protein which comprises amino acid 233 through amino acid 997 of the sequence set forth in SEQ ID NO: 8. In one embodiment, the ADAMTS-8 protein is a mature mouse protein which comprises amino acid 229 through amino acid 905 of the sequence set forth in SEQ ID NO: 10. In another embodiment, the ADAMTS-8 protein is a human protein which comprises amino acid 1 through amino acid 245 of the sequence set forth in SEQ ID NO: 12. In one embodiment, the ADAMTS-9 is a mature human protein which comprises amino acid 236 through amino acid 1882 of the sequence set

forth in SEQ ID NO: 14. In another embodiment, the ADAMTS-9 protein is a mouse protein which comprises amino acid 1 through amino acid 874 of the sequence set forth in SEQ ID NO: 16. In another embodiment, the ADAMTS-9 designated ADAMTS-9b is a human protein which is comprised of 1934 amino acids as set forth in SEQ ID NO 26. In one embodiment, the ADAMTS-10 protein is a mature human protein which comprises amino acid 212 through amino acid 1081 of the sequence set forth in SEQ ID NO: 18. In another embodiment the ADAMTS- 10 protein is a mouse protein which comprises amino acid 1 through amino acid 525 of the sequence set forth in SEQ ID NO:20. In another embodiment, the ADAMTS-10 protein is a human protein which is comprised of 1072 amino acids as set forth in SEQ ID NO 24.

All of the novel ADAMTS-N proteins starting at the amino terminus comprise a signal sequence followed by a putative pro region which contains a consensus sequence for furin cleavage (except for ADAMTS-10), a catalytic domain, a domain of 60-90 residues with 35 to 45% similarity to snake venom disintegrins, a TS module, a cysteine rich domain containing multiple conserved cysteine residues, a spacer domain, and one or multiple C terminal TS modules. (See Figure 12.) As determined using the BLAST software from the National Center for Biotechnology Information, the predicted mature forms of the ADAMTS-N proteins show an overall 20-30% similarity to each other and to ADAMTS-1-4, although this may be considerably higher or lower for individual domains as described below.

The ADAMTS-N proteins also encompass variants of the ADAMTS-N proteins shown in Figs. 1-10. A "variant" as used herein, refers to a protein whose amino acid sequ nce is similar to one of the amino acid sequences shown in Figs. 1-10, hereinafter referred to as the reference amino acid sequence, but does not have 100% identity with the reference sequence. The variant protein has an altered sequence

in which one or more of the amino acids in the reference sequence is deleted or substituted, or one or more amino acids are inserted into the sequence of the reference amino acid sequence. As a result of the alterations, the variant protein has an amino acid sequence which is at least 95% identical to the reference sequence, preferably, at least 97% identical, more preferably at least 98% identical, most preferably at least 99% identical to the reference sequence. Variant sequences which are at least 95% identical have no more than 5 alterations, i.e. any combination of deletions, insertions or substitutions, per 100 amino acids of the reference sequence. Percent identity is determined by comparing the amino acid sequence of the variant with the reference sequence using MEGALIGN project in the DNA STAR program. Sequences are aligned for identity calculations using the method of the software basic local alignment search tool in the BLAST network service (the National Center for Biotechnology Information, Bethesda, MD) which employs the method of Altschul, S. F., Gish, W., Miller, W., Myers, E. W. & Lipman, D. J. (1990) *J. Mol. Biol.* 215, 403-410. Identities are calculated by the Align program (DNAstar, Inc.) In all cases, internal gaps and amino acid insertions in the candidate sequence as aligned are not ignored when making the identity calculation.

While it is possible to have nonconservative amino acid substitutions, it is preferred that the substitutions be conservative amino acid substitutions, in which the substituted amino acid has similar structural or chemical properties with the corresponding amino acid in the reference sequence. By way of example, conservative amino acid substitutions involve substitution of one aliphatic or hydrophobic amino acids, e.g. alanine, valine, leucine and isoleucine, with another; substitution of one hydroxyl-containing amino acid, e.g. serine and threonine, with another; substitution of

one acidic residue, e.g. glutamic acid or aspartic acid, with another; replacement of one amide-containing residue, e.g. asparagine and glutamine, with another; replacement of one aromatic, residue, e.g. phenylalanine and tyrosine, with another; replacement of one basic residue, e.g. lysine, arginine and histidine, with another; and replacement of one small amino acid, e.g., alanine, serine, threonine, methionine, and glycine, with another.

The alterations are designed not to abolish the immunoreactivity of the variant protein with antibodies that bind to the reference protein. Guidance in determining which amino acid residues may be substituted, inserted or deleted without abolishing immunoreactivity of the variant protein with an antibody specific for the respective reference protein are found using computer programs well known in the art, for example, DNASTAR software.

The ADAMTS-N proteins also encompass fusion proteins comprising an ADAMTS-N protein and a tag, i.e., a second protein or one or more amino acids, preferably from about 2 to 65 amino acids, more preferably from about 34 to about 62 amino acids, which are added to the amino terminus of, the carboxy terminus of, or any point within the amino acid sequence of an ADAMTS-N protein, or a variant of such protein. Typically, such additions are made to stabilize the resulting fusion protein or to simplify purification of an expressed recombinant form of the corresponding ADAMTS-N protein or variant of such protein. Such tags are known in the art. Representative examples of such tags include sequences which encode a series of histidine residues, the epitope tag FLAG, the Herpes simplex glycoprotein D, beta-galactosidase, maltose binding protein, or glutathione S-transferase.

The ADAMTS-N proteins also encompass ADAMTS-N proteins in which one or more amino acids, preferably no more than 10 amino acids, in

the respective ADAMTS-N protein are altered by posttranslation processes or synthetic methods. Examples of such modifications include, but are not limited to, acetylation, amidation, ADP-ribosylation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or a lipid, cross-linking gamma-carboxylation, glycosylation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, sulfation, and transfer-RNA mediated additions of amino acids to proteins such as arginylation and ubiquitination.

The ADAMTS-N proteins are immunogenic and, thus, are useful for preparing antibodies. Such antibodies are useful for identifying and diagnosing disorders which are associated with decreased expression or activity or increased expression of an ADAMTS-N protein. The ADAMTS-N protein may also be useful for treating such disorder.

Diseases involving enhanced or depressed proteolyisis of the core proteins of the extracellular may involve enhanced expression or activity or decreased expression or activity of one or more ADAMTS-N proteins. Thus, ADAMTS-N proteins may be used to identify drugs, polypeptides, auto-antibodies, or other natural compounds which bind to an ADAMTS-N protein with sufficient affinity to block or facilitate its activity. The activity of the ADAMTS-N protein is assayed in the presence and the absence of the putative inhibitor or facilitator using any of a variety of protease assays known in the art. In general, the activity of the ADAMTS-N protein is assayed through the use of a peptide or protein substrate having a known or putative cleavage site for the ADAMTS-N protein. To detect cleavage or to monitor the extent of cleavage, the substrate is tagged in a manner which provides a detectable signal upon cleavage. For example, the substrate may be tagged with a fluorescent group on one

side of the cleavage site and with a fluorescence-quenching group on the opposite side of the cleavage site. Upon cleavage by the substrate, quenching is eliminated and a detectable signal is produced. Alternatively, the substrate is tagged with a colorimetric leaving group that more strongly absorbs upon cleavage. Agents which block ADAMTS-N-catalyzed cleavage of a protein substrate may be administered to a subject to block proteolysis of the corresponding protein substrate.

ADAMTS-R1 Protein

The present invention also relates to a protein, referred to hereinafter as "ADAMTS-R1". From its amino to its carboxyl terminus, ADAMTS-R1 comprises a signal peptide sequence, a TS1 module, a cysteine-rich domain, a spacer domain, and three TS1 modules. Thus, ADAMTS-R1 has a structure which is related to or similar to an ADAMTS-N protein, but which lacks a catalytic domain and a disintegrin-like domain. In one embodiment, ADAMTS-R1, protein comprises amino acid 1 through amino acid 525 of the amino acid sequence, SEQ ID N0:22, shown in Fig. 11. Such protein has a 30-40% overall sequence identity with similar regions of the ADAMTS-N proteins. The ADAMTS-R1 proteins also encompass variants of the amino acid sequence shown in Fig. 11 and fusion proteins which contain the amino acid sequence shown in Fig. 11 or a variant thereof. On the basis of its domain organization, it is expected that ADAMTS-R1 can bind to extracellular matrix or cell surface molecules, including ADAMTS-N substrates. Thus, it is expected that ADAMTS-R1 can be used as an cell-matrix or cell-cell adhesion molecule or an ADAMTS-N competitive inhibitor. The ADAMTS-R1 proteins are also useful for preparing antibodies. Such antibodies are useful for identifying tissues where ADAMTS-R1 is expressed and for diagnosing disorders which are associated with decreased

expression or increased expression of. an ADAMTS-R1 protein.

Polynucleotides

The present invention also provides isolated polynucleotides which encode the mammalian ADAMTS-N proteins and the mammalian ADAMTS-R1 protein. Figure 1 shows one embodiment of a polynucleotide, SEQ ID NO: 1, which encodes the full-length mouse ADAMTS-5 protein. Figure 2 shows one embodiment of a polynucleotide; SEQ ID NO: 3, which encodes a partial human ADAMTS-5 protein. Figure 3 shows one embodiment of a polynucleotide; SEQ ID NO: 5, which encodes a full-length human ADAMTS-6 protein. Figure 4 shows one embodiment of a polynucleotide; SEQ ID NO: 7, which encodes a full-length human ADAMTS-7 protein. Figure 5 shows one embodiment of a polynucleotide; SEQ ID NO: 9, which encodes a full-length mouse ADAMTS-8 protein. Figure 6 shows one embodiment of a polynucleotide; SEQ ID NO: 11, which encodes a partial human ADAMTS-8 protein. Figure 7 shows one embodiment of a polynucleotide; SEQ ID NO: 13, which encodes a full-length human ADAMTS-9 protein. Figure 8 shows one embodiment of a polynucleotide; SEQ ID NO: 15, which encodes a partial ADAMTS-9 protein. Figure 9 shows one embodiment of a polynucleotide; SEQ ID NO: 17, which encodes a full-length human ADAMTS-10 protein. Figure 10 shows one embodiment of a polynucleotide; SEQ ID NO: 19, which encodes a partial mouse ADAMTS-10 protein. Figure 11 shows one embodiment of a polynucleotide; SEQ ID NO: 21, which encodes a full-length ADAMTS-R1 protein.

Due to the known degeneracy of the genetic code wherein more than one codon can encode the same amino acid, a DNA sequence may vary from that shown in SEQ ID NO: 1 and still encode an ADAMTS-5 protein having the amino acid sequence of SEQ ID NO: 2. Similarly, a DNA sequence may vary from that shown in SEQ ID NO:5, and still encode an ADAMTS-6 protein having the amino acid sequence set forth

in SEQ ID NO:6. Similarly a DNA sequence may vary from that shown in SEQ ID NOS: 7, 9, 11, and 13, and still encode the amino acid sequences shown in SEQ ID NOS: 8, 10, 12, and 14, respectively. Such variant DNA sequence may result from silent mutations, such as for example those that occur during PCR amplification or from deliberate mutagenesis of a native sequence.

The present polynucleotides also encompass polynucleotides having sequences that are capable of hybridizing to the nucleotide sequences of FIGS 1 - 11 under stringent conditions, preferably highly stringent conditions. Hybridization conditions are based on the melting temperature™ of the nucleic acid binding complex or probe, as described in Berger and Kimmel (1987) Guide to Molecular Cloning Techniques, Methods in Enzymology, vol 152, Academic Press. The term "stringent conditions, as used herein, is the "stringency" which occurs within a range from about Tm-5 (5° below the melting temperature of the probe) to about 20° C below Tm. As used herein "highly stringent" conditions employ at least 0.2 x SSC buffer and at least 65° C. As recognized in the art, stringency conditions can be attained by varying a number of factors such as the length and nature, i.e., DNA or RNA, of the probe; the length and nature of the target sequence, the concentration of the salts and other components, such as formamide, dextran sulfate, and polyethylene glycol, of the hybridization solution. All of these factors may be varied to generate conditions of stringency which are equivalent to the conditions listed above.

The present polynucleotides also encompasses alleles of the ADAMTS-N and ADAMTS-R1 encoding sequences. As used herein, an allele or allelic sequence is an alternative form of an ADAMTS-N or ADAMTS-R1 encoding sequence which is present at the same gene locus. The allele may result from one or more mutations in the ADAMTS-N or

ADAMTS-R1 encoding sequence. Such mutations typically arise from natural addition, deletion of substitution of nucleotides in the open reading frame sequences. Any gene which encodes an ADAMTS-N protein or ADAMTS-RI protein may have none, one, or several allelic forms. Such alleles are identified using conventional techniques, such as for example screening libraries with probes having sequences identical to or complementary with one or more ADAMTS-N polynucleotides.

The present polynucleotides also encompass altered polynucleotides which encode ADAMTS-N proteins, ADAMTS-R1 proteins, and variants thereof. Such alterations include deletions, additions, or substitutions. Such alterations may produce a silent change and result in an ADAMTS-N protein having the same amino acid sequence as the ADAMTS-N protein encoded by the unaltered polynucleotide. Such alterations may produce a nucleotide sequence possessing non-naturally occurring codons. For example, codons preferred by a particular prokaryotic or eucaryotic host may be incorporated into the nucleotide sequences showing Figures 1 -11 to increase the rate of expression of the proteins encoded by such sequences. Such alterations may also introduce new restriction sites into the sequence or result in the production of an ADAMTS-N or ADAMTS-RI variant. Typically, such alterations are accomplished using site-directed mutagenesis.

The polynucleotides are useful for producing ADAMTS-N or ADAMTS-R1 proteins. For example, an RNA molecule encoding an ADAMTS-N protein is used in a cell-free translation systems to prepare such protein. Alternatively, a DNA molecule encoding an ADAMTS-N protein is introduced into an expression vector and used to transform cells. Suitable expression vectors include for example chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of

SV40, bacterial plasmids, phage DNAs; yeast plasmids, vectors derived from combinations of plasmids and phage DNAs, viral DNA such as vaccinia, adenovirus, fowl pox virus, pseudorabies, baculovirus, and retrovirus. The DNA sequence is introduced into the expression vector by 5 conventional procedures.

Accordingly, the present invention also relates to recombinant constructs comprising one or more of the present polynucleotide sequences. Suitable constructs include, for example, vectors, such as a plasmid, phagemid, or viral vector, into which a sequence that encodes an ADAMTS-N protein or an ADAMTS-R1 protein has been inserted. In the expression vector, the DNA sequence which encodes the ADAMTS-N protein is operatively linked to an expression control sequence, i.e., a promoter, which directs mRNA synthesis. Representative examples of such promoters, include the LTR or SV40 promoter, the *E. coli* lac or trp, the phage lambda PL promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or in viruses. The promoter may also be the natural promoter of the ADAMTS-N encoding sequence. The expression vector, preferably, also contains a ribosome binding site for translation initiation and a transcription terminator. Preferably, the recombinant expression vectors also include an origin of replication and a selectable marker, such as for example, the ampicillin resistance gene of *E. coli* to permit selection of transformed cells, i.e. cells that are expressing the heterologous DNA sequences. The polynucleotide sequence encoding the ADAMTS-N protein is incorporated into the vector in frame with translation initiation and termination sequences.

The polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein are used to express recombinant protein using techniques well known in the art. Such techniques are described in Sambrook, J. et al

(1989) Molecular Cloning A Laboratory Manual, Cold Spring Harbor Press, Plainview, N.Y. and Ausubel, F. M. et al. (1989) Cuurent Protocols in Molecular Biology, John Wile & Sons, New York, NY.

Polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein may also be used for diagnostic purposes. The polynucleotides may be used to detect and quantify ADAMTS-N or ADAMTS-R1 gene transcripts in biopsied tissues in which enhanced expression or reduced expression of the corresponding ADAMTS-N or ADAMTS-RI gene is correlated with a disease. The diagnostic assay may be used to determine whether expression is absent, present, or altered and to determine whether certain therapeutic agents modulate expression of the corresponding ADAMTS-N or ADAMTS-R1 gene.

Also encompassed by the present invention, are single stranded polynucleotides, hereinafter referred to as antisense polynucleotides, having sequences which are complementary to the DNA and RNA sequences which encode the ADAMTS-N or ADAMTS-R1 proteins. The term complementary as used herein refers to the natural binding of the polynucleotides under permissive salt and 5 temperature conditions by base pairing.

The present invention also encompasses oligonucleotides that are used as primers in polyrnerase chain reaction (PCR) technologies to amplify transcripts of the genes which encode the ADAMTS-N and ADAMTSR-1 proteins or portions of such transcripts. Preferably, the primers comprise 18-30 nucleotides, more preferably 19-25 nucleotides. Preferably, the primers have a G+C content of 40% or greater. Such oligonucleotides are at least 98% complementary with a portion of the DNA strand, i.e., the sense strand, which encodes the respective ADAM-TS family protein or a portion of its corresponding antisense strand. Preferably, the primer has at least 99% complementarity, more preferably 100% complementarity, with such

sense strand or its corresponding antisense strand. Primers which are which have 100% complementarity with the antisense strand of a double-stranded DNA molecule which encodes an ADAMTS-N protein have a sequence which is identical to a sequence contained within the sense strand. The identity of primers which are 15 nucleotides in length and have full complementarity with a portion of the antisense strand of a double-stranded DNA molecule which encodes the ADAMTS-N protein is determined using the nucleotide sequences, shown in FIG I - 11 and described by the general formula a-b; where a is any integer between I and the position number of the nucleotide which is located 15 residues upstream of the 3' end of the sense or antisense strand of the cDNA sequences shown in FIG 1 -11; where b is equal to a+14; and where both a and b correspond to the positions of nucleotide residues of the cDNA sequences shown in FIGS 1 - 11.

The present invention also encompasses oligonucleotides that are useful as hybridization probes for for isolating and identifying cDNA clones and genomic clones encoding the ADAMTS-N or ADAMTS-R1 protein or allelic forms thereof. Such hybridization probes are also useful for detecting transcripts of the genes which encode the ADAMTS-N family proteins or for mapping of the genes which encode the ADAMTS-N proteins Preferably, such oligonucleotides comprise at least 210 nucleotides, more preferably at least 230, most preferably from about 210 to 280 nucleotides. Such hybridization probes have a sequence which is at least 90% complementary with a sequence contained within the sense strand of a DNA molecule which encodes an ADAMTS-N protein or ADAMTS-R1 protein or with a sequence contained within its corresponding antisense strand. Such hybridization probes bind to the sense strand under stringent conditions. The term "stringent conditions" as used herein is the binding which occurs within a range from about Tin 5'C (5'C below the melting temperature

Tm of the probe) to about 20°C to 25°C below Tm. The probes are used in Northern assays to detect transcripts of ADAMTS-N homologous genes and in Southern assays to detect ADAMTS-N homologous genes. The identity of probes which are 200 nucleotides 5 in length and have full complementarity with a portion of the antisense strand of a double-stranded DNA molecule which encodes the ADAMTS-N protein is determined using the nucleotide sequences shown in FIG 1 - 10 and described by the general formula a-b; where a is any integer between I and the position number of the nucleotide which is located 200 residues upstream of the 3' end of the sense or antisense strand of the cDNA sequences shown in FIG 1 -10; b is equal to a +200; and where both a and b correspond to the positions of nucleotide residues of the cDNA sequences shown in FIG 1-10.

Such probes or primers are also useful for identifying tissues or cells in which the corresponding ADAMTS-N or ADAMTS-R1 gene is preferentially expressed either constitutively or at particular state of tissue differentiation or development or in disease states. Expression of the ADAMTS-N or ADAMTS-R1 gene in a particular tissue or group of cells is determined using conventional procedures including, but not limited to, Northern analysis, in situ hybridization to RNA or RT-PCR amplification. Isolated polynucleotides encoding an ADAMTS-N or ADAMTS-R1 protein are also useful as chromosome markers to map linked gene positions, to identify chromosomal aberrations such as translocations, inversions and trisomies, to compare with endogenous DNA sequences in patients to identify potential genetic disorders, and as probes to hybridize and thus discover novel, related DNA sequences. For use in such studies and assays, the probes may be labeled with radioisotopes, fluorescent labels, or enzymatic labels. The assays include, but are not limited to, Southern blot, in situ hybridization to DNA in cells

and chromosomes, PCR, and allele specific hybridization.

Antibodies

In another aspect, the present invention relates to antibodies which are specific for and bind to the ADAMTS-5 protein, the ADAMTS-6 protein, the ADAMTS-7 protein, the ADAMTS-8 protein, the ADAMTS-9 protein, the ADAMTS-10 protein, or the ADAMTS-R1 protein. Such antibodies are useful research tools for identifying *tissues that contain elevated levels of the respective protein and for purifying the respective protein from cell or tissue extracts, medium of cultured cells, or partially purified preparations of intracellular and extracellular proteins by affinity chromatography. Such antibodies are also useful for identifying and diagnosing diseases associated with elevated or reduced levels of an ADAMTS-N protein or ADAMTS-R1 protein. Such antibodies are also useful for monitoring the effect of therapeutic agents on the synthesis and secretion of ADAMTS-N proteins by cells in vitro and in vivo. Such antibodies may also be employed in procedures, such as co-immunoprecipitation and co-affinity chromatography, for identifying other proteins, activators and inhibitors which bind to an ADAMTS-N or ADAMTS-R1 protein.

The present invention also provides a method for detecting an ADAMTS-N or ADAMTS-R1 protein, in a bodily sample from a patient using antibodies immunospecific for an ADAMTS-N or ADAMTS-R1 protein. The method comprises contacting the antibody with a sample taken from the patient; and assaying for the formation of a complex between the antibody and the corresponding ADAMTS-N or ADAMTS-R1 protein present in the sample. The sample may be a tissue or a biological fluid, including but not limited to whole blood, serum, synovial fluid, stool, urine, cerebrospinal fluid, semen, diagnostic washes from trachea, stomach and other bowel segments, tissue biopsies or excised

tissue, cells obtained from swabs and smears. To monitor changes in expression of the ADAMTS-N protein during fetal development and pregnancy, it is preferred that the sample be amniotic fluid. To monitor changes in expression of the ADAMTS-N protein during joint disorders, the preferred sample is synovial fluid. To monitor changes in expression of ADAMTS-N proteins during cancer, the preferred samples include, but are not limited to, serum, body fluids, or biopsy tissue. To monitor changes in expression of ADAMTS-N proteins during inflammation the preferred samples include, but are not limited to, serum, body fluids, or biopsy tissue.

The sample may be untreated, or subjected to precipitation; fractionation, separation, or purification before combining with the anti-ADAMTS-N protein antibody. For ease of detection, it is preferred that isolated proteins from the sample be attached to a substrate such as. a column, plastic dish, matrix, or membrane, preferably nitrocellulose. Preferably, the detection method employs an enzyme-linked immunosorbent assay (ELISA) or a Western immunoblot procedure.

Interactions between an ADAMTS-N protein in the sample and the corresponding anti ADAMTS-N antibody are detected by radiometric, colorimetric, or fluorometric means, size separation, or precipitation. Preferably, detection of the antibody-ADAMTS-N protein complex is by addition of a secondary antibody that is coupled to a detectable tag, such as for example, an enzyme, fluorophore, or chromophore. Formation of the complex is indicative of the presence of the ADAMTS-N protein i n the test sample. Thus, the method is used to determine whether there is a decrease or increase in the levels of the ADAMTS-N protein in a test sample as compared to levels of the ADAMTS-N protein in a control sample and to quantify the amount of the ADAMTS-N protein in the test sample.

Deviation between control and test values establishes the parameters for diagnosing the disease.

Preparing the ADAMTS-N proteins and the ADAMTS-R1 protein

The ADAMTS-N proteins and the ADAMT-SR1 protein may be produced by conventional peptide synthesizers. The ADAMTS-N proteins and the ADAMTS-R1 protein may also be produced using cell-free translationsystems and RNA molecules derived from DNA constructs that encode an ADAMTS-N protein or an ADAMTS-RI protein. Alternatively, ADAMTS-N proteins are made by transfecting host cells with expression vectors that comprise a DNA sequence that encodes the respective ADAMTS-N protein and then inducing expression of the protein in the host. cells. For recombinant production, recombinant constructs comprising one or more of the sequences which encode the ADAMTS-N protein or a variant thereof are introduced into host cells by conventional methods such as calcium phosphate transfection, DEAE-dextran mediated transfection, transvection, microinjection, cationic lipid-mediated transfection, electroporation, transduction, scrape lading, ballistic introduction or infection.

The ADAMTS-N protein and the ADAMTS-R1 protein may be expressed in suitable host cells, such as for example, mammalian cells, yeast, bacteria, insect cells or other cells under the control of appropriate promoters using conventional techniques. Suitable hosts include, but are not limited to, E. coli, P. pastoris, Cos cells and 293 HEK cells. Following transformation of the suitable host strain and growth of the host strain to an appropriate cell density, the cells are harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification of the ADAMTS-N protein or the ADAMTS-R1 protein.

Conventional procedures for isolating recombinant proteins from transformed host cells, such as isolation by initial extraction from

cell pellets or from cell culture medium, followed by salting-out, and one or more chromatography steps, including aqueous ion exchange chromatography, size exclusion chromatography steps, and high performance liquid chromatography (HPLC), and affinity chromatography may be used to isolate the recombinant ADAMTS-N protein or ADAMTS R1 protein

Preparation of Antibodies

The ADAMTS-N proteins, and variants thereof are used as immunogens to produce antibodies immunospecific for one or more ADAMTS-N protein. The term "immunospecific" means the antibodies have substantially greater affinity for one or more ADAMTS-N protein than for other proteins. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, single chain, and Fab fragments.

Antibodies are also prepared using an oligopeptide having a sequence which is identical to a portion of the amino acid sequence of an ADAMTS-N protein. Preferably the oligopeptide has an amino acid sequence of at least five amino acids, and more preferably, at least 10 amino acids that are identical to a portion of the amino acid sequence of an ADAMTS-N protein. Such peptides are conventionally fused with those of another protein such as keyhole limpet hemocyanin and antibody produced against the chimeric molecule. One preferred oligopeptide for preparing an antibody to mouse ADAMTS-5 has the sequence (C)HIKVRQFKAKDQTRF, SEQ ID NO: 30. Another preferred oligopeptide for preparing an antibody to ADAMTS-5 is CEAKNGYQSDAKGVKTFVEWVPKYAG, SEQ ID NO: 3 1. One preferred oligopeptide for preparing an antibody to ADAMTS-6 has the sequence SVSIERFVETLVVADK(C), SEQ ID NO:23. One preferred oligopeptide for preparing an antibody to ADAMTS-7 has the sequence (C)EVAEAANFLALRSEDPEKY, SEQ ID NO:24. One preferred oligopeptide for

preparing an antibody to ADAMTS-8 has the sequence CVKEDVENPKAVVDGDWGP, SEQ ID NO:25. One preferred oligopeptide for preparing an antibody to ADAMTS-9 has the sequence QHPFQNEDYRPRSASPSRTH, SEQ ID NO:26. Another preferred oligopeptide for preparing an antibody to ADAMTS-9 has the sequence PQNCKEVKRLKGASEDGEYF, SEQ ID NO:27. One preferred oligopeptide for preparing an antibody for ADAMTS-R1 has the sequence QELEEGAAVSEEPS, SEQ ID NO:28. Another preferred oligopeptide for preparing an antibody for ADAMTS-R1 has the sequence YYPENIKPKPKLQE; SEQ ID NO:29.

Polyclonal antibodies are generated using conventional techniques by administering the ADAMTS-N protein or achimeric molecule to a host animal. Depending on the host species, various adjuvants may be used to increase immunological response. Among adjuvants used in humans, Bacilli Calmette-Guerin (BCG), and Corynebacterium parvum. are especially preferable. Conventional protocols are also used to collect blood from the immunized animals and to isolate the serum and or the IgG fraction from the blood.

For preparation of monoclonal antibodies, conventional hybridoma techniques are used. Such antibodies are produced by continuous cell lines in culture. Suitable techniques for preparing monoclonal antibodies include, but are not limited to, the hybridoma technique, the human B-cell hybridoma technique, and the EBV hybridoma technique.

Various immunoassays may be used for screening to identify antibodies having the desired specificity. These include protocols which. involve competitive binding or immunoradiometric assays and typically involve the measurement of complex formation between the respective ADAMTS-N protein and the antibody.

Polynucleotides that encode ADAMTS-N proteins

Polynucleotides comprising sequences encoding an ADAMTS-N

protein or an ADAMTS-R1 protein may be synthesized in whole or in part using chemical methods. Polynucleotides which encode an ADAMTS-N protein, particularly alleles of the genes which encode the ADAMTS-N protein, may be obtained by screening a genomic library or cDNA library with a probe comprising sequences identical or complementary to the sequences shown in Figures 1 - 10 or with antibodies immunospecific for a ADAMTS-N protein to identify clones containing such polynucleotide.

Example 1 ADAMTS-512 protein

A cDNA encoding mouse ADAMTS-5 protein was obtained using IMAGE Clone 569515, purchased from Research Genetics, Huntsville, Alabama and 7 day old mouse embryo cDNA library from Clontech, Palo Alto, CA. A cDNA encoding human ADAMTS-5 protein was obtained using IMAGE Clone 345484 purchased from Research Genetics, Huntsville, Alabama and a human fetal brain cDNA from Clontech. The clone inserts were sequenced in their entirety. Using oligonucleotide primers based on the sequences at the ends of the. clone inserts as template, successive rounds of RACE (Rapid Amplification of cDNA Ends) by PCR was performed at 5′ and 3 ends. RACE primers were generated 50-200 bp from the ends of the sequences so that the contiguity of RACE clones with the I.M.A.G.E. clone could be clearly established. A single round of 5′ and 3′ 20 RACE sufficed for cloning of the entire coding sequence of the mouse ADAMTS-5 protein and part of the catalytic zinc binding site through to the stop codon of the human ADAMTS-5 protein. Primers were designed with calculated Tm>72°C and RACE was performed with nested primers for each amplification. PCR used the Advantage PCR reagents (Clontech, Palo Alto, CA); the polymerase mix contained both *Taq* polymerase as well as proofreading polymerase to minimize PCR errors and employed "hot-start" PCR for optimal efficiency. RACE used the following "touch-down" cycle

conditions; 95°C for 1 minute followed by 5 cycles of 95°C for 0.5 minutes, 72°C for 5 minutes, then 5 cycles of 95°C for 0.5 minutes, 70°C for 5 minutes and 20 cycles of 95°C for 0.5 minutes, 68°C for 5 minutes. The PCR products were analyzed by Southern blotting, initially using [α^{32}P]-dCTP labeled.

Hybridizing bands were ligated into pGEM-T Easy (Promega, Madison, WI) and individual clones were selected by another round of Southern analysis. Automated nucleotide sequencing of both strands of each clone were done at the Molecular Biotechnology Core of the Lerner Research Institute, Cleveland Clinic Foundation and nucleotide sequence data were analyzed using the DNAStar software. By integration of the overlapping sequences thus obtained, a contiguous nucleotide sequence was determined. The nucleotide sequence of the mouse ADAMTS-5 cDNA and the predicted amino acid sequence of the protein encoded by this cDNA are shown in Fig. 1. The nucleotide sequence of the human ADAMTS-5 cDNA and the predicted partial amino acid sequence of the protein encoded by this cDNA are shown in Fig. 2.

The predicted molecular mass (Mr) of the mature ADAMTS-5 protein is 73717.50 daltons. It is expected that the actual Mr of the active ADAMTS-5 protein is different due to post-translational modification, which could potentially increase the Mr. The predicted domain organization of ADAMTS-5 protein relative to the cloned cDNA is shown in Figure 12. The pro-domain of the full-length mouse ADAMTS-5 protein has 3 consensus cleavage signals for furin. The most carboxyl-terminal furin cleavage site in ADAMTS-5 predicts the processing site for generation of the mature protein The catalytic domain of the ADAMTS-5 protein contains eight cysteine residues and a reprolysin -zinc binding signature sequence, i.e., HEIGHLLGLSHD. Five cysteine residues are upstream of the zinc binding sequence,

while three residues are downstream, an arrangement that is shared with other ADAMTS members. The zinc binding signature is followed by a "Met-turn". The catalytic domain is followed by a domain with 35% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserved cysteine-rich sequence termed the cysteine-rich domain, designated "CRD", to distinguish it from the cysteine-free spacer domain. The CRD contains ten conserved cysteines and demonstrates high sequence homology with the CRD of other ADAMTS-N proteins. The spacer domain of mouse ADAMTS-5 is 158 amino acids in length and is followed by a second TS module. ADAMTS-5 contains three potential glycosylation sites in the mature protease one of which is just upstream of the start of the spacer domain and the second lies within the spacer domain and the third is near the start of the disintegrin domain. The human ADAMTS-5 protein and the mouse ADAMTS-5 protein have 96% sequence identity. ADAMTS-5 bears 46% sequence identity to ADAMTS-4 (KIAA0688), which is characterized as being involved in catabolism of aggrecan core protein in arthritis and 60% identity to ADAMTS-1 which is involved in inflammation.

Example 2 ADAMTS-6

The nucleotide sequence of a human cDNA encoding the full-length ADAMTS-6 protein was obtained using IMAGE clone 742630, which encodes EST AA400393, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The I.M.A.G.E. clone 742630 contained an ORF flanked by consensus splice sequences, indicating the presence of introns. Two successive rounds of RACE at the 5' end and a single round of RACE at the 3' end provided the complete coding sequence of ADAMTS-6. The putative ATG codon is within a Kozak consensus sequence and encodes the first methionine within the ORF.

The nucleotide sequence of the ADAMTS-6 DNA is shown in Fig. 3 The predicted amino acid sequence, SEQ ID NO:6, of the ADAMTS-6 protein is also shown in Fig. 3. The predicted Mr of the full-length, unprocessed ADAMTS-6 protein is 97,115 daltons., and the predicted Mr of the mature ADAMTS-6 protein is 68412.10 daltons. The domain organization of the ADAMTS-6 protein is shown in Fig. 12. The pro-domain of the full-length ADAMTS-6 protein has one consensus cleavage signal for furin. The catalytic domain of the ADAMTS-6 contains six cysteine residues and the reprolysin -zinc binding signature sequence, HEIVHNFGMNHD, which is followed by a "Met-tum". The catalytic domain is followed by a domain with 35% similarity to snake venom disintegrins. The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserve CRD sequence which contains ten conserved cysteines and demonstrates high sequence homology with the CRD of other ADAMTS proteins. The spacer domain of ADAMTS-6 is 127 amino acids in length and is followed by a second TS module. ADAMTS-6 contains four potential glycosylation sites within the pyo-domain and two in the mature protease one of which is in the cysteine rich domain and the other of which is in the spacer domain. ADAMTS-6 bears 46% sequence identity to ADAMTS-1, which is involved in inflammation.

Example 3 ADAMTS-7.

The nucleotide sequence of a cDNA encoding an ADAMTS-7 protein was obtained using IMAGE clone 272098, which encodes EST N4.8032, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The I.M.A.G.E. clone 272098 encoded a putative pre-pro region and was extended in the 3'-direction by two successive rounds of RACE. A typical signal peptide sequence lies downstream of the first methionine in the translated ORF. This

methionine codon lies within a satisfactory Kozak consensus for translation initiation.

The nucleotide sequence of the ADAMTS-7 cDNA is shown in Fig. 4. The predicted amino acid sequence, SEQ ID NO: 8, of the ADAMTS-7 protein is also shown in Fig. 4. The predicted Mr of the hill-length, unprocessed ADAMTS-7 protein is 116,607 daltons, and the predicted Mr of the mature ADAMTS-7 protein is 84005 daltons. The domain organization of the ADAMTS-7 protein is shown in Fig. 12. The pro-domain of the full-length ADAMTS-7 protein has one consensus cleavage signal for furin. The catalytic domain of the ADAMTS-7 protein contains eight cysteine residues and the reprolysin-zinc binding signature sequence, HELGHSFGIQHD, which is followed by a "Met-tum". The catalytic domain is followed by a domain with 30% similarity to snake venom disintegrins The disintegrin domain contains eight cysteine residues. The first TS repeat contains 52 residues and is followed by a conserved CRD sequence which contains ten conserved cysteines. The spacer domain of ADAMTS-7 is 221 amino acids in length and is followed by a second TS module and a short sequence containing two cysteine residues. ADAMTS-7 contains three potential glycosylation sites within the mature protease; one of which is just upstream of the spacer domain and one of which is within the spacer domain. ADAMTS-7 bears 35 % sequence identity to ADAMTS-1, which is characterized as being involved in inflammation and 32% identity to ADAMTS-2 which is a procollagen processing enzyme.

Example 4: ADAMTS-8

The nucleotide sequence of a cDNA encoding a full-length, mouse ADAMTS-8 protein was obtained using IMAGE clone 1260693, which encodes EST AA855532, and a mouse embryo cDNA from Clonetech. The nucleotide sequence of a cDNA encoding a partial ADAMTS-8 human

protein was obtained using IMAGE clone 2119838, which encodes EST A1400905, and a human fetal brain cDNA library from Clontech. RACE was performed, as described above in Example 1. The nucleotide sequence of the cDNA encoding the full-length ADAMTS-8 mouse protein and the amino acid sequence of such protein is shown in Fig. 5. The nucleotide sequence of the cDNA encoding the partial ADAMTS-8 human protein and the amino acid sequence of such protein is shown in Fig. 6.

The predicted Mr of the full-length, unprocessed ADAMTS-8 mouse protein is 1260693 daltons, and the predicted Mr of the mature ADAMTS-8 protein is 68412.10 daltons. The pro domain of the full-length ADAMTS-8 protein has one consensus cleavage signal for furin. The catalytic domain contains eight cysteine residues and the reprolysm-zinc binding signature sequence, HELGHVLSMPHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 20-30% similarity to snake venom disintegrins. The disintegrin-like domain contains eight cysteine residues. The first TS repeat is followed by a conserved CRD sequence which contains 10 conserved cysteines. The spacer domain of ADAMTS-8 is 146 amino acids in length and is followed by a second TS module. The ADAMTS-8 protein contains 4 potential glycosylation sites within the mature protease: one is in the cysteine-rich domain; one is in the catalytic domain; and two are in the disintegrin-like domain. ADAMTS-8 bears 46% sequence identity to ADAMTS-1 and 42% identity to ADAMTS-4.

Example 5: ADAMTS-9

The nucleotide sequence of a cDNA encoding a full-length, human ADAMTS-9 protein was obtained using IMAGE clone 646675, which encodes EST AA205581, and a human fetal brain cDNA from Clonetech. The micleotide sequence of a cDNA encoding a partial ADAMTS-9 mouse

protein was obtained using IMAGE clone 535663, which encodes EST AA1 06215, and a mouse cDNA library obtained from Clonetech. RACE was performed as described above in Example 1. The nucleotide sequence of the cDNA encoding the full-length ADAMTS-9 human proteinand the amino acid sequence of such protein is shown in Fig.6. The nucleotide sequence of the cDNA encoding the partial ADAMTS-9 mouse protein and the amino acid sequence of such protein is shown in Fig. 7.

The predicted Mr of the mature human ADAMTS-9 protein is 189777.20 daltons. The prodomain of the predicted ADAMTS-9 protein has 3 consensus cleavage signal for furin. The catalytic domain of the ADAMTS-9 contains eight cysteine residues and the reprolysin - zinc binding signature sequence, HELGHVFNMPHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 25-30% similarity to snake venom disintegrins The disintegrin domain contains eight cysteine residues. The first TS repeat contains is followed by a conserved CRD sequence which. contains 10 conserved cysteines. The spacer domain of ADAMTS-9 is 124 amino acids in length and is followed by 14 additional TS modules and a C-terminal domain. The ADAMTS-9 protein contains 6 potential glycosylation sites within the mature protease: one in the spacer domain, one in TSP 1 -7, one in TSPI-8, and 3 in the C-terminal domain. The ADAMTS-9 bears 44% sequence identity to ADAMTS-4.

Example 6: ADAMTS-10

The nucleotide sequence of a cDNA encoding a fall-length ADAMTS- 10 protein was obtained using IMAGE clone 110403, which encodes EST AA588434, and a human fetal brain cDNA from Clonetech. The nucleotide sequence of a cDNA encoding a partial, mouse ADAMTS-10 protein was obtained using IMAGE clone 1077653, which encodes EST AA822090, and a mouse embryo cDNA library from Clonetech. RACE was

performed as described above in Example 1. The nucleotide sequence of the human ADAMTS-10 cDNA and the predicted amino acid sequence, SEQ ID 18, of the human ADAMTS-10 protein encoded by such DNA is shown in Fig. 9. The nucleotide sequence of the cDNA encoding the partial mouse ADAMTS-10 protein and the amino acid sequence of such protein is shown in Fig. 10.

The predicted Mr of the mature ADAMTS-10 protein is 95238 daltons. The pro-domain of the full-length ADAMTS-10 protein has no consensus cleavage signal for furin. The catalytic domain of the ADAMTS-10 contains eight cysteine residues and the reprolysin-zinc binding signature sequence, HEIGHTFGMNHD, which is followed by a "Met-turn". The catalytic domain is followed by a domain with 30% similarity to snake venom disintegrins. The disintegrin-like domain contains eight cysteine residues. The first TS repeat is followed by a conserved CRD sequence which contains 8 conserved cysteines. The spacer domain of ADAMTS-10 is followed by 4 additional TS modules and a Kunitz domain. The ADAMTS-10 protein contains 2 potential glycosylation sites within the mature protease: one in the catalytic domain, and one in the TS 1-3 domain. ADAMTS-10 bears approximately 40% sequence identity to ADAM-TS1, which is characterized as being involved in inflammation.

Comparison of the ADAMTS-N Proteins.

As shown in Figure 11, the ADAMTS-5. ADAMTS-6, and ADAMTS-7 proteins share a common domain organization. From amino to carboxyl termini, they are as follows:

1. **A pre-pro region.** A typical signal sequence of variable length is followed by a putative pro-region of variable length but demonstrating short stretches of sequence identity. Three cysteine residues are, predicted within each novel pro-domain, of which the most C-terminal is an "asymmetric" cysteine lying within a sequence

context similar to the cysteine "switch" of the MMPs. All three novel cDNAs predict consensus cleavage signals for furin, three in the case of ADAMTS-5, and one each in the case of ADAMTS-6 and ADAMTS-7. The most carboxyl-terminal furin cleavage site in ADAMTS-5 predicts the processing site for generation of the mature protease. The amino terminus of the mature proteins is predicted to start at the residue immediately following the cleavage sites.

2. **A catalytic domain.** The catalytic domains are very similar to each other and contain eight cysteine residues and a typical reprolysin-type zinc binding signature followed by a "Met-turn". Five cysteine residues are upstream of the zinc binding sequence, while three residues are downstream, an arrangement that is shared with other ADAMTS members. The methionine of the met-turn is not at a constant distance from the zinc-binding signature, but in all three novel proteases, a constant cysteine residue is present in that interval.

3. **A disintegrin-like domain.** The catalytic domain is followed by a domain of 60-90 residues with 35-45% similarity to snake venom disintegrins, but without the canonical cysteine arrangement seen in the latter. This disintegrin-like domain is of comparable length in ADAMTS-5 and ADAMTS-7, it is considerably shorter in ADAMTS-6.

4. **A TS module.** The first TS repeat is very similar in all three novel proteases and very similar to the first TS repeat of other ADAMTSs. It contains the same number of residues (fifty-two) in all three novel proteins.

5. **The cysteine-rich domain.** This TS domain is followed by a conserved cysteine-rich sequence termed the cysteine-rich domain (CRD).

6. **The spacer domain.** This domain is of variable length, in all ADAMTSs and lacks the sequence landmarks so characteristic of all the

other domains. It shows the least homology of all the domains.

7. **A C-terminal TS module.** The sequence of the second TS module is more variant between the members of the ADAMTS family than the first TS module, despite the conservation of the number and spacing of cysteine residues.

Overall, the predicted mature forms of these proteases show 20-30% similarity to each other and to ADAMTS1-4 although this may be considerably higher or lower for individual domains as described above.

ADAM-TS9 and ADAM-TS10 contain all the domains present in ADAMTS-5 through ADAMTS-8. In addition, ADAMTS-9 and ADAMTS-10 contain the following domains:

A. ADAMTS-9: After the c-terminal TS1 domain which is present in ADAMTS5-8, ADAMTS-9 contains 13 additional and homologous TS11 domains, thus, ADAMTS-9 contains a total of 15 TS1 domains, of which 14 are adjacent to each other in the c-terminal half of the molecule. The 15th TS1 domain from the N-terminus is followed by a unique c-terminal domain which does not possess recognizable domain structure and contains 196 residues including 9 cysteine residues.

B. ADAMTS-10: After the c-terminal TS1 domain which is present in ADAMTS 8, ADAMTS-10 contains 3 additional and homologous TS1 domains, thus, that ADAMTS-10 contains a total of 5 TS1 domains, of which 4 are adjacent to each other in the c-terminal half of the molecule. The 5th TS 1 domain from the N-terminus is followed by an additional 47 amino acid residues including six (6) cysteine residues. These 47 residues have sequence similarity of 30%-40% to the c-terminus of pro-hormone convertase 5 and 6, and to the Kunitz family of inhibitors.

Northern Analysis

Mouse embryo northern blots and multiple tissue northern blots

from human and mouse tissues (Clontech, Palo Alto, CA) were hybridized to the [α^{32}P]-dCTP labeled inserts of I.M.A.G.E. clones as per the manufacturer's recommendations followed by autoradiographic exposure for 3-7 days.

In situ hybridization used cryosections of mouse embryos of gestational age 8.5 days and 10.5 days. Embryos were collected with the inclusion of the surrounding uterus and fixed overnight in 4% paraformaldehyde. Sense and anti-sense probes continuously labeled with digoxigenin-UTP (Boehringer-Mannheim, Indianapolis, IN) were transcribed with T7 and T3 RNA polymerases, respectively, using as template a 63 0 bp EcoRI-SacI fragment from the *Adamts*-5 clone 569515 (Fig. 14) cloned into pBluescript SK+ (Stratagene, La Jolla, CA). In situ hybridization was done essentially as previously described in Apte, et al. (1997) J. Biol. Chem. 272:2551-25517, which is specifically incorporated herein by reference, except that sections were predigested with proteinase K (Boehringer-Mannheim, Indianapolis, IN) at a lower, concentration (1 -5 µg/ml) than reported in Apte, et al.. Bound, digoxigenin-labeled probe was detected using an alkaline phosphatase tagged anti-digoxigenin antibody (Boehringer-Mannheim, Indianapolis, IN) and nuclei were counterstained with methyl green.

Specific hybridization of the antisense *Adamts*-5 probe to sections of 8.5 day-old mouse embryos was obtained, whereas only low background staining was noted with the control sense probe. Staining was uniform throughout the 8.5 day old embryos. In addition, there was labeling of mRNA in trophoblastic cells lining the uterine cavity as well as in the developing placenta (Fig. 14). The decidual reaction within the uterus also showed upregulation of *Adamts*-5 mRNA relative to the negative controls. In sections from 10.5 day old embryos, labeling was widespread but less intense compared to the 8.5

day-old embryo. Labeled cells were seen in mesenchyme and somites as well as in the neural tube and developing hindgut. Northern analysis also indicated that mRNA encoding ADAMTS-5 was present in human placenta but was barely detectable in adult lung, heart, brain, liver, skeletal muscle, kidney and pancreas.

Northern analysis showed undetectable expression of *Adamts*-6 during mouse embryo development. Northern analysis indicated that mRNA encoding ADAMTS-6 was present in human placenta but was barely detectable in adult lung, heart, brain, liver, skeletal muscle, kidney and pancreas. *Adamts*-7 was expressed at low levels throughout mouse development. In adult human tissues examined with human cDNA probes, ADAMTS-7 mRNA was found in all tissues examined, i.e. in lung, heart, brain, liver, skeletal muscle, kidney, pancreas and placenta. The sizes of the mRNA species recognized by the probes varied. ADAMTS-5 mRNA was approximately 10 kbp in size in human tissue. The most prominent *Adamts*-5 species was estimated at 7.5 kbp together with additional bands at 10 kbp and 4.5 kbp. The lone mRNA species detected by ADAMTS-6 probe was approximately 8.5 kbp, whereas the most common mRNA species detected by ADAMTS-7 probe 5 was 5 kbp in size with an additional species seen at 7 kbp in skeletal muscle.

In mouse, ADAMTS-8 is expressed during fetal development (days 7, 11, 15, 17) and in adult mouse lung and heart with an mRNA size of approximately 3.8 kbp. In adult human tissue, ADAMTS-8 is expressed in lung and brain but not in heart, muscle, kidney, colon or thymus. The mRNA size is 3.8 kbp.

ADAMTS-9 is expressed in lung, ovary placenta, heart, brain, muscle, kidney and pancreas with a mRNA size of 8 kb. In addition, kidney and ovary contain additional transcripts of size 3 kb and 4.4 kb respectively. These additional transcripts may represent alternatively spliced or short forms of ADAMTS9.

BNSDOCID: <WO___0111074A2_IA>

ADAMTS-10 is expressed in thymus, prostate, testis, ovary, small intestine, colon, peripheral blood leukocytes, heart, brain, placenta, lung, liver, muscle, kidney and pancreas, as well as in many cell lines such as A549, HeLa and K562. There are two transcripts of 5 kb and 8kb present in all tissues.

Example 7: ADAMTS-R1

The nucleotide sequence of a cDNA encoding a full-length ADAMTS-R1 protein was obtained using IMAGE clone 752797 which encodes EST AA, and a human fetal brain cDNA from Clontech. RACE was performed as described above in Example 1. The nucleotide sequence, SEQ ID NO:21, of the ADAMTS-R1 cDNA and the predicted amino acid sequence, SEQ ID NO:22, of the ADAMTS-R1 protein encoded by such DNA is shown in Fig. 11.

The predicted Mr of the full-length, unprocessed ADAMTS-R1 protein is 58358.20 daltons. The domain organization of the ADAMTS-10 protein is shown in Fig. 15. In contrast to the ADAMTS-N proteins of examples 1-6, ADAMTS-R1 protein does not have a pro-metalloprotease or disintegrin-like domain or a consensus cleavage signal for furin. ADAMTS-R1 has a signal(pre) peptide which is followed by a first TS module and a conserved CRD sequence which contains 10 conserved cysteines. The spacer domain of ADAMTS-R1 is 115 amino acids in length and is followed by 3 additional TS modules and a short sequence of 33 amino acids. The ADAMTS-R1 protein contains one potential glycosylation sites which is in the spacer domain. ADAMTS-R1 bears 30-40% sequence identity to ADAMTS1 and ADAMTS4 in the related domains. ADAMTS-R1 mRNA is present in human heart, brain, kidney, muscle, lung, placenta, testis, ovary, colon, intestine, and prostate. There are three transcripts of 2.5 kb, 4.7 kb and 6.5 kbp present in all such tissues. In mouse, expression is seen in skeletal muscle, and the transcript size is 6.5 kb.

BNSDOCID: <WO___0111074A2_IA>

Although certain embodiments of this invention have been shown and described, various adaptations and modifications can be made without departing from the scope of the invention as defined in the appended claims.

BNSDOCID: <WO___0111074A2_IA>

CLAIMS

1. An isolated mammalian protein selected from the group consisting of an ADAMTS-5 protein an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein, and an ADAMTS-R1 protein.

2. The isolated mammalian protein of claim 1 wherein said protein comprises an amino acid sequence which is at least 95% identical to a sequence selected from the group consisting of: amino acid 262 through amino acid 930 of SEQ ID NO:2; amino acid 1 through amino acid 518 of SEQ ID NO:4; amino acid 245 through amino acid 860 of SEQ ID NO:6; amino acid 233 through amino acid 997 of SEQ ID NO:8; amino acid 229 through amino acid 905 of SEQ ID NO:10; amino acid 1 through amino acid 245 of SEQ ID NO:12; amino acid 236 through amino acid 1882 of SEQ ID NO:14; amino acid 1 through amino acid 874 of SEQ ID NO:16; amino acid 212 through amino acid 1081 of SEQ ID NO:18; amino acid 1 through amino acid 450 of SEQ ID NO:20; and amino acid 1 through amino acid 547 of SEQ ID NO:22.

3. The isolated protein of claim 2 wherein said amino acid sequence further comprises a prepropeptide sequence at the amino terminus thereof.

4. The isolated protein of claim 1 wherein said protein is a human ADAMTS-5 protein or a mouse ADAMTS-5 protein.

5. The isolated protein of claim 1 wherein said protein is a human ADAMTS-6 protein.

6. The isolated protein of claim 1 wherein said protein is a human ADAMTS-7 protein.

7. The isolated protein of claim 1 wherein said protein is a mouse ADAMTS-8 or a human ADAMTS-8 protein.

8. The isolated protein of claim 1 wherein said protein is a human

ADAMTS-9 or a mouse ADAMTS-9 protein.

9. The isolated protein of claim 1 wherein said protein is a human ADAMTS-10 or a mouse ADAMTS-10 protein.

10. The isolated protein of claim 1 wherein said protein is a human ADAMTS-R1 protein.

11. An isolated polynucleotide comprising a sequence which encodes a mammalian protein selected from the group consisting of an ADAMTS-5 protein, an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein, and an ADAMTS-R1 protein.

12. The isolated polynucleotide of claim 11 wherein said protein comprises an amino acid sequence which is at least 95% identical to a sequence selected from the group consisting of: amino acid 262 through amino acid 930 of SEQ ID NO:2; amino acid 1 through amino acid 518 of SEQ ID NO:4; amino acid 245 through amino acid 860 of SEQ ID NO:6; amino acid 233 through amino acid 997 of SEQ ID NO:8; amino acid 229 through amino acid 905 of SEQ ID NO:10; amino acid 1 through amino acid 245 of SEQ ID NO:12; amino acid 236 through amino acid 1882 of SEQ ID NO:14; amino acid 1 through amino acid 874 of SEQ ID NO:16; amino acid 212 through amino acid 1081 of SEQ ID NO:18; amino acid 1 through amino acid 450 of SEQ ID NO:20, and amino acid 1 through amino acid 547 of SEQ ID NO:22.

13. The isolated polynucleotide of claim 11 wherein said nucleotide sequence encodes a protein having a signal sequence at the amino terminus thereof.

14. The isolated polynucleotide of claim 11 wherein said polynucleotide comprises a sequence selected from the group consisting of: nucleotide 800 through nucleotide 2810 of SEQ ID NO:1 of an allelic variant thereof; nucleotide 1 through

BNSDOCID: <WO__0111074A2_IA>

nucleotide 1519 of SEQ ID NO:3 or an allelic variant thereof; nucleotide 754 through nucleotide 2602 of SEQ ID NO:5 or an allelic variant thereof; nucleotide 708 through nucleotide 3003 of SEQ ID NO:7 or an allelic variant thereof; nucleotide 962 through nucleotide 2992 of SEQ ID NO:9 or an allelic variant thereof; nucleotide 1 through nucleotide 739 of SEQ ID NO:11 or an allelic variant thereof; nucleotide 708 through nucleotide 5648 of SEQ ID NO:13 or an allelic variant thereof; nucleotide 1 through nucleotide 2625 of SEQ ID NO:15 or an allelic variant thereof; nucleotide 634 through nucleotide 3243 of SEQ ID NO:17 or an allelic variant thereof; nucleotide 1 through nucleotide 1642 of SEQ ID NO:19 or an allelic variant thereof; and nucleotide 51 through nucleotide 1625 of SEQ ID NO:21 or an allelic variant thereof.

15. The isolated polynucleotide of claim 11 wherein said polynucleotide hybridizes under stringent conditions to a nucleic acid molecule comprising a sequence complementary to the protein encoding sequence of SEQ ID NO:1; SEQ ID NO:3; SEQ ID NO:5; SEQ ID NO:7; SEQ ID NO:9; SEQ ID NO:11; SEQ ID NO:13; SEQ ID NO:15; SEQ ID NO:17; SEQ ID NO:19; or SEQ ID NO:21.

16. An isolated polynucleotide having a sequence which is complementary to the protein encoding sequence of the polynucleotide of claim 11.

17. An expression vector comprising a polynucleotide of claim 11.

18. A host cell transformed or transfected with an expression vector of claim 17.

19. A method for producing an ADAMTS-N protein or an ADAMTS-R1 protein, said method comprising the steps of

(a) culturing a host cell of claim 18 under conditions suitable for expression of an ADAMTS-N protein or an ADAMTS-R1

protein; and

(b) recovering said ADAMTS-N protein or said ADAMTS-R1 protein from the host cell culture.

20. An antibody that binds to a protein selected from the group consisting of an ADAMTS-5 protein, an ADAMTS-6 protein, an ADAMTS-7 protein, an ADAMTS-8 protein, an ADAMTS-9 protein, an ADAMTS-10 protein and an ADAMTS-R1 protein.

21. An oligopeptide for producing an antibody that binds to an ADAMTS-N protein or an ADAMTS-R1 protein wherein said oligopeptide has a sequence selected from the group consisting of:

a) SVSIERFVETLVVADK, SEQ ID NO:23;

b) EVAEAANFLALRSEDPDKY, SEQ ID NO:24;

c) VKEDVENPKAVVDGDWGP, SEQ ID NO:25;

d) QHPFQNEDYRPRSASPSRTH, SEQ ID NO:26;

e) PQNCKEVKRLKGASEDGEYF, SEQ ID NO:27;

f) QELEEGAAVSEEPS, SEQ ID NO:28;

g) YYPENIKPKPKLQE; SEQ ID NO:29;

h) HIKVRQFKAKDQTRF; and

i) CEAKNGYQSDAKGVKTFVEWVPKYAG, SEQ ID NO:30.

Fig. 1

'MRLEWASLLLLLLLLSASCLSLAADSPAAAPAQDKTRQPQAAAA
AAEPDQPQGEETRERGHLQPLAGQRRSGGLVHNIDQLYSGGGKVGYLVYAGGRRFLLD
LERDDTVGAAGSIVTAGGGLSASSGHRGHCFYRGTVDGSPRSLAVFDLCGGLDGFFAV
KHARYTLKPLLRGSWAEYERIYGDGSSRILHVYNREGFSFEALPPRASCETPASPSGP
QESPSVHSRSRRRSALAPQLLDHSAFSPSGNAGPQTWWRRRRRSISRARQVELLLVAD
SSMARMYGRGLQHYLLTLASIANRLYSHASIENHIRLAVVKVVVLTDKDTSLEVSKNA
ATTLKNFCKWQHQHNQLGDDHEEHYDAAILFTREDLCGHHSCDTLGMADVGTICSPER
SCAVIEDDGLHAAFTVAHEIGHLLGLSHDDSKFCEENFGTTEDKRLMSSILTSIDASK
PWSKCTSATITEFLDDGHGNCLLDLPRKQILGPEELPGQTYDATQQCNLTFGPEYSVC
PGMDVCARLWCAVVRQGQMVCLTKKLPAVEGTPCGKGRVCLQGKCVDKTKKKYYSTSS
HGNWGSWGPWGQCSRSCGGGVQFAYRHCNNPAPRNSGRYCTGKRAIYRSCSVTPCPPN

BNSDOCID: <WO___0111074A2_IA>

Fig. 1 (con't)

GKSFRHEQCEAKNGYQSDAKGVKTFVEWVPKYAGVLPADVCKLTCRAKGTGYYVVFSP
KVTDGTECRPYSNSVCVRGRCVRTGCDGIIGSKLQYDKCGVCGGDNSSCTKIIGTFNK
KSKGYTDVVRIPEGATHIKVRQFKAKDQTRFPAYLALKKKTGEYLINGKYMISTSETI
IDINGTVMNYSGWSHRDDFLHGMGYSATKEILIVQILATDPTKALGVRYSFFVPKKTT
QKVNSVISHGSNKVGPHSTQLQWVTGPWLACSRTCDTGWHTRTVQCQDGNRKLAKGCL
LSQRPSAFKQCLLKKC*

BASE COUNT 726 a 788 c 845 g 643 t
ORIGIN

```
   1 ccggcgggca gcgcactatg cggctcgagt gggcgtcctt gttgctgcta ctgctgctgc
  61 tgagcgcgtc ctgcctgtcc ctggccgctg acagccccgc cgcggcacct gcccaggata
 121 aaaccaggca gcctcaggct gcagcagcgg ccgccgagcc ggaccagccg caggggagg
 181 aaacacggga gcgaggccat ttacaaccct tggccgggca gcgcaggagc ggcgggctgg
 241 tccataatat agaccaactc tactctggcg gtggcaaagt gggctacctt gtctacgcgg
 301 gcggccggag gttcctgctg gacctggaga gagatgacac agtgggtgct gctggtagca
 361 tcgttactgc aggaggaggg ctgagcgcat cctctggcca ccggggtcac tgtttctaca
 421 gaggcaccgt ggacggcagc cctcgatccc tagctgtctt tgacctctgc gggggtctcg
 481 atggcttctt tgcagtcaag catgcgcgct acactctaaa gccactcctg cgtgggtcct
 541 gggcagagta tgaacgaatt tatggggatg gatcttcccg catcctgcat gtctacaacc
 601 gcgagggctt tagcttcgag gccctgccgc cacgcgccag ttgcgagact cctgcatccc
 661 catctgggcc ccaagagagc ccctcggtgc acagtagatc taggagacgc tcagcgctgg
 721 ccccgcagct gctggaccac tcagctttct cgccatctgg gaacgcggga cctcagactt
 781 ggtggaggcg taggcgccgt tccatctcca gggcccgcca ggtggagctc ctcttggtgg
 841 ctgactcgtc catggccagg atgtatgggc ggggcctgca gcattacctg ctgaccctgg
 901 cctccatcgc caacaggctg tacagtcatg caagcattga gaaccacatc cgcctggcgg
 961 tggtgaaggt ggtggtgctg acggacaagg acacgagtct ggaggtgagc aagaatgcgg
1021 ccacgaccct caagaacttt tgcaaatggc agcaccaaca taaccagcta ggggatgatc
1081 acgaagagca ctacgatgca gccatcctgt tcacccgaga ggatttatgt gggcatcatt
1141 catgtgacac cctgggaatg gcagacgttg ggaccatatg ttctccggag cgcagctgtg
1201 cagtgattga agatgatggc ctccatgcag ccttcactgt ggctcatgaa attgggcatc
1261 tacttggcct ttctcatgac gattccaaat tctgtgaaga gaacttcggt actacagaag
1321 acaagcgttt aatgtcttca atccttacca gcatcgatgc atccaagccc tggtccaaat
1381 gcacgtcagc caccatcaca gaattcctgg atgatggtca tggtaattgt ttgctagacc
1441 taccacggaa gcagattttg ggtcccgagg aactcccagg acagacctac gatgccaccc
1501 agcagtgcaa cttgacattt gggcctgagt actcggtgtg ccctggcatg gatgtctgtg
1561 cgcggctgtg gtgtgctgtg gtgcgccaag gccaaatggt gtgtctgacc aagaagctgc
1621 cggctgtgga gggcactccc tgtgggaagg gaagagtctg ccttcaaggc aaatgtgtgg
1681 acaaaactaa gaaaaaatat tactcgacat caagccatgg aaattggggg tcctggggcc
1741 cctggggtca gtgttctcgc tcatgcgggg gaggagtgca gtttgcctac cgccattgta
1801 ataaccctgc acctcgaaac agtggccgct actgcacagg gaagagggcc atataccgtt
1861 cctgcagtgt tacaccctgc ccacccaatg gtaaatcttt tcgccatgag cagtgtgaag
1921 ccaaaaatgg ctatcagtct gatgcaaaag gagtcaaaac atttgtagaa tgggttccca
1981 aatatgcagg tgtcctgccg gcagatgtgt gcaagcttac ctgcagagct aagggcacag
2041 gctactatgt ggtcttttct ccaaaggtta cggatgggac tgaatgcagg ccgtacagca
2101 actctgtgtg tgtccgagga cggtgtgtga gaactggatg tgacggcatt attggctcaa
2161 agctacaata tgacaagtgt ggagtgtgcg gaggggataa ctccagttgt acaaagatta
2221 tcggaacctt caataaaaaa agcaagggtt atactgacgt tgtgaggatc cctgaaggag
2281 caacccacat aaaagtccga cagttcaaag ccaaagacca gactagattc cctgcctact
2341 tagccctgaa gaagaaaact ggcgagtacc ttatcaatgg caagtacatg atttccactt
2401 cagagaccat catcgacatc aatggtaccg tcatgaacta cagtggatgg agccacagag
2461 atgatttttt acatgggatg ggctattcag ccacaaaaga aatcctgatc gtgcagatcc
2521 ttgccacaga cccaactaaa gcgctaggcg tccgttacag ctttttttgtt cccaagaaga
2581 ccactcaaaa agtaaactct gtcatcagcc atggcagcaa caaggtggga ccacactcta
2641 cacagctgca gtgggtgaca ggtccatggc tggcctgctc caggacctgt gacacaggct
2701 ggcacactag gaccgtgcag tgccaggatg gaaacaggaa attagctaaa ggatgccttc
2761 tctctcagag gccttctgca tttaagcaat gtctgctgaa gaaatgttag cctgtggttt
2821 actctaatgc acaaaaaaac aacaggagga tcatcgcaga tacagctgtg gtgaagacaa
2881 ggcctaccca aagcacagaa agtcatgcct tcatgtcatt gtcaccacga gtcgaattat
2941 gggcagaatc tgctctctgc gaccaaaagg tttactctac ttggtgaatg atggtaccgt
3001 ga
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 2

```
FEATURES             Location/Qualifiers
     source          1..1520
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="21"
BASE COUNT      416 a    372 c    376 g    352 t      4 others
ORIGIN
        1 ggacatttac ttggcctctc ccatgacgat tccaaattct gtgaagagac ctttggttcc
       61 acagaagata agcgcttaat gtcttccatc cttaccagca ttgatgcatc taagccctgg
      121 tccaaatgca cttcagccac catcacagaa ttcctggatg atggccatgg taactgtttg
      181 ctggacctac cacgaaagca gatcctgggc cccgaagaac tcccaggaca gacctacgat
      241 gccacccagc agtgcaacct gacattcggg cctgagtact ccgtgtgtcc cggcanggat
      301 gtctgtgctc gcctgtggtg tgctgtggta cgccagggcc agatggtctg tctgaccaag
      361 gagtgcagtt tgcctatcgt cactgtaata accctgctcc cagaaacaac ggacgctact
      421 gcacagggaa gagggccatc taccactcct gcagtctcat gccctgccca cccaatggta
      481 aatcatttcg tcatgaacag tgtgaggcca aaaatggcta tcagtctgat gcaaaaggag
      541 tcaaaacttt tgtggaatgg gttcccaaat atgcaggtgt cctgccagcg gatgtgtgca
      601 agctgacctg cagagccaag ggcactggct actatgtggt attttctcca aaggtgaccg
      661 atggcactga atgtaggccg tacagtaatt ccgtctgcgt ccgggggaag tgtgtgagaa
      721 ctggctgtga cggcatcatt ggctcaaagc tgcagtatga caagtgcgga gtatgtggag
      781 gagacaactc cagctgtaca aagattgttg gaacctttaa taagaaaagt aagggttaca
      841 ctgacgtggt gaggattcct gaaggggcaa cccacataaa agttcgacag ttcaaagcca
      901 aagaccagac tagattcact gcctatttag ccctgaaaaa gaaaaacggt gagtacctta
      961 tcaatggaaa gtacatgatc tccacttcag agactatcat tgacatcaat ggaacagtca
     1021 tgaactatag cggttggagc cacagggatg acttcctgca tggcatgggc tactctgcca
     1081 cgaaggaaat tctaatagtg cagattcttg caacagaccc cactaaacca ttagatgtcc
     1141 gttatagctt ttttgttccc aagaagtcca ctccaaaagt aaactctgtc actagtcatg
     1201 gcagcaataa agtgggatca cacacttcgc agccgcagtg ggtcacgggc ccatggctcg
     1261 cctgctctag gacctgtgac acaggttggc acaccagaac ggtgcagtgc caggatggaa
     1321 accggaagtt agcaaaagga tgtcctctct cccaaaggcc ttctgcgttt aagcaatgct
     1381 tgttgaagaa atgttagcct gtgggttatg atcttattgc acaaaagata ctggaggatt
     1441 cancacccgt gcaatcnngg tgaacaggaa ggctaccttа acgcacagaa agtcatgctt
     1501 taatgacatt gtcaaccagg
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 3

```
FEATURES             Location/Qualifiers
     source          1..2848
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="5"
     gene            1..2848
                     /note="  A Disintegrin-like And Metalloprotease domain
                     with ThromboSpondin type I motifs 6"
                     /gene="ADAMTS6"
     CDS             22..2602
                     /gene="ADAMTS6"
                     /note="zinc metalloprotease"
                     /codon_start=1
                     /product="  A Disintegrin-like And Metalloprotease domain
                     with ThromboSpondin type I motifs-6 (ADAM-TS6)"
                     /translation="MEILWKTLTWILSLIMASSEFHSDHRLSYSSQEEFLTYLEHYQL
                     TIPIRVDQNGAFLSFTVKNDKHSRRRRSMDPIDPQQAVSKLFFKLSAYGKHFHLNLTL
                     NTDFVSKHFTVEYWGKDGPQWKHDFLDNCHYTGYLQDQRSTTKVALSNCVGLHGVIAT
                     EDEEYFIEPLKNTTEDSKHFSYENGHPHVIYKKSALQQRHLYDHSHCGVSDFTRSGKP
                     WWLNDTSTVSYSLPINNTHIHHRQKRSVSIERFVETLVVADKMMVGYHGRKDIEHYIL
                     SVMNIVAKLYRDSSLGNVVNIIVARLIVLTEDQPNLEINHHADKSLDSFCKWQKSILS
                     HQSDGNTIPENGIAHHDNAVLITRYDICTYKNKPCGTLGLASVAGMCEPERSCSINED
                     IGLGSAFTIAHEIVHNFGMNHDGIGNSCGRKVMKQQNYGSSHYCEYQSFFLVCLQSRX
                     HHQLFREVCRELWCLSKSNRCVTNSIPAAEGTLCQTGNIEKGWCYQGDCVPFGTWPQS
                     IDGGWGPWSLWGECSRTCGGGVSSSLRHCDSPAPSGGGKYCLGERKRYRSCNTDPCPL
                     GSRDFREKQCADFDNMPFRGKYYNWKPYTGGGVKPCALNCLAEGYNFYTERAPAVIDG
                     TQCNADSLDICINGECKHVGCDNILGSDAREDRCRVCGGGGSTCDAIEGFFNDSLPRG
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 3 (con't)

```
                    GYMEVVQIPRGSVHIEVREVAMSKNYIALKSEGDDYYINGAWTIDWPRKFDVAGTAFH
                    YKRPTDEPESLEALGPTSENLIVMVLLQEQNLGIRYKFNVPITRTGSGDNEVGFTWNH
                    QPWSECSATCAGGKMPTRQPTQRARWRTKHILSYALCLLKKLIGNISCRFASSCNLAK
                    ETLL*
BASE COUNT      837 a    551 c    664 g    794 t      2 others
ORIGIN
        1 aatcatccag ttttctaaat tatggaaatt ttgtggaaga cgttgacctg gattttgagc
       61 ctcattatgg cttcatcgga atttcatagt gaccacaggc tttcatacag ttctcaagag
      121 gaattcctga cttatcttga acactaccag ctaactattc caataagggt tgatcaaaat
      181 ggagcatttc tcagctttac tgtgaaaaat gataaacact caaggagaag acggagtatg
      241 gaccctattg atccacagca ggcagtatct aagttatttt ttaaactttc agcctatggc
      301 aagcactttc atctaaactt gactctcaac acagattttg tgtccaaaca ttttacagta
      361 gaatattggg ggaaagatgg accccagtgg aaacatgatt ttttagacaa ctgtcattac
      421 acaggatatt tgcaagatca acgtagtaca actaaagtgg ctttaagcaa ctgtgttggg
      481 ttgcatggtg ttattgctac agaagatgaa gagtatttta tcgaaccttt aaagaatacc
      541 acagaggatt ccaagcattt tagttatgaa aatggccacc ctcatgttat ttacaaaaag
      601 tctgcccttc aacaacgaca tctgtatgat cactctcatt gtggggtttc ggatttcaca
      661 agaagtggca aaccttggtg gctgaatgac acatccactg tttcttattc actaccaatt
      721 aacaacacac atatccacca cagacagaag agatcagtga gcattgaacg gtttgtggag
      781 acattggtag tggcagacaa aatgatggtg ggctaccatg gccgcaaaga cattgaacat
      841 tacattttga gtgtgatgaa tattgttgcc aaactttacc gtgattccag cctaggaaac
      901 gttgtgaata ttatagtggc ccgcttaatt gttctcacag aagatcagcc aaacttggag
      961 ataaaccacc atgcagacaa gtccctcgat agcttctgta aatggcagaa atccattctc
     1021 tcccaccaaa gtgatggaaa caccattcca gaaaatggga ttgcccacca cgataatgca
     1081 gttcttatta ctagatatga tatctgcact tataaaaata agccctgtgg aacactgggc
     1141 ttggcctctg tggctggaat gtgtgagcct gaaaggagct gcagcattaa tgaagacatt
     1201 ggcctgggtt cagcttttac cattgcacat gagattgttc acaattttgg tatgaaccat
     1261 gatggaattg gaaattcttg tggacgaaag gtcatgaagc agcaaaatta tggcagctca
     1321 cattactgcg aataccaatc ctttttcctg gtctgcttgc agtcgagant acatcaccag
     1381 ctttttagag aagtgtgtag agagctctgg tgtctcagca aaagcaaccg ctgtgtcacc
     1441 aacagtattc cagcagctga ggggacactg tgtcaaactg ggaatattga aaaagggtgg
     1501 tgttatcagg gagattgtgt tccttttggc acttggcccc agagcataga tgggggctgg
     1561 ggtccctggt cactatgggg agagtgcagc aggacctgcg ggggaggcgt ntcctcatcc
     1621 ctaagacact gtgacagtcc agcaccttca ggaggtggaa aatattgcct tggggaaagg
     1681 aaacggtatc gctcctgtaa cacagatcca tgccctttgg gttcccgaga ttttcgagag
     1741 aaacagtgtg cagactttga caatatgcct ttccgaggaa agtattataa ctggaaaccc
     1801 tatactggag gtggggtaaa accttgtgca ttaaactgct tggctgaagg ttataatttc
     1861 tacactgaac gtgctcctgc ggtgatcgat gggacccagt gcaatgcgga ttcactggat
     1921 atctgcatca atggagaatg caagcacgta ggctgtgata atattttggg atctgatgct
     1981 agggaagata gatgtcgagt ctgtggaggg ggcggaagca catgtgatgc cattgaaggg
     2041 ttcttcaatg attcactgcc caggggaggc tacatggaag tggtgcagat accaagaggc
     2101 tctgttcaca ttgaagttag agaagttgcc atgtcaaaga actatattgc tttaaaatct
     2161 gaaggagatg attactatat taatggtgcc tggactattg actggcctag gaaatttgat
     2221 gttgctggga cagcttttca ttacaagaga ccaactgatg aaccagaatc cttggaagct
     2281 ctaggtccta cctcagaaaa tctcatcgtc atggttctgc ttcaagaaca gaatttggga
     2341 attaggtata agttcaatgt tcccatcact cgaactggca gtggagataa tgaagttggc
     2401 tttacatgga atcatcagcc ttggtcagaa tgctcagcta cttgtgctgg aggtaagatg
     2461 cccactaggc agcccaccca gagggcaaga tggagaacaa aacacattct gagctatgct
     2521 ttgtgtttgt taaaaaagct aattggaaac atttcttgca ggtttgcttc aagctgtaat
     2581 ttagcaaaag aaactttgct ttaattatat tatattccat ttgttttcaa cctcatgtaa
     2641 tttgtgcaga tttgttggta aaatacatct tggcacaatg agtgtctctg ctggtgcttc
     2701 tcccaagact atcttgaagg tgggctgttt gcctttcgtg aacacattct tggtaaagaa
     2761 catcaaaagt tttaaaaaag aaaatgagca agaatcagac atcacagatg caacttcttg
     2821 taatgggaga tgagaatgta cggctgtg
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 4

```
FEATURES             Location/Qualifiers
     source          1..3218
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="15"
     gene            1..3218
                     /gene="ADAMTS7"
     CDS             13..3003
                     /gene="ADAMTS7"
                     /note="ZINC METALLOPROTEASE"
                     /codon_start=1
                     /product=" A Disintegrin-like And Metalloprotease domain
                     with ThromboSpondin type I motifs-7 (ADAM-TS7)"
                     /translation="MPGGPSPRSPAPLLRPLLLLLCALAPGAPGPAPGRATEGRAALD
                     IVHPVRVDAGGSFLSYELWPRALRKRDVSVRRDAPAFYELQYRGRELRFNLTANQHLL
                     APGFVSETRRRGGLGRAHIRAHTPACHLLGEVQDPELEGGLAAISACDGLRGVFQLSN
                     EDYFIEPLDSAPARPGHAQPHVVYKRQAPERLAQRGDSSAPSTCGVQVYPELESRRER
                     WEQRQQWRRPRLRRLHQRSVSKEKWVETLVVADAKMVEYHGQPQVESYVLTIMNMVAG
                     LFHDPSIGNPIHITIVRLVLLEDEEEDLKITHHADNTLKSFCKWQRSINMKGDAHPLH
                     HDTAILLTRKDLCAAMNRPCETLGLSHVAGMCQPHRSCSINEDTGLPLAFTVAHELGH
                     SFGIQHDGSGNDCEPVGKRPFIMSPQLLYDAAPLTWSRCSRQYITRFLDRGWGLCLDD
                     PPAKDIIDFPSVPPGVLYDVSHQCRLQYGAYSAFCEDMDNVCHTLWCSVGTTCHSKLD
                     AAVDGTRCGENKWCLSGECVPVGFRPEAVDGGWSGWSAWSICSRSCGMGVQSAERQCT
                     QPTPKYKGRYCVGERKRFRLCNLQACPAGRPSFRHVQCSHFDAMLYKGQLHTWVPVVN
                     DVNPCELHCRPANEYFAKKLRDAVVDGTPCYQVRASRDLCINGICKNVGCDFEIDSGA
                     MEDRCGVCHGNGSTCHTVSGTFEEAEGLGYVDVGLIPAGAREIRIQEVAEAANFLALR
                     SEDPEKYFLNGGWTIQWNGDYQVAGTTFTYARRGNWENLTSPGPTKEPVWIQVPASRG
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 4 (con't)

PGGGSRGGVPRPSTLHGRSRPGGVSPGSVTEPGSEPGPPAAASTSVSPSLKWPNLVAA
VHRGGWGQAPLGLGGWRRHLVLMGPRLPTQLLFQESNPGVHYEYTIHREAGGHDEVPP
PVFSWHYGPWTKCTVTCGRGEKWGRHSPTCRGLVSGQGHWLQLPAHCWATTGLEVCFS
EPQFSICEMRLAIALCPRPAGRVHG*

BASE COUNT 584 a 1041 c 1003 g 590 t

ORIGIN

```
   1 ccggttcctg ccatgcccgg cggccccagt ccccgcagcc ccgcgccttt gctgcgcccc
  61 ctcctcctgc tcctctgcgc tctggctccc ggcgcccccg gacccgcacc aggacgtgca
 121 accgagggcc gggcggcact ggacatcgtg cacccggttc gagtcgacgc ggggggctcc
 181 ttcctgtcct acgagctgtg gccccgcgca ctgcgcaagc gggatgtatc tgtgcgccga
 241 gacgcgcccg cctttctacga gctacaatac cgcgggcgcg agctgcgctt caacctgacc
 301 gccaatcagc acctgctggc gcccggcttt gtgagcgaga cgcggcggcg cggcggcctg
 361 ggccgcgcgc acatccgggc ccacaccccg gcctgccacc tgcttggcga ggtgcaggac
 421 cctgagctcg agggtggcct ggcggccatc agcgcctgcg acggcctgaa aggtgtgttc
 481 cagctctcca acgaggacta cttcattgag cccctggaca gtgccccggc ccggcctggc
 541 cacgcccagc cccatgtggt gtacaagcgt caggccccgg agaggctggc acagcggggt
 601 gattccagtg ctccaagcac ctgtggagtg caagtgtacc cagagctgga gtctcgacgg
 661 gagcgttggg agcagcggca gcagtggcgg cggccacggc tgaggcgtct acaccagcgg
 721 tcggtcagca aagagaagtg ggtggagacc ctggtagtag ctgatgccaa aatggtggag
 781 taccacggac agccgcaggt tgagagctat gtgctgacca tcatgaacat ggtggctggc
 841 ctgtttcatg accccagcat tgggaacccc atccacatca ccattgtgcg cctggtcctg
 901 ctggaagatg aggaggagga cctaaagatc acgcaccatg cagacaacac cctgaagagc
 961 ttctgcaagt ggcagaaaag catcaacatg aaggggatg cccatcccct gcaccatgac
1021 actgccatcc tgctcaccag aaaggacctg tgtgcagcca tgaaccggcc ctgtgagacc
1081 ctgggactgt cccatgtggc gggcatgtgc cagccgcacc gcagctgcag catcaacgag
1141 gacacgggcc tgccgctggc cttcactgta gcccacgagc tcgggcacag ttttggcatt
1201 cagcatgacg gaagcggcaa tgactgtgag cccgttggga aacgaccttt catcatgtct
1261 ccacagctcc tgtacgacgc cgctcccctc acctggtccc gctgcagccg ccagtatatc
1321 accaggttcc ttgaccgtgg gtggggcctg tgcctggacg accctcctgc caaggacatt
1381 atcgacttcc cctcggtgcc acctggcgtc ctctatgatg taagccacca gtgccgcctc
1441 cagtacgggg cctactctgc cttctgcgag gacatggata atgtctgcca cacactctgg
1501 tgctctgtgg ggaccacctg tcactccaag ctggatgcag ctgtggacgg cacccggtgt
1561 ggggagaata agtggtgtct cagtggggag tgcgtacccg tgggcttccg gcccgaggcc
1621 gtggatggtg gctggtctgg ctggagcgcc tggtccatct gctcacggag ctgtggcatg
1681 ggcgtacaga gcgccgagcg gcagtgcacg cagcctacgc ccaaatacaa aggcagatac
1741 tgtgtgggtg agcgcaagcg cttccgcctc tgcaacctgc aggcctgccc tgctggccgc
1801 ccctccttcc gccacgtcca gtgcagccac tttgacgcta tgctctacaa gggccagctg
1861 cacacatggg tgcccgtggt caatgacgtg aacccctgcg agctgcactg ccggcccgcg
1921 aatgagtact ttgccaagaa gctgcgggac gccgtggtcg atggcacccc ctgctaccag
1981 gtccgagcca gccgggacct ctgcatcaac ggcatctgta agaacgtggg ctgtgacttc
2041 gagattgact ccggtgctat ggaggaccgc tgtggtgtgt gccacggcaa cggctccacc
2101 tgccacaccg tgagcgggac cttcgaggag gccgagggtc tggggtatgt ggatgtgggg
2161 ctgatcccag cgggcgcacg cgagatccgc atccaagagg ttgccgaggc tgccaacttc
2221 ctggcactgc ggagcgagga cccggagaag tacttcctca atggtggctg gaccatccag
2281 tggaacgggg actaccaggt ggcagggacc accttcacat acgcacgcag gggcaactgg
2341 gagaacctca cgtccccggg tcccaccaag gagcctgtct ggatccaggt gcctgcctcc
2401 cgtggcccag gcgggggggag cagaggcgga gtccccaggc ccagcaccct ccatggcagg
2461 tctcgtcctg gaggagtgag ccctggttca gtcacagagc ctggctctga gccaggccct
2521 cctgctgcgg cctctacctc agtttcccca tctttaaaat ggcccaatct tgtagctgca
2581 gttcacagag gtggctgggg tcaagctcct ttaggactgg gtggatggag aagacacctt
2641 gtgctcatgg gcccccgcct gcccacccag ctgctgttcc aggagagcaa ccctgggggtg
2701 cactacgagt acaccatcca cagggaggca ggtggccacg acgaggtccc gccgcccgtg
2761 ttctcctggc attatgggcc ctggaccaag tgcacagtca cctgcggcag aggtgagaag
2821 tggggcaggc acagccccac ctgcaggggc ttagtgtctg gacagggaca ctggcttcag
2881 ctcccagctc actgctgggc caccacgggt ttggaagttt gcttctctga gcctcagttc
2941 tccatctgtg agatgaggct agcgattgcc ctgtgtccca ggcccgctgg gagggtacat
3001 ggatgaggca ggtgggtgct ggctcgcggc gcatgttcag tgtgctccag ctcttggcgt
3061 tctccctcca ggggacacag ctccccctcg atagaccagt ccagtggccc ctcaccacac
3121 tgacttattt ccctaaacta tttataaaaa gtagggcaat ttcattaact ctgactctta
3181 cctgcccggg cggccgctcg agccgagtaa tcactagt
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 5A



BNSDOCID: <WO___0111074A2_IA>

Fig. 5A (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 5A (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 5B



BNSDOCID: <WO___0111074A2_IA>

Fig. 6A

```
        10         20         30         40
        |          |          |          |
CGAGGGCAGAAGGCGCTAGCGAGCCGCCACCGCCCCTGGG 40
GGCCACGAGTAGGACCAAGCGGTTTGTGTCTGAGGCGCGC 80
TTCGTGGAGACGCTGCTGGTGGCCGATGCGTCCATGGCTG 120
CCTTCTACGGGGCCGACCTGCAGAACCACATCCTGACGTT 160
AATGTCTGTGGCAGCCCGAATCTACAAGCACCCCAGCATC 200
        210        220        230        240
        |          |          |          |
AAGAATTCCATCAACCTGATGGTGGTAAAAGTGCTGATCG 240
TAGAAGATGAAAAATGGGGCCCAGAGGTGTCCGACAATGG 280
GGGGCTTACACTGCGTAACTTCTGCAACTGGCAGCGGCGT 320
TTCAACCAGCCCAGCGACCGCCACCCAGAGCACTACGACA 360
CGGCCATCCTGCTCACCAGACAGAACTTCTGTGGGCAGGA 400
        410        420        430        440
        |          |          |          |
GGGGCTGTGTGACACCCTGGGTGTGGCAGACATCGGGACC 440
ATTTGTGACCCCAACAAAAGCTGCTCCGTGATCGAGGATG 480
AGGGGCTCCAGGCGGCCCACACCCTGGCCCATGAACTAGG 520
GCACGTCCTCAGCATGCCCCACGACGACTCCAAGCCCTGC 560
ACACGGCTCTTCGGGCCCATGGGCAAGCACCACGTGATGG 600
        610        620        630        640
        |          |          |          |
CACCGCTGTTCGTCCACCTGAACCAGACGCTGCCCTGGTC 640
CCCCTGCAGCGCCATGTTCTCAGGCTGCCACCTGCAGGGG 680
TGGATCCATTTCAAGTATTTATGCAAATGTGTCTCTGAAC 720
TAAAGTGTGATCTTATGCC 739
```


BNSDOCID: <WO___0111074A2_IA>



Fig. 6B

SNSDOCID: <WO___0111074A2_IA>

Fig. 7A



BNSDOCID: <WO_ _0111074A2_IA>

Fig. 7A (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 7A (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 7A (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 7B



BNSDOCID: <WO___0111074A2_IA>

Fig. 7B (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 8

ORF=2

HIAVISLCSGMMGTFRSHDGDYFIEPLQSVDEQEDEEEQN 40
KPHIIYRHSTPQREPSTGKHACATSELKNSHSKDKRKIRM 80
PKRRKRNSLADDVALLKSGLATKVLSGYSNQINNTRDRWN 120
HKRTKRFLSYPRFVEVMVVADHRMVLYHGANLQHYILTLM 160
SIVASIYKDSSIGNLINIVIVNLVVIHNEQEGPYINFNAQ 200
TTLKNFCQWQHSKNYLGGIQHDIAVLVIREDICRAQDKCD 240
TLGLAELGTICDPYRSCSISEDSGLSIAFTIAHELGHVFN 280
MPHDDSNKCKEEGVKSPQHVMAPTLNFYINPWMWSKCSRK 320
YITEFLDTGYGECLLNEPASRIYPLPSQLPGLLYNVNKQC 360
ELIFGPGSQVCPYMMQCRRLWCNNVDGAHKGCRIQHIPWA 400
DGIECEPGKHCKFGFCVPKEMEGPAIDGSWGGWSHFGICS 440
RICGGGIKTAIRECNRPEPKNGGKYCVGRRMKFKSCNIEP 480
CMKQKRDFREEQCAHFDGKHFNINGLLPSVRWFPKYSGIL 520
MKDRCKLFCRVAGNIAYYQLRDRVIDGIPCGQDINDICVQ 560
GLCRQAGCDHILNSKVRKDKCGICGGDNSSCKIVAGIFNT 600
VHYGYNIVVRIPAGATSIDVRQHSFSGKSEDDNYLALSNS 640
KGEFLLNGDFVVSMSKREVRVGSAVIEYSGSDNVVERLNC 680
TDRIEEELLLQVLSVGKLYNPDVRYSFNIPIEDKPQQFYW 720
NSHGPWQACSKPCQGERRRKLVCIRESDQLTVSDQRCDRL 760
PQPGPVTEACGTDCDLRWHVASKSECSAQCGLGYRITLDIH 800
CAKYSRMDGKTEKVDDSFCSSQPRPSNQEKCSGECSTGGW 840
RYSAWTECSRSCDGGIQRRRAICVNIRNDVLDDS 874

10 20 30 40 50 60 70

GCACACTGCGGTCATCAGCCTGTGCTCCGGAATGATGGGCACGTTCCGCTCTCACGATGGAGATTATTTC 70
ATTGAACCACTGCAGTCTGTGGATGAGCAAGAGGATGAAGAGGAACAAAACAAACCCCACATTATTTATA 140
GGCACAGCACCCCTCAGAGGGAACCCTCCACAGGAAAGCATGCCTGTGCCACCTCAGAACTCAAAAATAG 210
TCACAGTAAAGACAAGCGGAAAATCAGAATGCGAAAACGGAGAAAGAGGAATAGCCTGGCTGACGACGTG 280
GCACTGCTAAAGAGCGGTTTGGCAACAAAGGTGCTCTCTGGCTATAGCAACCAGACAAACAACACAAGGG 350

BNSDOCID: <WO___0111074A2_IA>

Fig. 8 (con't)



ENSDOCID: <WO__0111074A2_IA>

Fig. 8 (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 9A



BNSDOCID: <WO___0111074A2_IA>

Fig. 9A (con't) :

1760 1770 1780 1790 1800 1810 1820

ACTTCAGAGAAGTGCAGTGTTCTGAATTTGACAGCATCCCTTTCCGTGGGAAATTCTACAAGTGGAAAAC 1820
GTACCGGGGAGGGGGCGTGAAGGCCTGCTCGCTCACGAGCCTAGCGGAAGGCTTCAACTTCTACACGGAG 1890
AGGGCGGCAGCCGTGGTGGACGGGACACCCTGCCGTCCAGACACGGTGGACATTTGCGTCAGTGGCGAAT 1960
GCAAGCACGTGGGCTGCGACCGAGTCCTGGGCTCCGACCTGCGGGAGGACAAGTGCCGAGTGTGTGGCGG 2030
TGACGGCAGTGCCTGCGAGACCATCGAGGGCGTCTTCAGCCCAGCCTCACCTGGGGCCGGGTACGAGGAT 2100

2110 2120 2130 2140 2150 2160 2170

GTCGTCTGGATTCCCAAAGGCTCCGTCCACATCTTCATCCAGGATCTGAACCTCTCTCTCAGTCACTTGG 2170
CCCTGAAGGGAGACCAGGAGTCCCTGCTGCTGGAGGGGCTGCCTGGGACCCCCCAGCCCCACCGTCTGCC 2240
TCTAGCTGGGACCACCTTTCAACTGCGACAGGGGCCAGACCAGGTCCAGAGCCTCGAAGCCCTGGGACCG 2310
ATTAATGCATCTCTCATCGTCATGGTGCTGGCCCGGACCGAGCTGCCTGCCCTCCGCTACCGCTTCAATG 2380
CCCCCATCGCCCGTGACTCGCTGCCCCCCTACTCCTGGCACTATGCGCCCTGGACCAAGTGCTCGGCCCA 2450

2460 2470 2480 2490 2500 2510 2520

GTGTGCAGGCGGTAGCCAGGTGCAGGCGGTGGAGTGCCGCAACCAGCTGGACAGCTCCGCGGTCGCCCCC 2520
CACTACTGCAGTGCCCACAGCAAGCTGCCCAAAAGGCAGCGCGCCTGCAACACGGAGCCTTGCCCTCCAG 2590
ACTGGGTTGTAGGGAACTGGTCGCTCTGCAGCCGCAGCTGCGATGCAGGCGTGCGCAGTCGCTCGGTCGT 2660
GTGCCAGCGCCGCGTCTCTGCCGCGGAGGAGAAGGCGCTGGACGACAGCGCATGCCCGCAGCCGCGCCCA 2730
CCTGTACTGGAGGCCTGCCACGGCCCCACTTGCCCTCCGGAGTGGGCAACCCTCGACTGGTCTGAGTGTA 2800

2810 2820 2830 2840 2850 2860 2870

CCCCAAGCTGTGGGCCTGGTCTCCGCCACCGAGTGGTCCTTTGTAAGAGTGCAGATCAACGATCTACTCT 2870
GCCCCCTGGGCACTGCCTTCCTGCAGCCAAGCCACCATCTACTATGCGATGTAACTTGCGCCGCTGCCCT 2940
CCTGCCCGCTGGGTGACCAGTGAGTGGGGTGAGTGTTCCACACAGTGTGGCCTCGGCCAGCAGCAGCGCA 3010
CAGTGCGCTGCACCAGCCACACCGGCCAGCCATCTCGAGAGTGCACTGAAGCCTTGCGGCCATCCACCAT 3080
GCAGCAGTGTGAGGCCAAGTGTGACAGTGTGGTGCCGCCTGGAGATGGCCCAGAAGAATGCAAGGATGTG 3150

3160 3170 3180 3190 3200 3210 3220

AACAAGGTGGCTTACTGCCCCCTGGTGCTCAAATTTCAGTTCTGTAGCCGAGCCTACTTCCGCCAGATGT 3220
GCTGCAAAACCTGCCAAGGCCGCtagggtacctggaaccaacctggagcacaggctgaggcaggggacat 3290
cccactggagagggcatgagggaaaggggggcttgaattgaagggtgagatgcagttgaaagttatttat 3360
tgggtaaccctacagggctcctgactaaggggtggagaagagctggctacccagggaccctctgctgtat 3430
cttgcccagttgatagtgaagagagaggactccttgttgcacacatatttaagtccctagcacccctccc 3500

BNSDOCID: <WO__0111074A2_IA>

Fig. 9A (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 9B



BNSDOCID: <WO___0111074A2_IA>

Fig. 9B (con't)



QQRIVRCTSHTGQPSRECTEALRPSTMQQCEAKCDSVVPP 1040
GDGPEECKDVNKVAYCPLVLKFQFCSRAYFRQMCCKTCQG 1080
R 1081

BNSDOCID: <WO___0111074A2_IA>

Fig. 10A

```
        10         20         30         40
        |          |          |          |
AGCAGCAGCTGTGGTGGATGGAACACCCTGCCGCCCTGAC 40
ACGGTGGACATTTGTGTCAGCGGCGAGTGCAAGCATGTAG 80
GCTGTGACAGGGTCCTGGGTTCTGATCTCCGAGAGGACAA 120
ATGCCGTGTGTGTGGGGGTGATGGCAGTGCCTGTGAGACC 160
ATTGAAGGTGTCTTTAGCCCAGCTTTGCCAGGAACTGGGT 200
        210        220        230        240
        |          |          |          |
ATGAGGACGTCGTCTGGATCCCCAAAGGCTCGGTCCACAT 240
TTTCATCCAAGATCTGAACCTGTCCCTGAGTCACCTGGCC 280
CTAAAGGGGGACCAAGAGTCTCTGCTACTGGAGGGGCTAC 320
CTGGGACCCCCCAACCTNACCGCCTTCCCCTGGNTGGGAC 360
CACATTTCATCTACGGCAGGGGCCGGACCAGGCACAGAGC 400
        410        420        430        440
        |          |          |          |
CTGGAAGCCCTGGGACCCATTAATGCATCTCTCATCATCA 440
TGGTGCTGGCCCAGGCAGAGTTGCCTGCTCTCCACTACCG 480
CTTCAATGCACCCATTGCCCGGGATGCACTGCCTCCCTAC 520
TCCTGGCACTATGCCCCCTGGACCAAATGCTCAGCCCAGT 560
GTGCAGGCGGCAGCCAGGTCCAAGTAGTGGAGTGCCGAAA 600
        610        620        630        640
        |          |          |          |
TCAGCTGGACAGCTCAGCAGTGGCCCCACACTACTGTAGT 640
GGCCACAGTAAATTGCCCAAGAGGCAGCGTGCCTGCAACA 680
CAGAACCATGTCCACCAGATTGGGTTGTAGGAAACTGGTC 720
ACGCTGCAGCCGTAGCTGTGACGCTGGTGTGCGTAGCCGC 760
TCAGTGGTGTGCCAACGCCGGGTGTCTGCTGCAGAGGAAA 800
        810        820        830        840
        |          |          |          |
AAGCCTTAGACGACAGTGCCTGTCCACAGCCACGCCCACC 840
TGTGCTGGAGGCCTGCCAAGGCCCAATGTGCCCTCCTGAG 880
TGGGCAACCCTCGACTGGTCTGAGTGTACCCCAAGCTGTG 920
GGCCTGGTCTCCGCCACCGAGTGGTCCTTTGTAAGAGTGC 960
AGATCAACGATCTACTCTGCCCCCTGGGCACTGCCTTCCT 1000
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 10A (con't)

```
        1010        1020        1030        1040
GCAGCCAAGCCACCATCTACTATGCGATGTAACTTGCGCC 1040
GCTGCCCTCCTGCCCGCTGGGTGACCAGTGAGTGGGGTGA 1080
GTGTTCCACACAGTGTGGCCTCGGCCAGCAGCAGCGCACA 1120
GTGCGCTGCACCAGCCACACCGGCCAGCCATCTCGAGAGT 1160
GCACTGAAGCCTTGCGGCCATCCACCATGCAGCAGTGTGA 1200
        1210        1220        1230        1240
GGCCAAGTGTGACAGTGTGGTGCCGCCTGGAGATGGCCCA 1240
GAAGAATGCAAGGATGTGAACAAGGTGGCTTACTGCCCCC 1280
TGGTGCTCAAATTTCAGTTCTGTAGCCGAGCCTACTTCCG 1320
CCAGATGTGCTGCAAAACCTGCCAAGGCCGCTAGGGTACC 1360
TGGAACCAACCTGGAGCACAGGCTGAGGCAGGGGACATCC 1400
        1410        1420        1430        1440
CACTGGAGAGGGCATGAGGGAAAGGGGGGCTTGAATTGAA 1440
GGGTGAGATGCAAGTTGAAAGTATTTATTTGGGTAACCCC 1480
TACAGGGCTTCTGACTTAAGGGGTGGAGAANAGCTGGCTA 1520
CCCCAGGGACCCTTTTGTTGGATCTTGGCCCANTTGATAG 1560
TGAAGAGAGAGGACTTCTTGGTGNACACATTTTTAAGTCC 1600
        1610        1620        1630        1640
TTAGACCCTTCCACCNTTGATCGGATATGTCTGGGAAGAG 1640
GN 1642
```


BNSDOCID: <WO__0111074A2_IA>

Fig. 10B



BNSDOCID: <WO___0111074A2_IA>

Fig. 11A

Ligated 459225+482392 with Sac I(168)&Eco RI(or Not I)
Cloning site:5';Eco RI 3';Not I Vector; PT7T3 pac.

You can put this construct to pcDNA3.1(+) for transfection
5'-UTR is 50bp &3'-UTR is 175bp

210-215; in 482392 it's TCCTAC(SY).

```
        10         20         30         40
gaattcggcacgaggcagtgtccgattctgattccggcaa 40
ggatccaagcATGGAATGCTGCCGTCGGGCAACTCCTGGC 80
ACACTGCTCCTCTTTCTGGCTTTCCTGCTCCTGAGTTCCA 120
GGACCGCACgctCCGAGGAGGACCGGGACGGCCTATGGGA 160
TGCCTGGGGCCCATGGAGTGAATGCTCACGCACCTGCGGG 200
        210        220        230        240
GGTGGGGCCGCCAACTCTCTGAGGCGCTGCCTGAGCAGCA 240
AGAGCTGTGAAGGAAGAAATATCCGATACAGAACATGCAG 280
TAATGTGGACTGCCCACCAGAAGCAGGTGATTTCCGAGCT 320
CAGCAATGCTCAGCTCATAATGATGTCAAGCACCATGGCC 360
AGTTTTATGAATGGCTTCCTGTGTCTAATGACCCTGACAA 400
        410        420        430        440
CCCATGTTCACTCAAGTGCCAAGCCAAAGGAACAACCCTG 440
GTTGTTGAACTAGCACCTAAGGTCTTAGATGGTACGCGTT 480
GCTATACAGAATCTTTGGATATGTGCATCAGTGGTTTATG 520
CCAAATTGTTGGCTGCGATCACCAGCTGGGAAGCACCGTC 560
AAGGAAGATAACTGTGGGGTCTGCAACGGAGATGGGTCCA 600
        610        620        630        640
CCTGCCGGCTGGTCCGAGGGCAGTATAAATCCCAGCTCTC 640
CGCAACCAAATCGGATGATACTGTGGTTGCAATTCCCTAT 680
GGAAGTAGACATATTCGCCTTGTCTTAAAAGGTCCTGATC 720
ACTTATATCTGGAAACCAAAACCCTCCAGGGGACTAAAGG 760
TGAAAACAGTCTCAGCTCCACAGGAACTTTCCTTGTGGAC 800
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 11A (con't)

```
        810         820         830         840
AATTCTAGTGTGGACTTCCAGAAATTTCCAGACAAAGAGA 840
TACTGAGAATGGCTGGACCACTCACAGCAGATTTCATTGT 880
CAAGATTCGTAACTCGGGCTCCGCTGACAGTACAGTCCAG 920
TTCATCTTCTATCAACCCATCATCCACCGATGGAGGGAGA 960
CGGATTTCTTTCCTTGCTCAGCAACCTGTGGAGGAGGTTA 1000
        1010        1020        1030        1040
TCAGCTGACATCGGCTGAGTGCTACGATCTGAGGAGCAAC 1040
CGTGTGGTTGCTGACCAATACTGTCACTATTACCCAGAGA 1080
ACATCAAACCCAAACCCAAGCTTCAGGAGTGCAACTTGGA 1120
TCCTTGTCCAGCCAGTGACGGATACAAGCAGATCATGCCT 1160
TATGACCTCTACCATCCCCTTCCTCGGTGGGAGGCCACCC 1200
        1210        1220        1230        1240
CATGGACCGCGTGCTCCTCCTCGTGTGGGGGGGGCATCCA 1240
GAGCCGGGCAGTTTCCTGTGTGGAGGAGGACATCCAGGGG 1280
CATGTCACTTCAGTGGAAGAGTGGAAATGCATGTACACCC 1320
CTAAGATGCCCATCGCGCAGCCCTGCAACATTTTTGACTG 1360
CCCTAAATGGCTGGCACAGGAGTGGTCTCCGTGCACAGTG 1400
        1410        1420        1430        1440
ACGTGTGGCCAGGGCCTCAGATACCGTGTGGTCCTCTGCA 1440
TCGACCATCGAGGAATGCACACAGGAGGCTGTAGCCCAAA 1480
AACAAAGCCCCACATAAAAGAGGAATGCATCGTACCCACT 1520
CCCTGCTATAAACCCAAAGAGAAACTTCCAGTCGAGGCCA 1560
AGTTGCCATGGTTCAAACAAGCTCAAGAGCTAGAAGAAGG 1600
        1610        1620        1630        1640
AGCTGCTGTGTCAGAGGAGCCCTCGTAAgttgtaaaagca 1640
cagactgttctatatttgaaacttttgtttaaagaaagca 1680
gtgtctcactggttgtagctttcatgggttctgaactaag 1720
tgtaatcatctcaccaaagctttttggctctcaaattaaa 1760
gattgattagtttcaaaaaaaaaaaaaaaaaaagatgcggc 1800
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 11A (con't)



BNSDOCID: <WO___0111074A2_IA>

Fig. 11B

---	Asp(D)	30	# cua	Leu(L)	3	# uca	Ser(S)	6	# guu	Val(V)	6
ugc	Cys(C)	26	# cuc	Leu(L)	11	# ucc	Ser(S)	10	# ---	Val(V)	29
ugu	Cys(C)	10	# cug	Leu(L)	14	# ucg	Ser(S)	5	# nnn	???(X)	0
---	Cys(C)	36	# cuu	Leu(L)	6	# ucu	Ser(S)	5	# TOTAL		526
caa	Gln(Q)	7	# uua	Leu(L)	4	# ---	Ser(S)	43	#		

Created: Wednesday, May 5, 1999 10:19 AM

Ligated 459225+482392 with Sac I(168)&Eco RI(or Not I)
Cloning site:5';Eco RI 3';Not I Vector; PT7T3 pac.

```
         10         20         30         40
MECCRRATPGTLLLFLAFLLLSSRTARSEEDRDGLWDAWG 40
PWSECSRTCGGGAANSLRRCLSSKSCEGRNIRYRTCSNVD 80
CPPEAGDFRAQQCSAHNDVKHHGQFYEWLPVSNDPDNPCS 120
LKCQAKGTTLVVELAPKVLDGTRCYTESLDMCISGLCQIV 160
GCDHQLGSTVKEDNCGVCNGDGSTCRLVRGQYKSQLSATK 200
         210        220        230        240
SDDIVVAIPYGSRHIRLVLKGPDHLYLETKTLQGIKGENS 240
LSSTGTFLVDNSSVDFQKFPDKEILRMAGPLTADFTVKIR 280
NSGSADSTVQFIFYQPIIHRWRETDFFPCSATCGGGYQLT 320
SAECYDLRSNRVVADQYCHYYPENIKPKPKLQECNLDPCP 360
ASDGYKQIMPYDLYHPLPRWEATPWTACSSSCGGGIQSRA 400
         410        420        430        440
VSCVEEDIQGHVTSVEEWKCMYTPKMPIAQPCNIFDCPKW 440
LAQEWSPCTVTCGQGLRYRVVLCIDHRGMHTGGCSPKTKP 480
HIKEECIVPTPCYKPKEKLPVEAKLPWFKQAQELEEGAAV 520
SEEPS. 526
```


BNSDOCID: <WO___0111074A2_IA>

Fig. 12



BNSDOCID: <WO___0111074A2_IA>



Fig. 13

BNSDOCID: <WO___0111074A2_IA>

b



c



Fig. 13 (con't)

BNSDOCID: <WO___0111074A2_IA>

a

adamalysin II	HELGHNLGMEHD
atrolysin A	HELGHNLGMVHD
hADAM-9	HELGHNLGMNHD
hADAM-10	HEVGHNFGSPHD
hADAM-15	HELGHSLGLDHD
hADAM-17	HELGHNFGAEHD
mADAM-19	HEIGHNFGMSHD
mADAM-TS1	HELGHVFNMPHD
hADAM-TS2	HETGHVLGMEHD
hADAM-TS3	HETGHVLGMEHD
hADAM-TS4	HELGHVFNMLHD
mADAM-TS5	HEIGHLLGLSHD
hADAM-TS6	HEIVHNFGMNHD
hADAM-TS7	HELGHSFGIQHD

b



Fig. 13 (con't)

BNSDOCID: <WO___0111074A2_IA>

Fig. 14



BNSDOCID: <WO___0111074A2_IA>



Fig. 15 (con't)

BNSDOCID: <WO___0111074A2_IA>

Fig. 15



BNSDOCID: <WO___0111074A2_IA>

FIGURE 16

```
MSSCPVWPAMRSPSPPAWTTTGHCWPSRHLLP 40
GAAPRHGGHSRVPPLLQSGLASTHFLLNLTRSSRLLAGRV 80
SVEYWTREGLAWQRAARPHCLYAGHLQGQASSSHVAISTC 120
GGLHGLIVADEEEYLIEPLHGGPKGSRSPEESGPHVVYKR 160
SSLRHPHLDTACGVRDEKPWKGRPWWLRTLKPPPARPLGN 200
ETERGQPGLKRSVSRERYVETLVVADKMMVAYHGRRDVEQ 240
YVLAIMNIVAKLFQDSSLGSTVNILVTRLILLTEDQPTLE 280
ITHHAGKSLDSFCKWQKSIVNHSGHGNAIPENGVANHDTA 320
VLITRYDICTYKNKPCGTLGLARWAECVSAREAAASMRTL 360
AATSVHHCHEIGHTFGMNHDGVGNSCGARGQDPAKLMAAH 400
ITMKINPFVWSSCNRDYITSFLDSGLGLCLNNRPPRQDFV 440
YPTVAPGQAYDADEQCRFQHGVKSRQCKYGEVCSELWCLS 480
KSNRCITNSIPAAEGTLCQTHTIDKGWCYKRVCVPFGSRP 520
EGVDGAWGPWTPWGDCSRTCGGGVSSSSRHCDSPRPTIGG 560
KYCLGERRRHRSCNTDDCPPGSQDFREVQCSEFDSIPFRG 600
KFYKWKTYRGGGVKACSLTSLAEGFNFYTERAAAVVDGTP 640
CRPDIVDICVSGECKHVGCDRVLGSDLREDKCRVCGGDGS 680
ACETIEGVFSPASPGAGYEDVVWIPKGSVHIFIQDLNLSL 720
SHLALKGDQESLLLEGLPGTPQPHRLPLAGITFQLRQGPD 760
QVQSLEALGPINASLIVMVLARTELPALRYRFNAPIARDS 800
LPPYSWHYAPWIKCSAQCAGGSQVQAVECRNQLDSSAVAP 840
HYCSAHSKLPKRQRACNTEPCPPDWVVGNWSLCSRSCDAG 880
VRSRSVVCQRRVSAAEEKALDDSACPQPRPPVLEACHGPT 920
CPPEWAALDWSECTPSCGPGLRHRVVLCKSADHRATLPPA 960
HCSPAAKPPAIMRCNLRRCPPARWVAGEWGECSAQCGVGQ 1000
RQRSVRCTSHTGQASHECTEALRPPTTQQCEAKCDSPTPG 1040
DGPEECKDVNKVAYCPLVLKFQFCSRAYFRQMCCKTCQGH 1080
Created: Thursday, October 01, 1998 11:05 PM
```

```
          10         20         30         40
          |          |          |          |
tcacgcacgccttccggtctcaagATGAGTTCCTGTCCAG 40
TCTGGAGAGCTATGAGATCGCCTTCCCCACCCGCGTGGAC 80
CACAACGGGGCACTGCTGGCCTTCTCGCCACCTCCTCCCC 120
GGAGCAGCGCCGCGGCACGGGGGCCACAGCCGAGTCCCGC 160
CTCTTCTACAAAGTGGCCTCGCCAGCACCCACTTCCTGCT 200
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 16 (continued)

```
        210         220         230         240
GAACCTGACCCGCAGCTCCCGTCTACTGGCAGGGCGCGTC 240
TCCGTGGAGTACTGGACACGGGAGGGCCTGGCCTGGCAGA 280
GGGCGGCCCGGCCCCACTGCCTCTACGCTGGTCACCTGCA 320
GGGCCAGGCCAGCAGCTCCCATGTGGCCATCAGCACCTGT 360
GGAGGCCTGCACGGCCTGATCGTGGCAGACGAGGAAGAGT 400
        410         420         430         440
ACCTGATTGAGCCCCTGCACGGTGGGCCCAAGGGTTCTCG 440
GAGCCCGGAGGAAAGTGGACCACATGTGGTGTACAAGCGT 480
TCCTCTCTGCGTCACCCCCACCTGGACACAGCCTGTGGAG 520
TGAGAGATGAGAAACCGTGGAAAGGGCGGCCATGGTGGCT 560
GCGGACCTTGAAGCCACCGCCTGCCAGACCCCTGGGGAAT 600
        610         620         630         640
GAAACAGAGCGTGGCCAGCCAGGCCTGAAGCGATCGGTCA 640
GCCGAGAGCGCTACGTGGAGACCCTGGTGGTGGCTGACAA 680
GATGATGGTGGCCTATCACGGGCGCCGGGATGTGGAGCAG 720
TATGTCCTGGCCATCATGAACATTGTTGCCAAACTTTTCC 760
AGGACTCGAGTCTGGGAAGCACCGTTAACATCCTCGTAAC 800
        810         820         830         840
TCGCCTCATCCTGCTCACGGAGGACCAGCCCACTCTGGAG 840
ATCACCCACCATGCCGGGAAGTCCCTAGACAGCTTCTGTA 880
AGTGGCAGAAATCCATCGTGAACCACAGCGGCCATGGCAA 920
TGCCATTCCAGAGAACGGTGTGGCTAACCATGACACAGCA 960
GTGCTCATCACACGCTATGACATCTGCATCTACAAGAACA 1000
        1010        1020        1030        1040
AACCCTGCGGCACACTAGGCCTGGCCCGGTGGGCGGAATG 1040
TGTGAGCGCGAGAGAAGCTGCAGCGTCAATGAGGACATTG 1080
GCTGCCACAAGCGTTCACCATTGCCACGAGATCGGGCACA 1120
CATTCGGCATGAACCATGACGGCGTGGGAAACAGCTGTGG 1160
GGCCCGTGGTCAGGACCCAGCCAAGCTCATGGCTGCCCAC 1200
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 16 (continued)

```
        1210        1220        1230        1240
ATTACCATGAAGACCAACCCATTCGTGTGGTCATCCTGCA 1240
ACCGTGACTACATCACCAGCTTTCTAGACTCGGGCCTGGG 1280
GCTCTGCCTGAACAACCGGCCCCCCAGACAGGACTTTGTG 1320
TACCCGACAGTGGCACCGGGCCAAGCCTACGATGCAGATG 1360
AGCAATGCCGCTTTCAGCATGGAGTCAAATCGCGTCAGTG 1400
        1410        1420        1430        1440
TAAATACGGGGAGGTCTGCAGCGAGCTGTGGTGTCTGAGC 1440
AAGAGCAACCGGTGCATCACCAACAGCATCCCGGCCGCCG 1480
AGGGCACGCTGTGCCAGACGCACACCATCGACAAGGGGTG 1520
GTGCTACAAACGGGTCTGTGTCCCCTTTGGGTCGCGCCCA 1560
GAGGGTGTGGACGGAGCCTGGGGGCCGTGGACTCCATGGG 1600
        1610        1620        1630        1640
GCGACTGCAGCCGGACCTGTGGCGGCGGCGTGTCCTCTTC 1640
TAGTCGTCACTGCGACAGCCCCAGGCCAACCATCGGGGGC 1680
AAGTACTGTCTGGGTGAGAGAAGGCGGCACCGCTCCTGCA 1720
ACACGGATGACTGTCCCCCTGGCTCCCAGGACTTCAGAGA 1760
AGTGCAGTGTTCTGAATTTGACAGCATCCCTTTCCGTGGG 1800
        1810        1820        1830        1840
AAATTCTACAAGTGGAAAACGTACCGGGGAGGGGGCGTGA 1840
AGGCCTGCTCGCTCACGAGCCTAGCGGAAGGCTTCAACTT 1880
CTACACGGAGAGGGCGGCAGCCGTGGTGGACGGGACACCC 1920
TGCCGTCCAGACACGGTGGACATTTGCGTCAGTGGCGAAT 1960
GCAAGCACGTGGGCTGCGACCGAGTCCTGGGCTCCGACCT 2000
        2010        2020        2030        2040
GCGGGAGGACAAGTGCCGAGTGTGTGGCGGTGACGGCAGT 2040
GCCTGCGAGACCATCGAGGGCGTCTTCAGCCCAGCCTCAC 2080
CTGGGGCCGGGTACGAGGATGTCGTCTGGATTCCCAAAGG 2120
CTCCGTCCACATCTTCATCCAGGATCTGAACCTCTCTCTC 2160
AGTCACTTGGCCCTGAAGGAGACCAGGAGTCCCTGCTGC 2200
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 16 (continued)

```
      2210       2220       2230       2240
TGGAGGGGCTGCCTGGGACCCCCCAGCCCCACCGTCTGCC 2240
TCTAGCTGGGACCACCTTTCAACTGCGACAGGGGCCAGAC 2280
CAGGTCCAGAGCCTCGAAGCCCTGGGACCGATTAATGCAT 2320
CTCTCATCGTCATGGTGCTGGCCCGGACCGAGCTGCCTGC 2360
CCTCCGCTACCGCTTCAATGCCCCCATCGCCCGTGACTCG 2400
      2410       2420       2430       2440
CTGCCCCCCTACTCCTGGCACTATGCGCCCTGGACCAAGT 2440
GCTCGGCCCAGTGTGCAGGCGGTAGCCAGGTGCAGGCGGT 2480
GGAGTGCCGCAACCAGCTGGACAGCTCCGCGGTCGCCCCC 2520
CACTACTGCAGTGCCCACAGCAAGCTGCCCAAAAGGCAGC 2560
GCGCCTGCAACACGGAGCCTTGCCCTCCAGACTGGGTTGT 2600
      2610       2620       2630       2640
AGGGAACTGGTCGCTCTGCAGCCGCAGCTGCGATGCAGGC 2640
GTGCGCAGTCGCTCGGTCGTGTGCCAGCGCCGCGTCTCTG 2680
CCGCGGAGGAGAAGGCGCTGGACGACAGCGCATGCCCGCA 2720
GCCGCGCCCACCTGTACTGGAGGCCTGCCACGGCCCCACT 2760
TGCCCTCCGGAGTGGGCGGCCCTCGACTGGTCTGAGTGCA 2800
      2810       2820       2830       2840
CCCCCAGCTGCGGGCCGGGCCTCCGCCACCGCGTGGTCCT 2840
TTGCAAGAGCGCAGACCACCGCGCCACGCTGCCCCCGGCG 2880
CACTGCTCACCCGCCGCCAAGCCACCGGCCACCATGCGCT 2920
GCAACTTGCGCCGCTGCCCCCCCGGCCCGCTGGGTGGCTGG 2960
CGAGTGGGGTGAGTGCTCTGCACAGTGCGGCGTCGGGCAG 3000
      3010       3020       3030       3040
CGGCAGCGCTCGGTGCGCTGCACCAGCCACACGGGCCAGG 3040
CGTCGCACGAGTGCACGGAGGCCCTGCGGCCGCCCACCAC 3080
GCAGCAGTGTGAGGCCAAGTGCGACAGCCCAACCCCCGGG 3120
GACGGCCCTGAAGAGTGCAAGGATGTGAACAAGGTCGCCT 3160
ACTGCCCCCTGGTGCTCAAATTTCAGTTCTGCAGCCGAGC 3200
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 16 (continued)

```
        3210        3220        3230        3240
CTACTTCCGCCAGATGTGCTGCAAAACCTGCCAGGGCCAC 3240
tagggggcgcgcggcacccggagccacagctggcggggtc 3280
tccgccgccagccctgcagcgggccggccaaaggggccc 3320
cgggggggcgggaactgggagggaagggtgagacggagcc 3360
ggaagttatttattgggaacccctgcagggccctggctgg 3400
        3410        3420        3430        3440
ggggatgga 3409
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 17

Molecular Weight 216301.30 Daltons
1934 Amino Acids
234 Strongly Basic(+) Amino Acids (K,R)
216 Strongly Acidic(-) Amino Acids (D,E)
477 Hydrophobic Amino Acids (A,I,L,F,W,V)
657 Polar Amino Acids (N,C,Q,S,T,Y)

7.734 Isolectric Point
24.102 Charge at PH 7.0

```
MQFVSWATLLTLLVRDLAEMGSPDAAAAVRKDRLHPRQVKLLETLSEYEIVSPIRVNALG 60
EPFPINVHFKRTRRSINSATDPWPAFASSSSSSTSPQAHYRLSAFGQQFLFNLTANAGFI 120
APLFIVTLLGTPGVNQTKFYSEEEAELKHCFYKGYVNINSEHTAVISLCSGMLGTFRSHD 180
GGYFIEPLQSMDEQEDEEEQNKPHIIYRRSAPQREPSTGRHACDTSEHKNRHSKDKKKTR 240
ARKWGERINLAGDVAALNSGLATEAFSAYGNKTDNTREKRTHRRTKRFLSYPRFVEVLVV 300
ADNRMVSYHGFNLQHYILTLMSIVASIYKDPSIGNLINIVIVNLIVIHNEQDGPSISFNA 360
QTTLKNFCQWQHSNSPGGIHHDTAVLLTRQDICRAHDKCDTLGLAELGTICDPYRSCSIS 420
EDSGLSTAFTIAHELGHVFNMPHDDNNKCKEEGVKSPQHVMAPTLNFYTNPWMWSKCSRK 480
YITEFLDTGYGECLLNEPESRPYPLPVQLPGILYNVNKQCELIFGPGSQVCPYMMQCRRL 540
WCNNVNGVHKGCRTQHTPWADGTECEPGKHCKYGFCVPKEMDVPVTDGSWGSWSPFGTCS 600
RTCGGGIKTAIRECNRPEPKNGGKYCVGRRMKFKSCNTEPCLKQKRDFRDEQCAHFDGKH 660
FNINGLLPNVRWVPKYSGILMKDRCKLFCRVAGNTAYYQLRDRVIDGTPCGQDTNDICVQ 720
GLCRQAGCDHVLNSKARRDKCGVCGGDNSSCKTVAGTFNTVHYGYNTVVRIPAGATNIDV 780
RQHSFSGETDDDNYLALSSSKGEFLLNGNFVVTMAKREIRIGNAVVEYSGSETAVERINS 840
TDRIEQELLLQVLSVGKLYNPDVRYSFNTPIEDKPQQFYWNSHGPWQACSKPCQGERKRK 900
LVCTRESDQLTVSDQRCDRLPQPGHTTEPCGTGCDLRWHVASRSECSAQCGLGYRTLDIY 960
CAKYSRLDGKTEKVDDGFCSSHPKPSNREKCSGECNTGGWRYSAWTECSKSCDGGTQRRR 1020
AICVNTRNDVLDDSKCTHQEKVTIQRCSEFPCPQWKSGDWSECLVTCGKGHKHRQVWCQF 1080
GEDRLNDRMCDPETKPTSMQTCQQPECASWQAGPWVQCSVTCGQGYQLRAVKCIIGTYMS 1140
VVDDNDCNAATRPTDTQDCELPSCHPPPAAPETRRSTYSAPRTQWRFGSWTPCSATCGKG 1200
TRMRYVSCRDENGSVADESACATLPRPVAKEECSVTPCGQWKALDWSSCSVTCGQGRATR 1260
QVMCVNYSDHVIDRSECDQDYIPETDQDCSMSPCPQRTPDSGLAQHPFQNEDYRPRSASP 1320
SRTHVLGGNQWRTGPWGACSSTCAGGSQRRVVVCQDENGYTANDCVERTKPDEQRACESG 1380
PCPQWAYGNWGECTKLCGGGIRTRLVVCQRSNGERFPDLSCEILDKPPDREQCNTHACPH 1440
DAAWSTGPWSSCSVSCGRGHKQRNVYCMAKDGSHLESDYCKHLAKPHGHRKCRGGRCPKW 1500
KAGAWSQCSVSCGRGVQQRHVGCQIGTHKIARETECNPYTRPESECECQGPRCPLYTWRA 1560
EEWQECTKTCGEGSRYRKVVCVDDNKNEVHGARCDVSKRPVDRESCSLQPCEYVWTTGEW 1620
SECSVTCGKGYKQRLVSCSEIYTGKENYEYSYQTTINCPGTQPPSVHPCYLRECPVSATW 1680
RVGNWGSCSVSCGVGVMQRSVQCLTNEDQPSHLCHTDLKPEERKTCRNVYNCELPQNCKE 1740
VKRLKGASEDGEYFLMIRGKLLKIFCAGMHSDHPKEYVTLVHGDSENFSEVYGHRLHNPT 1800
ECPYNGSRRDDCQCRKDYTAAGFSSFQKIRIDLTSMQIITTDLQFARTSEGHPVPFATAG 1860
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 17 (continued)

DCYSAAKCPQGRFSINLYGIGLSLTESARWISQGNYAVSDIKKSPDGIRVVGKCGGYCGK 1920
CTPSSGIGLEVRVL 1934

```
        10         20         30         40
        |          |          |          |
tggggcagcggagggaggggtgggaagcaccATGCAGTT 40
TGTATCCTGGGCCACACTGCTAACGCTCCTGGTGCGGGAC 80
CTGGCCGAGATGGGGAGCCCAGACGCCGCGGCGGCCGTGC 120
GCAAGGACAGGCTGCACCCGAGGCAAGTGAAATTATTAGA 160
GACCCTGAGCGAATACGAAATCGTGTCTCCCATCCGAGTG 200
        210        220        230        240
        |          |          |          |
AACGCTCTCGGAGAACCCTTTCCCACGAACGTCCACTTCA 240
AAAGAACGCGACGGAGCATTAACTCTGCCACTGACCCCTG 280
GCCTGCCTTCGCCTCCTCCTCTTCCTCCTCTACCTCCCCC 320
CAGGCGCATTACCGCCTCTCTGCCTTCGGCCAGCAGTTTC 360
TATTTAATCTCACCGCCAATGCCGGATTTATCGCTCCACT 400
        410        420        430        440
        |          |          |          |
GTTCACTGTCACCCTCCTCGGGACGCCCGGGGTGAATCAG 440
ACCAAGTTTTATTCCGAAGAGGAAGCGGAACTCAAGCACT 480
GTTTCTACAAAGGCTATGTCAATACCAACTCCGAGCACAC 520
GGCCGTCATCAGCCTCTGCTCAGGAATGCTGGGCACATTC 560
CGGTCTCATGATGGGGGTTATTTTATTGAACCACTACAGT 600
        610        620        630        640
        |          |          |          |
CTATGGATGAACAAGAAGATGAAGAGGAACAAAACAAACC 640
CCACATCATTTATAGGCGCAGCGCCCCCCAGAGAGAGCCC 680
TCAACAGGAAGGCATGCATGTGACACCTCAGAACACAAAA 720
ATAGGCACAGTAAAGACAAGAAGAAAACCAGAGCAAGAAA 760
ATGGGGAGAAAGGATTAACCTGGCTGGTGACGTAGCAGCA 800
        810        820        830        840
        |          |          |          |
TTAAACAGCGGCTTAGCAACAGAGGCATTTTCTGCTTATG 840
GTAATAAGACGGACAACACAAGAGAAAAGAGGACCCACAG 880
AAGGACAAAACGTTTTTTATCCTATCCACGGTTTGTAGAA 920
GTCTTGGTGGTGGCAGACAACAGAATGGTTTCATACCATG 960
GAGAAAACCTTCAACACTATATTTTAACTTTAATGTCAAT 1000
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 17 (continued)

1010 1020 1030 1040

TGTAGCCTCTATCTATAAAGACCCAAGTATTGGAAATTTA 1040
ATTAATATTGTTATTGTGAACTTAATTGTGATTCATAATG 1080
AACAGGATGGGCCTTCCATATCTTTTAATGCTCAGACAAC 1120
ATTAAAAAACTTTTGCCAGTGGCAGCATTCGAACAGTCCA 1160
GGTGGAATCCATCATGATACTGCTGTTCTCTTAACAAGAC 1200

1210 1220 1230 1240

AGGATATCTGCAGAGCTCACGACAAATGTGATACCTTAGG 1240
CCTGGCTGAACTGGGAACCATTTGTGATCCCTATAGAAGC 1280
TGTTCTATTAGTGAAGATAGTGGATTGAGTACAGCTTTTA 1320
CGATCGCCCATGAGCTGGGCCATGTGTTTAACATGCCTCA 1360
TGATGACAACAACAAATGTAAAGAAGAAGGAGTTAAGAGT 1400

1410 1420 1430 1440

CCCCAGCATGTCATGGCTCCAACACTGAACTTCTACACCA 1440
ACCCCTGGATGTGGTCAAAGTGTAGTCGAAAATATATCAC 1480
TGAGTTTTTAGACACTGGTTATGGCGAGTGTTTGCTTAAC 1520
GAACCTGAATCCAGACCCTACCCTTTGCCTGTCCAACTGC 1560
CAGGCATCCTTTACAACGTGAATAAACAATGTGAATTGAT 1600

1610 1620 1630 1640

TTTTGGACCAGGTTCTCAGGTGTGCCCATATATGATGCAG 1640
TGCAGACGGCTCTGGTGCAATAACGTCAATGGAGTACACA 1680
AAGGCTGCCGGACTCAGCACACACCCTGGGCCGATGGGAC 1720
GGAGTGCGAGCCTGGAAAGCACTGCAAGTATGGATTTTGT 1760
GTTCCCAAAGAAATGGATGTCCCCGTGACAGATGGATCCT 1800

1810 1820 1830 1840

GGGGAAGTTGGAGTCCCTTTGGAACCTGCTCCAGAACATG 1840
TGGAGGGGGCATCAAAACAGCCATTCGAGAGTGCAACAGA 1880
CCAGAACCAAAAAATGGTGGAAAATACTGTGTAGGACGTA 1920
GAATGAAATTTAAGTCCTGCAACACGGAGCCATGTCTCAA 1960
GCAGAAGCGAGACTTCCGAGATGAACAGTGTGCTCACTTT 2000

BNSDOCID: <WO___0111074A2_IA>

FIGURE 17 (continued)

2010 2020 2030 2040

GACGGGAAGCATTTTAACATCAACGGTCTGCTTCCCAATG 2040
TGCGCTGGGTCCCTAAATACAGTGGAATTCTGATGAAGGA 2080
CCGGTGCAAGTTGTTCTGCAGAGTGGCAGGGAACACAGCC 2120
TACTATCAGCTTCGAGACAGAGTGATAGATGGAACTCCTT 2160
GTGGCCAGGACACAAATGATATCTGTGTCCAGGGCCTTTG 2200

2210 2220 2230 2240

CCGGCAAGCTGGATGCGATCATGTTTTAAACTCAAAAGCC 2240
CGGAGAGATAAATGCGGGGTTTGTGGTGGCGATAATTCTT 2280
CATGCAAAACAGTGGCAGGAACATTTAATACAGTACATTA 2320
TGGTTACAATACTGTGGTCCGAATTCCAGCTGGTGCTACC 2360
AATATTGATGTGCGGCAGCACAGTTTCTCAGGGGAAACAG 2400

2410 2420 2430 2440

ACGATGACAACTACTTAGCTTTATCAAGCAGTAAAGGTGA 2440
ATTCTTGCTAAATGGAAACTTTGTTGTCACAATGGCCAAA 2480
AGGGAAATTCGCATTGGGAATGCTGTGGTAGAGTACAGTG 2520
GGTCCGAGACTGCCGTAGAAAGAATTAACTCAACAGATCG 2560
CATTGAGCAAGAACTTTTGCTTCAGGTTTTGTCGGTGGGA 2600

2610 2620 2630 2640

AAGTTGTACAACCCCGATGTACGCTATTCTTTCAATATTC 2640
CAATTGAAGATAAACCTCAGCAGTTTTACTGGAACAGTCA 2680
TGGGCCATGGCAAGCATGCAGTAAACCCTGCCAAGGGGAA 2720
CGGAAACGAAAACTTGTTTGCACCAGGGAATCTGATCAGC 2760
TTACTGTTTCTGATCAAAGATGCGATCGGCTGCCCCAGCC 2800

2810 2820 2830 2840

TGGACACATTACTGAACCCTGTGGTACAGGCTGTGACCTG 2840
AGGTGGCATGTTGCCAGCAGGAGTGAATGTAGTGCCCAGT 2880
GTGGCTTGGGTTACCGCACATTGGACATCTACTGTGCCAA 2920
ATATAGCAGGCTGGATGGGAAGACTGAGAAGGTTGATGAT 2960
GGTTTTTGCAGCAGCCATCCCAAACCAAGCAACCGTGAAA 3000

BNSDOCID: <WO___0111074A2_IA>

FIGURE 17 (continued)



ENSDOCID: <WO___0111074A2_IA>

FIGURE 17 (continued)

```
        4010        4020        4030        4040
        |           |           |           |
CCATGTGCTCGGTGGAAACCAGTGGAGAACTGGCCCCTGG 4040
GGAGCATGTTCCAGTACCTGTGCTGGCGGATCCCAGCGGC 4080
GTGTTGTTGTATGTCAGGATGAAAATGGATACACCGCAAA 4120
CGACTGTGTGGAGAGAATAAAACCTGATGAGCAAAGAGCC 4160
TGTGAATCCGGCCCTTGTCCTCAGTGGGCTTATGGCAACT 4200
        4210        4220        4230        4240
        |           |           |           |
GGGGAGAGTGCACTAAGCTGTGTGGTGGAGGCATAAGAAC 4240
AAGACTGGTGGTCTGTCAGCGGTCCAACGGTGAACGGTTT 4280
CCAGATTTGAGCTGTGAAATTCTTGATAAACCTCCCGATC 4320
GTGAGCAGTGTAACACACATGCTTGTCCACACGACGCTGC 4360
ATGGAGTACTGGCCCTTGGAGCTCGTGTTCTGTCTCTTGT 4400
        4410        4420        4430        4440
        |           |           |           |
GGTCGAGGGCATAAACAACGAAATGTTTACTGCATGGCAA 4440
AAGATGGAAGCCATTTAGAAAGTGATTACTGTAAGCACCT 4480
GGCTAAGCCACATGGGCACAGAAAGTGCCGAGGAGGAAGA 4520
TGCCCCAAATGGAAAGCTGGCGCTTGGAGTCAGTGCTCTG 4560
TGTCCTGTGGCCGAGGCGTACAGCAGAGGCATGTGGGCTG 4600
        4610        4620        4630        4640
        |           |           |           |
TCAGATCGGAACACACAAAATAGCCAGAGAGACCGAGTGC 4640
AACCCATACACCAGACCGGAGTCGGAATGCGAATGCCAAG 4680
GCCCACGGTGTCCCCTTTACACTTGGAGGGCAGAGGAATG 4720
GCAAGAATGCACCAAGACCTGCGGCGAAGGCTCCAGGTAC 4760
CGCAAGGTGGTGTGTGTGGATGACAACAAAAACGAGGTGC 4800
        4810        4820        4830        4840
        |           |           |           |
ATGGGGCACGCTGTGACGTGAGCAAGCGGCCGGTGGACCG 4840
TGAAAGCTGTAGTTTGCAACCCTGCGAGTATGTCTGGATC 4880
ACAGGAGAATGGTCAGAGTGCTCAGTGACCTGTGGAAAAG 4920
GCTACAAACAAAGGCTTGTCTCGTGCAGCGAGATTTACAC 4960
CGGGAAAGAGAATTATGAATACAGCTACCAAACCACCATC 5000
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 17 (continued)

```
        5010        5020        5030        5040
AACTGCCCAGGCACGCAGCCCCCCAGTGTTCACCCCTGTT 5040
ACCTGAGGGAGTGCCCTGTCTCGGCCACCTGGAGAGTTGG 5080
CAACTGGGGGAGCTGCTCAGTGTCTTGTGGTGTTGGAGTG 5120
ATGCAGAGATCTGTGCAATGTTTAACCAATGAGGACCAAC 5160
CCAGCCACTTATGCCACACTGATCTGAAGCCAGAAGAACG 5200
        5210        5220        5230        5240
AAAAACCTGCCGTAATGTCTATAACTGTGAGTTACCCCAG 5240
AATTGCAAGGAGGTAAAAAGACTTAAAGGTGCCAGTGAAG 5280
ATGGTGAATATTTCCTGATGATTAGAGGAAAGCTTCTGAA 5320
GATATTCTGTGCGGGGATGCACTCTGACCACCCCAAAGAG 5360
TACGTGACACTGGTGCATGGAGACTCTGAGAATTTCTCCG 5400
        5410        5420        5430        5440
AGGTTTATGGGCACAGGTTACACAACCCAACAGAATGTCC 5440
CTATAACGGGAGCCGGCGCGATGACTGCCAATGTCGGAAG 5480
GATTACACGGCCGCTGGGTTTTCCAGTTTTCAGAAAATCA 5520
GAATAGACCTGACCAGCATGCAGATAATCACCACTGACTT 5560
ACAGTTTGCAAGGACAAGCGAAGGACATCCCGTCCCTTTT 5600
        5610        5620        5630        5640
GCCACAGCCGGGGATTGCTACAGCGCTGCCAAGTGCCCAC 5640
AGGGTCGTTTTAGCATCAACCTTTATGGAACCGGCTTGTC 5680
TTTAACTGAATCTGCCAGATGGATATCACAAGGGAATTAT 5720
GCTGTCTCTGACATCAAGAAGTCGCCGGATGGTACCCGAG 5760
TCGTAGGGAAATGCGGTGGTTACTGTGGAAAATGCACTCC 5800
        5810        5820        5830        5840
ATCCTCTGGTACTGGCCTGGAGGTGCGAGTTTTAtagcta 5840
aggtgctttgaagaggaagccattatggatggatgaagga 5880
tagtaatgcaatacctccaccttaatttgggtgcatgtgt 5920
atgtgtgtgtgtgtttgtgtgtgacttgtatgcttgtgtg 5960
tgtaaatgtgtgtacatatacatatataca 5990
```


BNSDOCID: <WO___0111074A2_IA>

FIGURE 18



BNSDOCID: <WO___0111074A2_IA>

SEQUENCE LISTING

<110> Apte, Suneel
Hurskainen, Tiina L.
Hirohata, Satoshi

<120> Nucleic Acids Encoding Zinc Metalloproteases

<130> 26473-04007

<140> 09/369,364
<141> 1999-08-06

<160> 26

<170> PatentIn Ver. 2.1

<210> 1
<211> 3002
<212> DNA
<213> mus musculus ADAMTS-5

<220>
<221> CDS
<222> (18)..(2810)

<400> 1
ccggcgggca gcgcact atg cgg ctc gag tgg gcg tcc ttg ttg ctg cta 50
Met Arg Leu Glu Trp Ala Ser Leu Leu Leu Leu
1 5 10

ctg ctg ctg ctg agc gcg tcc tgc ctg tcc ctg gcc gct gac agc ccc 98
Leu Leu Leu Leu Ser Ala Ser Cys Leu Ser Leu Ala Ala Asp Ser Pro
15 20 25

gcc gcg gca cct gcc cag gat aaa acc agg cag cct cag gct gca gca 146
Ala Ala Ala Pro Ala Gln Asp Lys Thr Arg Gln Pro Gln Ala Ala Ala
30 35 40

gcg gcc gcc gag ccg gac cag ccg cag ggg gag gaa aca cgg gag cga 194
Ala Ala Ala Glu Pro Asp Gln Pro Gln Gly Glu Glu Thr Arg Glu Arg
45 50 55

ggc cat tta caa ccc ttg gcc ggg cag cgc agg agc ggc ggg ctg gtc 242
Gly His Leu Gln Pro Leu Ala Gly Gln Arg Arg Ser Gly Gly Leu Val
60 65 70 75

cat aat ata gac caa ctc tac tct ggc ggt ggc aaa gtg ggc tac ctt 290
His Asn Ile Asp Gln Leu Tyr Ser Gly Gly Gly Lys Val Gly Tyr Leu
80 85 90

gtc tac gcg ggc ggc cgg agg ttc ctg ctg gac ctg gag aga gat gac 338
Val Tyr Ala Gly Gly Arg Arg Phe Leu Leu Asp Leu Glu Arg Asp Asp
95 100 105

aca gtg ggt gct gct ggt agc atc gtt act gca gga gga ggg ctg agc 386
Thr Val Gly Ala Ala Gly Ser Ile Val Thr Ala Gly Gly Gly Leu Ser
110 115 120

gca tcc tct ggc cac cgg ggt cac tgt ttc tac aga ggc acc gtg gac 434
Ala Ser Ser Gly His Arg Gly His Cys Phe Tyr Arg Gly Thr Val Asp
125 130 135

ggc agc cct cga tcc cta gct gtc ttt gac ctc tgc ggg ggt ctc gat 482
Gly Ser Pro Arg Ser Leu Ala Val Phe Asp Leu Cys Gly Gly Leu Asp
140 145 150 155

```
   ggc ttc ttt gca gtc aag cat gcg cgc tac act cta aag cca ctc ctg   530
   Gly Phe Phe Ala Val Lys His Ala Arg Tyr Thr Leu Lys Pro Leu Leu
                   160                 165                 170
 5
   cgt ggg tcc tgg gca gag tat gaa cga att tat ggg gat gga tct tcc   578
   Arg Gly Ser Trp Ala Glu Tyr Glu Arg Ile Tyr Gly Asp Gly Ser Ser
               175                 180                 185

10 cgc atc ctg cat gtc tac aac cgc gag ggc ttt agc ttc gag gcc ctg   626
   Arg Ile Leu His Val Tyr Asn Arg Glu Gly Phe Ser Phe Glu Ala Leu
           190                 195                 200

   ccg cca cgc gcc agt tgc gag act cct gca tcc cca tct ggg ccc caa   674
15 Pro Pro Arg Ala Ser Cys Glu Thr Pro Ala Ser Pro Ser Gly Pro Gln
       205                 210                 215

   gag agc ccc tcg gtg cac agt aga tct agg aga cgc tca gcg ctg gcc   722
   Glu Ser Pro Ser Val His Ser Arg Ser Arg Arg Arg Ser Ala Leu Ala
20 220                 225                 230                 235

   ccg cag ctg ctg gac cac tca gct ttc tcg cca tct ggg aac gcg gga   770
   Pro Gln Leu Leu Asp His Ser Ala Phe Ser Pro Ser Gly Asn Ala Gly
                   240                 245                 250
25
   cct cag act tgg tgg agg cgt agg cgc cgt tcc atc tcc agg gcc cgc   818
   Pro Gln Thr Trp Trp Arg Arg Arg Arg Arg Ser Ile Ser Arg Ala Arg
               255                 260                 265

30 cag gtg gag ctc ctc ttg gtg gct gac tcg tcc atg gcc agg atg tat   866
   Gln Val Glu Leu Leu Leu Val Ala Asp Ser Ser Met Ala Arg Met Tyr
           270                 275                 280

   ggg cgg ggc ctg cag cat tac ctg ctg acc atg gcc tcc atc gcc aac   914
35 Gly Arg Gly Leu Gln His Tyr Leu Leu Thr Met Ala Ser Ile Ala Asn
       285                 290                 295

   agg ctg tac agt cat gca agc att gag aac cac atc cgc ctg gcg gtg   962
   Arg Leu Tyr Ser His Ala Ser Ile Glu Asn His Ile Arg Leu Ala Val
40 300                 305                 310                 315

   gtg aag gtg gtg gtg ctg acg gac aag gac acg agt ctg gag gtg agc   1010
   Val Lys Val Val Val Leu Thr Asp Lys Asp Thr Ser Leu Glu Val Ser
                   320                 325                 330
45
   aag aat gcg gcc acg acc ctc aag aac ttt tgc aaa tgg cag cac caa   1058
   Lys Asn Ala Ala Thr Thr Leu Lys Asn Phe Cys Lys Trp Gln His Gln
               335                 340                 345

50 cat aac cag cta ggg gat gat cac gaa gag cac tac gat gca gcc atc   1106
   His Asn Gln Leu Gly Asp Asp His Glu Glu His Tyr Asp Ala Ala Ile
           350                 355                 360

   ctg ttc acc cga gag gat tta tgt ggg cat cat tca tgt gac acc ctg   1154
55 Leu Phe Thr Arg Glu Asp Leu Cys Gly His His Ser Cys Asp Thr Leu
       365                 370                 375

   gga atg gca gac gtt ggg acc ata tgt tct ccg gag cgc agc tgt gca   1202
   Gly Met Ala Asp Val Gly Thr Ile Cys Ser Pro Glu Arg Ser Cys Ala
60 380                 385                 390                 395

   gtg att gaa gat gat ggc ctc cat gca gcc ttc act gtg gct cat gaa   1250
   Val Ile Glu Asp Asp Gly Leu His Ala Ala Phe Thr Val Ala His Glu
                   400                 405                 410
65
   att ggg cat cta ctt ggc ctt tct cat gac gat tcc aaa ttc tgt gaa   1298
```

```
   Ile Gly His Leu Leu Gly Leu Ser His Asp Asp Ser Lys Phe Cys Glu
                415                 420                 425

   gag aac ttc ggt act aca gaa gac aag cgt tta atg tct tca atc ctt   1346
 5 Glu Asn Phe Gly Thr Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu
          430                 435                 440

   acc agc atc gat gca tcc aag ccc tgg tcc aaa tgc acg tca gcc acc   1394
   Thr Ser Ile Asp Ala Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr
10     445                 450                 455

   atc aca gaa ttc ctg gat gat ggt cat ggt aat tgt ttg cta gac cta   1442
   Ile Thr Glu Phe Leu Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu
   460                 465                 470                 475
15
   cca cgg aag cag att ttg ggt ccc gag gaa ctc cca gga cag acc tac   1490
   Pro Arg Lys Gln Ile Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr
                   480                 485                 490

20 gat gcc acc cag cag tgc aac ttg aca ttt ggg cct gag tac tcg gtg   1538
   Asp Ala Thr Gln Gln Cys Asn Leu Thr Phe Gly Pro Glu Tyr Ser Val
                495                 500                 505

   tgc cct ggc atg gat gtc tgt gcg cgg ctg tgg tgt gct gtg gtg cgc   1586
25 Cys Pro Gly Met Asp Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg
          510                 515                 520

   caa ggc caa atg gtg tgt ctg acc aag aag ctg ccg gct gtg gag ggc   1634
   Gln Gly Gln Met Val Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly
30     525                 530                 535

   act ccc tgt ggg aag gga aga gtc tgc ctt caa ggc aaa tgt gtg gac   1682
   Thr Pro Cys Gly Lys Gly Arg Val Cys Leu Gln Gly Lys Cys Val Asp
   540                 545                 550                 555
35
   aaa act aag aaa aaa tat tac tcg aca tca agc cat gga aat tgg ggg   1730
   Lys Thr Lys Lys Lys Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly
                   560                 565                 570

40 tcc tgg ggc ccc tgg ggt cag tgt tct cgc tca tgc ggg gga gga gtg   1778
   Ser Trp Gly Pro Trp Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val
                575                 580                 585

   cag ttt gcc tac cgc cat tgt aat aac cct gca cct cga aac agt ggc   1826
45 Gln Phe Ala Tyr Arg His Cys Asn Asn Pro Ala Pro Arg Asn Ser Gly
          590                 595                 600

   cgc tac tgc aca ggg aag agg gcc ata tac cgt tcc tgc agt gtt aca   1874
   Arg Tyr Cys Thr Gly Lys Arg Ala Ile Tyr Arg Ser Cys Ser Val Thr
50     605                 610                 615

   ccc tgc cca ccc aat ggt aaa tct ttt cgc cat gag cag tgt gaa gcc   1922
   Pro Cys Pro Pro Asn Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala
   620                 625                 630                 635
55
   aaa aat ggc tat cag tct gat gca aaa gga gtc aaa aca ttt gta gaa   1970
   Lys Asn Gly Tyr Gln Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu
                   640                 645                 650

60 tgg gtt ccc aaa tat gca ggt gtc ctg ccg gca gat gtg tgc aag ctt   2018
   Trp Val Pro Lys Tyr Ala Gly Val Leu Pro Ala Asp Val Cys Lys Leu
                655                 660                 665

   acc tgc aga gct aag ggc aca ggc tac tat gtg gtc ttt tct cca aag   2066
65 Thr Cys Arg Ala Lys Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys
          670                 675                 680
```

```
   gtt acg gat ggg act gaa tgc agg ccg tac agc aac tct gtg tgt gtc   2114
   Val Thr Asp Gly Thr Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val
       685                 690                 695
 5
   cga gga cgg tgt gtg aga act gga tgt gac ggc att att ggc tca aag   2162
   Arg Gly Arg Cys Val Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys
   700                 705                 710                 715

10 cta caa tat gac aag tgt gga gtg tgc gga ggg gat aac tcc agt tgt   2210
   Leu Gln Tyr Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys
                   720                 725                 730

   aca aag att atc gga acc ttc aat aaa aaa agc aag ggt tat act gac   2258
15 Thr Lys Ile Ile Gly Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp
               735                 740                 745

   gtt gtg agg atc cct gaa gga gca acc cac ata aaa gtc cga cag ttc   2306
   Val Val Arg Ile Pro Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe
20         750                 755                 760

   aaa gcc aaa gac cag act aga ttc cct gcc tac tta gcc ctg aag aag   2354
   Lys Ala Lys Asp Gln Thr Arg Phe Pro Ala Tyr Leu Ala Leu Lys Lys
       765                 770                 775
25
   aaa act ggc gag tac ctt atc aat ggc aag tac atg att tcc act tca   2402
   Lys Thr Gly Glu Tyr Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser
   780                 785                 790                 795

30 gag acc atc atc gac atc aat ggt acc gtc atg aac tac agt gga tgg   2450
   Glu Thr Ile Ile Asp Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp
                   800                 805                 810

   agc cac aga gat gat ttt tta cat ggg atg ggc tat tca gcc aca aaa   2498
35 Ser His Arg Asp Asp Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys
               815                 820                 825

   gaa atc ctg atc gtg cag atc ctt gcc aca gac cca act aaa gcg cta   2546
   Glu Ile Leu Ile Val Gln Ile Leu Ala Thr Asp Pro Thr Lys Ala Leu
40         830                 835                 840

   ggc gtc cgt tac agc ttt ttt gtt ccc aag aag acc act caa aaa gta   2594
   Gly Val Arg Tyr Ser Phe Phe Val Pro Lys Lys Thr Thr Gln Lys Val
       845                 850                 855
45
   aac tct gtc atc agc cat ggc agc aac aag gtg gga cca cac tct aca   2642
   Asn Ser Val Ile Ser His Gly Ser Asn Lys Val Gly Pro His Ser Thr
   860                 865                 870                 875

50 cag ctg cag tgg gtg aca ggt cca tgg ctg gcc tgc tcc agg acc tgt   2690
   Gln Leu Gln Trp Val Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys
                   880                 885                 890

   gac aca ggc tgg cac act agg acc gtg cag tgc cag gat gga aac agg   2738
55 Asp Thr Gly Trp His Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg
               895                 900                 905

   aaa tta gct aaa gga tgc ctt ctc tct cag agg cct tct gca ttt aag   2786
   Lys Leu Ala Lys Gly Cys Leu Leu Ser Gln Arg Pro Ser Ala Phe Lys
60         910                 915                 920

   caa tgt ctg ctg aag aaa tgt tag cctgtggttt actctaatgc acaaaaaaac  2840
   Gln Cys Leu Leu Lys Lys Cys
       925                 930
65
   aacaggagga tcatcgcaga tacagctgtg gtgaagacaa ggcctaccca aagcacagaa 2900
```

BNSDOCID: <WO___0111074A2_IA>

agtcatgcct tcatgtcatt gtcaccacga gtcgaattat gggcagaatc tgctctctgc 2960

gaccaaaagg tttactctac ttggtgaatg atggtaccgt ga 3002

<210> 2
<211> 930
<212> PRT
<213> mus musculus ADAMTS-5

<400> 2

```
Met Arg Leu Glu Trp Ala Ser Leu Leu Leu Leu Leu Leu Leu Leu Ser
  1               5                  10                  15
Ala Ser Cys Leu Ser Leu Ala Ala Asp Ser Pro Ala Ala Ala Pro Ala
            20                  25                  30
Gln Asp Lys Thr Arg Gln Pro Gln Ala Ala Ala Ala Ala Ala Glu Pro
        35                  40                  45
Asp Gln Pro Gln Gly Glu Glu Thr Arg Glu Arg Gly His Leu Gln Pro
    50                  55                  60
Leu Ala Gly Gln Arg Arg Ser Gly Gly Leu Val His Asn Ile Asp Gln
65                  70                  75                  80
Leu Tyr Ser Gly Gly Gly Lys Val Gly Tyr Leu Val Tyr Ala Gly Gly
                85                  90                  95
Arg Arg Phe Leu Leu Asp Leu Glu Arg Asp Asp Thr Val Gly Ala Ala
            100                 105                 110
Gly Ser Ile Val Thr Ala Gly Gly Gly Leu Ser Ala Ser Ser Gly His
        115                 120                 125
Arg Gly His Cys Phe Tyr Arg Gly Thr Val Asp Gly Ser Pro Arg Ser
    130                 135                 140
Leu Ala Val Phe Asp Leu Cys Gly Gly Leu Asp Gly Phe Phe Ala Val
145                 150                 155                 160
Lys His Ala Arg Tyr Thr Leu Lys Pro Leu Leu Arg Gly Ser Trp Ala
                165                 170                 175
Glu Tyr Glu Arg Ile Tyr Gly Asp Gly Ser Ser Arg Ile Leu His Val
            180                 185                 190
Tyr Asn Arg Glu Gly Phe Ser Phe Glu Ala Leu Pro Pro Arg Ala Ser
        195                 200                 205
Cys Glu Thr Pro Ala Ser Pro Ser Gly Pro Gln Glu Ser Pro Ser Val
    210                 215                 220
His Ser Arg Ser Arg Arg Arg Ser Ala Leu Ala Pro Gln Leu Leu Asp
225                 230                 235                 240
His Ser Ala Phe Ser Pro Ser Gly Asn Ala Gly Pro Gln Thr Trp Trp
                245                 250                 255
Arg Arg Arg Arg Arg Ser Ile Ser Arg Ala Arg Gln Val Glu Leu Leu
            260                 265                 270
Leu Val Ala Asp Ser Ser Met Ala Arg Met Tyr Gly Arg Gly Leu Gln
        275                 280                 285
His Tyr Leu Leu Thr Met Ala Ser Ile Ala Asn Arg Leu Tyr Ser His
    290                 295                 300
Ala Ser Ile Glu Asn His Ile Arg Leu Ala Val Val Lys Val Val Val
305                 310                 315                 320
Leu Thr Asp Lys Asp Thr Ser Leu Glu Val Ser Lys Asn Ala Ala Thr
                325                 330                 335
Thr Leu Lys Asn Phe Cys Lys Trp Gln His Gln His Asn Gln Leu Gly
            340                 345                 350
Asp Asp His Glu Glu His Tyr Asp Ala Ala Ile Leu Phe Thr Arg Glu
        355                 360                 365
Asp Leu Cys Gly His His Ser Cys Asp Thr Leu Gly Met Ala Asp Val
    370                 375                 380
Gly Thr Ile Cys Ser Pro Glu Arg Ser Cys Ala Val Ile Glu Asp Asp
385                 390                 395                 400
Gly Leu His Ala Ala Phe Thr Val Ala His Glu Ile Gly His Leu Leu
                405                 410                 415
Gly Leu Ser His Asp Asp Ser Lys Phe Cys Glu Glu Asn Phe Gly Thr
            420                 425                 430
```

```
Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu Thr Ser Ile Asp Ala
        435                 440                 445
Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr Ile Thr Glu Phe Leu
    450                 455                 460
Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu Pro Arg Lys Gln Ile
465                 470                 475                 480
Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr Asp Ala Thr Gln Gln
                485                 490                 495
Cys Asn Leu Thr Phe Gly Pro Glu Tyr Ser Val Cys Pro Gly Met Asp
            500                 505                 510
Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg Gln Gly Gln Met Val
        515                 520                 525
Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly Thr Pro Cys Gly Lys
    530                 535                 540
Gly Arg Val Cys Leu Gln Gly Lys Cys Val Asp Lys Thr Lys Lys Lys
545                 550                 555                 560
Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly Ser Trp Gly Pro Trp
                565                 570                 575
Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val Gln Phe Ala Tyr Arg
            580                 585                 590
His Cys Asn Asn Pro Ala Pro Arg Asn Ser Gly Arg Tyr Cys Thr Gly
        595                 600                 605
Lys Arg Ala Ile Tyr Arg Ser Cys Ser Val Thr Pro Cys Pro Pro Asn
    610                 615                 620
Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala Lys Asn Gly Tyr Gln
625                 630                 635                 640
Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu Trp Val Pro Lys Tyr
                645                 650                 655
Ala Gly Val Leu Pro Ala Asp Val Cys Lys Leu Thr Cys Arg Ala Lys
            660                 665                 670
Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys Val Thr Asp Gly Thr
        675                 680                 685
Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val Arg Gly Arg Cys Val
    690                 695                 700
Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys Leu Gln Tyr Asp Lys
705                 710                 715                 720
Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Thr Lys Ile Ile Gly
                725                 730                 735
Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp Val Val Arg Ile Pro
            740                 745                 750
Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys Ala Lys Asp Gln
        755                 760                 765
Thr Arg Phe Pro Ala Tyr Leu Ala Leu Lys Lys Lys Thr Gly Glu Tyr
    770                 775                 780
Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu Thr Ile Ile Asp
785                 790                 795                 800
Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser His Arg Asp Asp
                805                 810                 815
Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu Ile Leu Ile Val
            820                 825                 830
Gln Ile Leu Ala Thr Asp Pro Thr Lys Ala Leu Gly Val Arg Tyr Ser
        835                 840                 845
Phe Phe Val Pro Lys Lys Thr Thr Gln Lys Val Asn Ser Val Ile Ser
    850                 855                 860
His Gly Ser Asn Lys Val Gly Pro His Ser Thr Gln Leu Gln Trp Val
865                 870                 875                 880
Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp Thr Gly Trp His
                885                 890                 895
Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg Lys Leu Ala Lys Gly
            900                 905                 910
Cys Leu Leu Ser Gln Arg Pro Ser Ala Phe Lys Gln Cys Leu Leu Lys
        915                 920                 925
Lys Cys
    930
```

<210> 3
<211> 1520
<212> DNA
<213> homo sapiens ADAMTS-5

<400> 3
ggacatttac ttggcctctc ccatgacgat tccaaattct gtgaagagac ctttggttcc 60
acagaagata agcgcttaat gtcttccatc cttaccagca ttgatgcatc taagccctgg 120
tccaaatgca cttcagccac catcacagaa ttcctggatg atggccatgg taactgtttg 180
ctggacctac cacgaaagca gatcctgggc cccgaagaac tcccaggaca gacctacgat 240
gccacccagc agtgcaacct gacattcggg cctgagtact ccgtgtgtcc cggcanggat 300
gtctgtgctc gcctgtggtg tgctgtggta cgccagggcc agatggtctg tctgaccaag 360
gagtgcagtt tgcctatcgt cactgtaata accctgctcc cagaaacaac ggacgctact 420
gcacagggaa gagggccatc taccactcct gcagtctcat gccctgccca cccaatggta 480
aatcatttcg tcatgaacag tgtgaggcca aaaatggcta tcagtctgat gcaaaaggag 540
tcaaaacttt tgtggaatgg gttcccaaat atgcaggtgt cctgccagcg gatgtgtgca 600
agctgacctg cagagccaag ggcactggct actatgtggt attttctcca aaggtgaccg 660
atggcactga atgtaggccg tacagtaatt ccgtctgcgt ccgggggaag tgtgtgagaa 720
ctggctgtga cggcatcatt ggctcaaagc tgcagtatga caagtgcgga gtatgtggag 780
gagacaactc cagctgtaca aagattgttg gaacctttaa taagaaaagt aagggttaca 840
ctgacgtggt gaggattcct gaaggggcaa cccacataaa agttcgacag ttcaaagcca 900
aagaccagac tagattcact gcctatttag ccctgaaaaa gaaaaacggt gagtacctta 960
tcaatggaaa gtacatgatc tccacttcag agactatcat tgacatcaat ggaacagtca 1020
tgaactatag cggttggagc cacagggatg acttcctgca tggcatgggc tactctgcca 1080
cgaaggaaat tctaatagtg cagattcttg caacagaccc cactaaacca ttagatgtcc 1140
gttatagctt ttttgttccc aagaagtcca ctccaaaagt aaactctgtc actagtcatg 1200
gcagcaataa agtgggatca cacacttcgc agccgcagtg ggtcacgggc ccatggctcg 1260
cctgctctag gacctgtgac acaggttggc acaccagaac ggtgcagtgc caggatggaa 1320
accggaagtt agcaaaagga tgtcctctct cccaaaggcc ttctgcgttt aagcaatgct 1380
tgttgaagaa atgttagcct gtgggttatg atcttattgc acaaaagata ctggaggatt 1440
cancacccgt gcaatcnngg tgaacaggaa ggctacctta acgcacagaa agtcatgctt 1500
taatgacatt gtcaaccagg 1520

<210> 4
<211> 2848
<212> DNA
<213> Homo sapiens ADAMTS-6

<220>
<221> CDS
<222> (22)..(2601)

<220>
<221> misc_feature
<222> (1369)..(1371)

<400> 4
aatcatccag ttttctaaat t atg gaa att ttg tgg aag acg ttg acc tgg 51
Met Glu Ile Leu Trp Lys Thr Leu Thr Trp
1 5 10

att ttg agc ctc atc atg gct tca tcg gaa ttt cat agt gac cac agg 99
Ile Leu Ser Leu Ile Met Ala Ser Ser Glu Phe His Ser Asp His Arg
15 20 25

ctt tca tac agt tct caa gag gaa ttc ctg act tat ctt gaa cac tac 147
Leu Ser Tyr Ser Ser Gln Glu Glu Phe Leu Thr Tyr Leu Glu His Tyr
30 35 40

cag cta act att cca ata agg gtt gat caa aat gga gca ttt ctc agc 195
Gln Leu Thr Ile Pro Ile Arg Val Asp Gln Asn Gly Ala Phe Leu Ser
45 50 55

ttt act gtg aaa aat gat aaa cac tca agg aga aga cgg agt atg gac 243

```
   Phe Thr Val Lys Asn Asp Lys His Ser Arg Arg Arg Arg Ser Met Asp
        60                  65                  70

   cct att gat cca cag cag gca gta tct aag tta ttt ttt aaa ctt tca   291
 5 Pro Ile Asp Pro Gln Gln Ala Val Ser Lys Leu Phe Phe Lys Leu Ser
    75                  80                  85                  90

   gcc tat ggc aag cac ttt cat cta aac ttg act ctc aac aca gat ttt   339
   Ala Tyr Gly Lys His Phe His Leu Asn Leu Thr Leu Asn Thr Asp Phe
10                  95                 100                 105

   gtg tcc aaa cat ttt aca gta gaa tat tgg ggg aaa gat gga ccc cag   387
   Val Ser Lys His Phe Thr Val Glu Tyr Trp Gly Lys Asp Gly Pro Gln
              110                 115                 120
15
   tgg aaa cat gat ttt tta gac aac tgt cat tac aca gga tat ttg caa   435
   Trp Lys His Asp Phe Leu Asp Asn Cys His Tyr Thr Gly Tyr Leu Gln
         125                 130                 135

20 gat caa cgt agt aca act aaa gtg gct tta agc aac tgt gtt ggg ttg   483
   Asp Gln Arg Ser Thr Thr Lys Val Ala Leu Ser Asn Cys Val Gly Leu
        140                 145                 150

   cat ggt gtt att gct aca gaa gat gaa gag tat ttt atc gaa cct tta   531
25 His Gly Val Ile Ala Thr Glu Asp Glu Glu Tyr Phe Ile Glu Pro Leu
   155                 160                 165                 170

   aag aat acc aca gag gat tcc aag cat ttt agt tat gaa aat ggc cac   579
   Lys Asn Thr Thr Glu Asp Ser Lys His Phe Ser Tyr Glu Asn Gly His
30                 175                 180                 185

   cct cat gtt att tac aaa aag tct gcc ctt caa caa cga cat ctg tat   627
   Pro His Val Ile Tyr Lys Lys Ser Ala Leu Gln Gln Arg His Leu Tyr
              190                 195                 200
35
   gat cac tct cat tgt ggg gtt tcg gat ttc aca aga agt ggc aaa cct   675
   Asp His Ser His Cys Gly Val Ser Asp Phe Thr Arg Ser Gly Lys Pro
         205                 210                 215

40 tgg tgg ctg aat gac act cca ctg ttt ctt att cac tac caa att aac   723
   Trp Trp Leu Asn Asp Thr Pro Leu Phe Leu Ile His Tyr Gln Ile Asn
        220                 225                 230

   aac aca cat atc cac cac aga cag aag aga tca gtg agc att gaa cgg   771
45 Asn Thr His Ile His His Arg Gln Lys Arg Ser Val Ser Ile Glu Arg
   235                 240                 245                 250

   ttt gtg gag aca ttg gta gtg gca gac aaa atg atg gtg ggc tac cat   819
   Phe Val Glu Thr Leu Val Val Ala Asp Lys Met Met Val Gly Tyr His
50                 255                 260                 265

   ggc cgc aaa gac att gaa cat tac att ttg agt gtg atg aat att gtt   867
   Gly Arg Lys Asp Ile Glu His Tyr Ile Leu Ser Val Met Asn Ile Val
              270                 275                 280
55
   gcc aaa ctt tac cgt gat tcc agc cta gga aac gtt gtg aat att ata   915
   Ala Lys Leu Tyr Arg Asp Ser Ser Leu Gly Asn Val Val Asn Ile Ile
         285                 290                 295

60 gtg gcc cgc tta att gtt ctc aca gaa gat cag cca aac ttg gag ata   963
   Val Ala Arg Leu Ile Val Leu Thr Glu Asp Gln Pro Asn Leu Glu Ile
        300                 305                 310

   aac cac cat gca gac aag tcc ctc gat agc ttc tgt aaa tgg cag aaa   1011
65 Asn His His Ala Asp Lys Ser Leu Asp Ser Phe Cys Lys Trp Gln Lys
   315                 320                 325                 330
```

BNSDOCID: <WO___0111074A2_IA>

```
   tcc att ctc tcc cac caa agt gat gga aac acc att cca gaa aat ggg   1059
   Ser Ile Leu Ser His Gln Ser Asp Gly Asn Thr Ile Pro Glu Asn Gly
                   335                 340                 345
5
   att gcc cac cac gat aat gca gtt ctt att act aga tat gat atc tgc   1107
   Ile Ala His His Asp Asn Ala Val Leu Ile Thr Arg Tyr Asp Ile Cys
               350                 355                 360

10 act tat aaa aat aag ccc tgt gga aca ctg ggc ttg gcc tct gtg gct   1155
   Thr Tyr Lys Asn Lys Pro Cys Gly Thr Leu Gly Leu Ala Ser Val Ala
           365                 370                 375

   gga atg tgt gag cct gaa agg agc tgc agc att aat gaa gac att ggc   1203
15 Gly Met Cys Glu Pro Glu Arg Ser Cys Ser Ile Asn Glu Asp Ile Gly
       380                 385                 390

   ctg ggt tca gct ttt acc att gca cat gag att gtt cac aat ttt ggt   1251
   Leu Gly Ser Ala Phe Thr Ile Ala His Glu Ile Val His Asn Phe Gly
20 395                 400                 405                 410

   atg aac cat gat gga att gga aat tct tgt gga cga aag gtc atg aag   1299
   Met Asn His Asp Gly Ile Gly Asn Ser Cys Gly Arg Lys Val Met Lys
                   415                 420                 425
25
   cag caa aat tat ggc agc tca cat tac tgc gaa tac caa tcc ttt ttc   1347
   Gln Gln Asn Tyr Gly Ser Ser His Tyr Cys Glu Tyr Gln Ser Phe Phe
               430                 435                 440

30 ctg gtc tgc ttg cag tcg aga nta cat cac cag ctt ttt aga gaa gtg   1395
   Leu Val Cys Leu Gln Ser Arg Xaa His His Gln Leu Phe Arg Glu Val
           445                 450                 455

   tgt aga gag ctc tgg tgt ctc agc aaa agc aac cgc tgt gtc acc aac   1443
35 Cys Arg Glu Leu Trp Cys Leu Ser Lys Ser Asn Arg Cys Val Thr Asn
       460                 465                 470

   agt att cca gca gct gag ggg aca ctg tgt caa act ggg aat att gaa   1491
   Ser Ile Pro Ala Ala Glu Gly Thr Leu Cys Gln Thr Gly Asn Ile Glu
40 475                 480                 485                 490

   aaa ggg tgg tgt tat cag gga gat tgt gtt cct ttt ggc act tgg ccc   1539
   Lys Gly Trp Cys Tyr Gln Gly Asp Cys Val Pro Phe Gly Thr Trp Pro
                   495                 500                 505
45
   cag agc ata gat ggg ggc tgg ggt ccc tgg tca cta tgg gga gag tgc   1587
   Gln Ser Ile Asp Gly Gly Trp Gly Pro Trp Ser Leu Trp Gly Glu Cys
               510                 515                 520

50 agc agg acc tgc ggg gga ggc gtn tcc tca tcc cta aga cac tgt gac   1635
   Ser Arg Thr Cys Gly Gly Gly Val Ser Ser Ser Leu Arg His Cys Asp
           525                 530                 535

   agt cca gca cct tcg gag gtg gaa aaa tat tgc ctt ggg gaa agg aaa   1683
55 Ser Pro Ala Pro Ser Glu Val Glu Lys Tyr Cys Leu Gly Glu Arg Lys
       540                 545                 550

   cgg tat cgc tcc tgt aac aca gat cca tgc cct ttg ggt tcc cga gat   1731
   Arg Tyr Arg Ser Cys Asn Thr Asp Pro Cys Pro Leu Gly Ser Arg Asp
60 555                 560                 565                 570

   ttt cga gag aaa cag tgt gca gac ttt gac aat atg cct ttc cga gga   1779
   Phe Arg Glu Lys Gln Cys Ala Asp Phe Asp Asn Met Pro Phe Arg Gly
                   575                 580                 585
65
   aag tat tat aac tgg aaa ccc tat act gga ggt ggg gta aaa cct tgt   1827
```

```
   Lys Tyr Tyr Asn Trp Lys Pro Tyr Thr Gly Gly Gly Val Lys Pro Cys
               590                 595                 600

   gca tta aac tgc ttg gct gaa ggt tat aat ttc tac act gaa cgt gct   1875
 5 Ala Leu Asn Cys Leu Ala Glu Gly Tyr Asn Phe Tyr Thr Glu Arg Ala
         605                 610                 615

   cct gcg gtg atc gat ggg acc cag tgc aat gcg gat tca ctg gat atc   1923
   Pro Ala Val Ile Asp Gly Thr Gln Cys Asn Ala Asp Ser Leu Asp Ile
10     620                 625                 630

   tgc atc aat gga gaa tgc aag cac gta ggc tgt gat aat att ttg gga   1971
   Cys Ile Asn Gly Glu Cys Lys His Val Gly Cys Asp Asn Ile Leu Gly
   635                 640                 645                 650
15
   tct gat gct agg gaa gat aga tgt cga gtc tgt gga ggg ggc gga agc   2019
   Ser Asp Ala Arg Glu Asp Arg Cys Arg Val Cys Gly Gly Gly Gly Ser
                   655                 660                 665

20 aca tgt gat gcc att gaa ggg ttc ttc aat gat tca ctg ccc agg gga   2067
   Thr Cys Asp Ala Ile Glu Gly Phe Phe Asn Asp Ser Leu Pro Arg Gly
               670                 675                 680

   ggc tac atg gaa gtg gtg cag ata cca aga ggc tct gtt cac att gaa   2115
25 Gly Tyr Met Glu Val Val Gln Ile Pro Arg Gly Ser Val His Ile Glu
         685                 690                 695

   gtt aga gaa gtt gcc atg tca aag aac tat att gct tta aaa tct gaa   2163
   Val Arg Glu Val Ala Met Ser Lys Asn Tyr Ile Ala Leu Lys Ser Glu
30     700                 705                 710

   gga gat gat tac tat att aat ggt gcc tgg act att gac tgg cct agg   2211
   Gly Asp Asp Tyr Tyr Ile Asn Gly Ala Trp Thr Ile Asp Trp Pro Arg
   715                 720                 725                 730
35
   aaa ttt gat gtt gct ggg aca gct ttt cat tac aag aga cca act gat   2259
   Lys Phe Asp Val Ala Gly Thr Ala Phe His Tyr Lys Arg Pro Thr Asp
                   735                 740                 745

40 gaa cca gaa tcc ttg gaa gct cta ggt cct acc tca gaa aat ctc atc   2307
   Glu Pro Glu Ser Leu Glu Ala Leu Gly Pro Thr Ser Glu Asn Leu Ile
               750                 755                 760

   gtc atg gtt ctg ctt caa gaa cag aat ttg gga att agg tat aag ttc   2355
45 Val Met Val Leu Leu Gln Glu Gln Asn Leu Gly Ile Arg Tyr Lys Phe
         765                 770                 775

   aat gtt ccc atc act cga act ggc agt gga gat aat gaa gtt ggc ttt   2403
   Asn Val Pro Ile Thr Arg Thr Gly Ser Gly Asp Asn Glu Val Gly Phe
50     780                 785                 790

   aca tgg aat cat cag cct tgg tca gaa tgc tca gct act tgt gct gga   2451
   Thr Trp Asn His Gln Pro Trp Ser Glu Cys Ser Ala Thr Cys Ala Gly
   795                 800                 805                 810
55
   ggt aag atg ccc act agg cag ccc acc cag agg gca aga tgg aga aca   2499
   Gly Lys Met Pro Thr Arg Gln Pro Thr Gln Arg Ala Arg Trp Arg Thr
                   815                 820                 825

60 aaa cac att ctg agc tat gct ttg tgt ttg tta aaa aag cta att gga   2547
   Lys His Ile Leu Ser Tyr Ala Leu Cys Leu Leu Lys Lys Leu Ile Gly
               830                 835                 840

   aac att tct agg ttt gct tca agc tgt aat tta gca aaa gaa act ttg   2595
65 Asn Ile Ser Arg Phe Ala Ser Ser Cys Asn Leu Ala Lys Glu Thr Leu
         845                 850                 855
```

ctt taa ttatattata ttccatttgt tttcaacctc atgtaatttg tgcagatttg 2651
Leu
860

ttggtaaaat acatcttggc acaatgagtg tctctgctgg tgcttctccc aagactatct 2711

tgaaggtggg ctgtttgcct ttcgtgaaca cattcttggt aaagaacatc aaaagtttta 2771

aaaaagaaaa tgagcaagaa tcagacatca cagatgcaac ttcttgtaat gggagatgag 2831

gagaatgtac ggctgtg 2848

<210> 5
<211> 859
<212> PRT
<213> Homo sapiens ADAMTS-6

<400> 5

```
Met Glu Ile Leu Trp Lys Thr Leu Thr Trp Ile Leu Ser Leu Ile Met
 1               5                  10                  15
Ala Ser Ser Glu Phe His Ser Asp His Arg Leu Ser Tyr Ser Ser Gln
            20                  25                  30
Glu Glu Phe Leu Thr Tyr Leu Glu His Tyr Gln Leu Thr Ile Pro Ile
        35                  40                  45
Arg Val Asp Gln Asn Gly Ala Phe Leu Ser Phe Thr Val Lys Asn Asp
    50                  55                  60
Lys His Ser Arg Arg Arg Arg Ser Met Asp Pro Ile Asp Pro Gln Gln
65                  70                  75                  80
Ala Val Ser Lys Leu Phe Phe Lys Leu Ser Ala Tyr Gly Lys His Phe
                85                  90                  95
His Leu Asn Leu Thr Leu Asn Thr Asp Phe Val Ser Lys His Phe Thr
            100                 105                 110
Val Glu Tyr Trp Gly Lys Asp Gly Pro Gln Trp Lys His Asp Phe Leu
        115                 120                 125
Asp Asn Cys His Tyr Thr Gly Tyr Leu Gln Asp Gln Arg Ser Thr Thr
    130                 135                 140
Lys Val Ala Leu Ser Asn Cys Val Gly Leu His Gly Val Ile Ala Thr
145                 150                 155                 160
Glu Asp Glu Glu Tyr Phe Ile Glu Pro Leu Lys Asn Thr Thr Glu Asp
                165                 170                 175
Ser Lys His Phe Ser Tyr Glu Asn Gly His Pro His Val Ile Tyr Lys
            180                 185                 190
Lys Ser Ala Leu Gln Gln Arg His Leu Tyr Asp His Ser His Cys Gly
        195                 200                 205
Val Ser Asp Phe Thr Arg Ser Gly Lys Pro Trp Trp Leu Asn Asp Thr
    210                 215                 220
Pro Leu Phe Leu Ile His Tyr Gln Ile Asn Asn Thr His Ile His His
225                 230                 235                 240
Arg Gln Lys Arg Ser Val Ser Ile Glu Arg Phe Val Glu Thr Leu Val
                245                 250                 255
Val Ala Asp Lys Met Met Val Gly Tyr His Gly Arg Lys Asp Ile Glu
            260                 265                 270
His Tyr Ile Leu Ser Val Met Asn Ile Val Ala Lys Leu Tyr Arg Asp
        275                 280                 285
Ser Ser Leu Gly Asn Val Val Asn Ile Ile Val Ala Arg Leu Ile Val
    290                 295                 300
Leu Thr Glu Asp Gln Pro Asn Leu Glu Ile Asn His His Ala Asp Lys
305                 310                 315                 320
Ser Leu Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Leu Ser His Gln
                325                 330                 335
Ser Asp Gly Asn Thr Ile Pro Glu Asn Gly Ile Ala His His Asp Asn
            340                 345                 350
Ala Val Leu Ile Thr Arg Tyr Asp Ile Cys Thr Tyr Lys Asn Lys Pro
        355                 360                 365
```

Cys Gly Thr Leu Gly Leu Ala Ser Val Ala Gly Met Cys Glu Pro Glu
370 375 380
Arg Ser Cys Ser Ile Asn Glu Asp Ile Gly Leu Gly Ser Ala Phe Thr
385 390 395 400
Ile Ala His Glu Ile Val His Asn Phe Gly Met Asn His Asp Gly Ile
405 410 415
Gly Asn Ser Cys Gly Arg Lys Val Met Lys Gln Gln Asn Tyr Gly Ser
420 425 430
Ser His Tyr Cys Glu Tyr Gln Ser Phe Phe Leu Val Cys Leu Gln Ser
435 440 445
Arg Xaa His His Gln Leu Phe Arg Glu Val Cys Arg Glu Leu Trp Cys
450 455 460
Leu Ser Lys Ser Asn Arg Cys Val Thr Asn Ser Ile Pro Ala Ala Glu
465 470 475 480
Gly Thr Leu Cys Gln Thr Gly Asn Ile Glu Lys Gly Trp Cys Tyr Gln
485 490 495
Gly Asp Cys Val Pro Phe Gly Thr Trp Pro Gln Ser Ile Asp Gly Gly
500 505 510
Trp Gly Pro Trp Ser Leu Trp Gly Glu Cys Ser Arg Thr Cys Gly Gly
515 520 525
Gly Val Ser Ser Ser Leu Arg His Cys Asp Ser Pro Ala Pro Ser Glu
530 535 540
Val Glu Lys Tyr Cys Leu Gly Glu Arg Lys Arg Tyr Arg Ser Cys Asn
545 550 555 560
Thr Asp Pro Cys Pro Leu Gly Ser Arg Asp Phe Arg Glu Lys Gln Cys
565 570 575
Ala Asp Phe Asp Asn Met Pro Phe Arg Gly Lys Tyr Tyr Asn Trp Lys
580 585 590
Pro Tyr Thr Gly Gly Gly Val Lys Pro Cys Ala Leu Asn Cys Leu Ala
595 600 605
Glu Gly Tyr Asn Phe Tyr Thr Glu Arg Ala Pro Ala Val Ile Asp Gly
610 615 620
Thr Gln Cys Asn Ala Asp Ser Leu Asp Ile Cys Ile Asn Gly Glu Cys
625 630 635 640
Lys His Val Gly Cys Asp Asn Ile Leu Gly Ser Asp Ala Arg Glu Asp
645 650 655
Arg Cys Arg Val Cys Gly Gly Gly Gly Ser Thr Cys Asp Ala Ile Glu
660 665 670
Gly Phe Phe Asn Asp Ser Leu Pro Arg Gly Gly Tyr Met Glu Val Val
675 680 685
Gln Ile Pro Arg Gly Ser Val His Ile Glu Val Arg Glu Val Ala Met
690 695 700
Ser Lys Asn Tyr Ile Ala Leu Lys Ser Glu Gly Asp Asp Tyr Tyr Ile
705 710 715 720
Asn Gly Ala Trp Thr Ile Asp Trp Pro Arg Lys Phe Asp Val Ala Gly
725 730 735
Thr Ala Phe His Tyr Lys Arg Pro Thr Asp Glu Pro Glu Ser Leu Glu
740 745 750
Ala Leu Gly Pro Thr Ser Glu Asn Leu Ile Val Met Val Leu Leu Gln
755 760 765
Glu Gln Asn Leu Gly Ile Arg Tyr Lys Phe Asn Val Pro Ile Thr Arg
770 775 780
Thr Gly Ser Gly Asp Asn Glu Val Gly Phe Thr Trp Asn His Gln Pro
785 790 795 800
Trp Ser Glu Cys Ser Ala Thr Cys Ala Gly Gly Lys Met Pro Thr Arg
805 810 815
Gln Pro Thr Gln Arg Ala Arg Trp Arg Thr Lys His Ile Leu Ser Tyr
820 825 830
Ala Leu Cys Leu Leu Lys Lys Leu Ile Gly Asn Ile Ser Arg Phe Ala
835 840 845
Ser Ser Cys Asn Leu Ala Lys Glu Thr Leu Leu
850 855

<210> 6

<211> 3218
<212> DNA
<213> Homo sapiens ADAMTS-7

<220>
<221> CDS
<222> (13)..(3003)

<400> 6

```
ccggttcctg cc atg ccc ggc ggc ccc agt ccc cgc agc ccc gcg cct ttg 51
                Met Pro Gly Gly Pro Ser Pro Arg Ser Pro Ala Pro Leu
                  1               5                  10

ctg cgc ccc ctc ctc ctg ctc ctc tgc gct ctg gct ccc ggc gcc ccc   99
Leu Arg Pro Leu Leu Leu Leu Leu Cys Ala Leu Ala Pro Gly Ala Pro
      15                  20                  25

gga ccc gca cca gga cgt gca acc gag ggc cgg gcg gca ctg gac atc   147
Gly Pro Ala Pro Gly Arg Ala Thr Glu Gly Arg Ala Ala Leu Asp Ile
  30                  35                  40                  45

gtg cac ccg gtt cga gtc gac gcg ggg ggc tcc ttc ctg tcc tac gag   195
Val His Pro Val Arg Val Asp Ala Gly Gly Ser Phe Leu Ser Tyr Glu
                  50                  55                  60

ctg tgg ccc cgc gca ctg cgc aag cgg gat gta tct gtg cgc cga gac   243
Leu Trp Pro Arg Ala Leu Arg Lys Arg Asp Val Ser Val Arg Arg Asp
              65                  70                  75

gcg ccc gcc ttc tac gag cta caa tac cgc ggg cgc gag ctg cgc ttc   291
Ala Pro Ala Phe Tyr Glu Leu Gln Tyr Arg Gly Arg Glu Leu Arg Phe
          80                  85                  90

aac ctg acc gcc aat cag cac ctg ctg gcg ccc ggc ttt gtg agc gag   339
Asn Leu Thr Ala Asn Gln His Leu Leu Ala Pro Gly Phe Val Ser Glu
      95                  100                 105

acg cgg cgg cgc ggc ggc ctg ggc cgc gcg cac atc cgg gcc cac acc   387
Thr Arg Arg Arg Gly Gly Leu Gly Arg Ala His Ile Arg Ala His Thr
  110                 115                 120                 125

ccg gcc tgc cac ctg ctt ggc gag gtg cag gac cct gag ctc gag ggt   435
Pro Ala Cys His Leu Leu Gly Glu Val Gln Asp Pro Glu Leu Glu Gly
                  130                 135                 140

ggc ctg gcg gcc atc agc gcc tgc gac ggc ctg aaa ggt gtg ttc cag   483
Gly Leu Ala Ala Ile Ser Ala Cys Asp Gly Leu Lys Gly Val Phe Gln
              145                 150                 155

ctc tcc aac gag gac tac ttc att gag ccc ctg gac agt gcc ccg gcc   531
Leu Ser Asn Glu Asp Tyr Phe Ile Glu Pro Leu Asp Ser Ala Pro Ala
          160                 165                 170

cgg cct ggc cac gcc cag ccc cat gtg gtg tac aag cgt cag gcc ccg   579
Arg Pro Gly His Ala Gln Pro His Val Val Tyr Lys Arg Gln Ala Pro
      175                 180                 185

gag agg ctg gca cag cgg ggt gat tcc agt gct cca agc acc tgt gga   627
Glu Arg Leu Ala Gln Arg Gly Asp Ser Ser Ala Pro Ser Thr Cys Gly
  190                 195                 200                 205

gtg caa gtg tac cca gag ctg gag tct cga cgg gag cgt tgg gag cag   675
Val Gln Val Tyr Pro Glu Leu Glu Ser Arg Arg Glu Arg Trp Glu Gln
                  210                 215                 220

cgg cag cag tgg cgg cgg cca cgg ctg agg cgt cta cac cag cgg tcg   723
```

ENSDOCID: <WO__0111074A2_IA>

```
   Arg Gln Gln Trp Arg Arg Pro Arg Leu Arg Arg Leu His Gln Arg Ser
               225                 230                 235

   gtc agc aaa gag aag tgg tgt gag acc ctg gta gta gct gat gcc aaa   771
 5 Val Ser Lys Glu Lys Trp Cys Glu Thr Leu Val Val Ala Asp Ala Lys
         240                 245                 250

   atg gtg gag tac cac gga cag ccg cag gtt gag agc tat gtg ctg acc   819
   Met Val Glu Tyr His Gly Gln Pro Gln Val Glu Ser Tyr Val Leu Thr
10     255                 260                 265

   atc atg aac atg gtg gct ggc ctg ttt cat gac ccc agc att ggg aac   867
   Ile Met Asn Met Val Ala Gly Leu Phe His Asp Pro Ser Ile Gly Asn
   270                 275                 280                 285
15
   ccc atc cac atc acc att gtg cgc ctg gtc ctg ctg gaa gat gag gag   915
   Pro Ile His Ile Thr Ile Val Arg Leu Val Leu Leu Glu Asp Glu Glu
                   290                 295                 300

20 gag gac cta aag atc acg cac cat gca gac aac acc ctg aag agc ttc   963
   Glu Asp Leu Lys Ile Thr His His Ala Asp Asn Thr Leu Lys Ser Phe
               305                 310                 315

   tgc aag tgg cag aaa agc atc aac atg aag ggg gat gcc cat ccc ctg   1011
25 Cys Lys Trp Gln Lys Ser Ile Asn Met Lys Gly Asp Ala His Pro Leu
         320                 325                 330

   cac cat gac act gcc atc ctg ctc acc aga aag gac ctg tgt gca gcc   1059
   His His Asp Thr Ala Ile Leu Leu Thr Arg Lys Asp Leu Cys Ala Ala
30     335                 340                 345

   atg aac cgg ccc tgt gag acc ctg gga ctg tcc cat gtg gcg ggc atg   1107
   Met Asn Arg Pro Cys Glu Thr Leu Gly Leu Ser His Val Ala Gly Met
   350                 355                 360                 365
35
   tgc cag ccg cac cgc agc tgc agc atc aac gag gac acg ggc ctg ccg   1155
   Cys Gln Pro His Arg Ser Cys Ser Ile Asn Glu Asp Thr Gly Leu Pro
                   370                 375                 380

40 ctg gcc ttc act gta gcc cac gag ctc ggg cac agt ttt ggc att cag   1203
   Leu Ala Phe Thr Val Ala His Glu Leu Gly His Ser Phe Gly Ile Gln
               385                 390                 395

   cat gac gga agc ggc aat gac tgt gag ccc gtt ggg aaa cga cct ttc   1251
45 His Asp Gly Ser Gly Asn Asp Cys Glu Pro Val Gly Lys Arg Pro Phe
         400                 405                 410

   atc atg tct cca cag ctc ctg tac gac gcc gct ccc ctc acc tgg tcc   1299
   Ile Met Ser Pro Gln Leu Leu Tyr Asp Ala Ala Pro Leu Thr Trp Ser
50     415                 420                 425

   cgc tgc agc cgc cag tat atc acc agg ttc ctt gac cgt ggg tgg ggc   1347
   Arg Cys Ser Arg Gln Tyr Ile Thr Arg Phe Leu Asp Arg Gly Trp Gly
   430                 435                 440                 445
55
   ctg tgc ctg gac gac cct cct gcc aag gac att atc gac ttc ccc tcg   1395
   Leu Cys Leu Asp Asp Pro Pro Ala Lys Asp Ile Ile Asp Phe Pro Ser
                   450                 455                 460

60 gtg cca cct ggc gtc ctc tat gat gta agc cac cag tgc cgc ctc cag   1443
   Val Pro Pro Gly Val Leu Tyr Asp Val Ser His Gln Cys Arg Leu Gln
               465                 470                 475

   tac ggg gcc tac tct gcc ttc tgc gag gac atg gat aat gtc tgc cac   1491
65 Tyr Gly Ala Tyr Ser Ala Phe Cys Glu Asp Met Asp Asn Val Cys His
         480                 485                 490
```

```
aca ctc tgg tgc tct gtg ggg acc acc tgt cac tcc aag ctg gat gca   1539
Thr Leu Trp Cys Ser Val Gly Thr Thr Cys His Ser Lys Leu Asp Ala
    495                 500                 505

gct gtg gac ggc acc cgg tgt ggg gag aat aag tgg tgt ctc agt ggg   1587
Ala Val Asp Gly Thr Arg Cys Gly Glu Asn Lys Trp Cys Leu Ser Gly
510                 515                 520                 525

gag tgc gta ccc gtg ggc ttc cgg ccc gag gcc gtg gat ggt ggc tgg   1635
Glu Cys Val Pro Val Gly Phe Arg Pro Glu Ala Val Asp Gly Gly Trp
                530                 535                 540

tct ggc tgg agc gcc tgg tcc atc tgc tca cgg agc tgt ggc atg ggc   1683
Ser Gly Trp Ser Ala Trp Ser Ile Cys Ser Arg Ser Cys Gly Met Gly
            545                 550                 555

gta cag agc gcc gag cgg cag tgc acg cag cct acg ccc aaa tac aaa   1731
Val Gln Ser Ala Glu Arg Gln Cys Thr Gln Pro Thr Pro Lys Tyr Lys
        560                 565                 570

ggc aga tac tgt gtg ggt gag cgc aag cgc ttc cgc ctc tgc aac ctg   1779
Gly Arg Tyr Cys Val Gly Glu Arg Lys Arg Phe Arg Leu Cys Asn Leu
    575                 580                 585

cag gcc tgc cct gct ggc cgc ccc tcc ttc cgc cac gtc cag tgc agc   1827
Gln Ala Cys Pro Ala Gly Arg Pro Ser Phe Arg His Val Gln Cys Ser
590                 595                 600                 605

cac ttt gac gct atg ctc tac aag ggc cag ctg cac aca tgg gtg ccc   1875
His Phe Asp Ala Met Leu Tyr Lys Gly Gln Leu His Thr Trp Val Pro
                610                 615                 620

gtg gtc aat gac gtg aac ccc tgc gag ctg cac tgc cgg ccc gcg aat   1923
Val Val Asn Asp Val Asn Pro Cys Glu Leu His Cys Arg Pro Ala Asn
            625                 630                 635

gag tac ttt gcc aag aag ctg cgg gac gcc tgt gtc gat ggc acc ccc   1971
Glu Tyr Phe Ala Lys Lys Leu Arg Asp Ala Cys Val Asp Gly Thr Pro
        640                 645                 650

tgc tac cag gtc cga gcc agc cgg gac ctc tgc atc aac ggc atc tgt   2019
Cys Tyr Gln Val Arg Ala Ser Arg Asp Leu Cys Ile Asn Gly Ile Cys
    655                 660                 665

aag aac gtg ggc tgt gac ttc gag att gac tcc ggt gct atg gag gac   2067
Lys Asn Val Gly Cys Asp Phe Glu Ile Asp Ser Gly Ala Met Glu Asp
670                 675                 680                 685

cgc tgt ggt gtg tgc cac ggc aac ggc tcc acc tgc cac acc gtg agc   2115
Arg Cys Gly Val Cys His Gly Asn Gly Ser Thr Cys His Thr Val Ser
                690                 695                 700

ggg acc ttc gag gag gcc gag ggt ctg ggg tat gtg gat gtg ggg ctg   2163
Gly Thr Phe Glu Glu Ala Glu Gly Leu Gly Tyr Val Asp Val Gly Leu
            705                 710                 715

atc cca gcg ggc gca cgc gag atc cgc atc caa gag gtt gcc gag gct   2211
Ile Pro Ala Gly Ala Arg Glu Ile Arg Ile Gln Glu Val Ala Glu Ala
        720                 725                 730

gcc aac ttc ctg gca ctg cgg agc gag gac ccg gag aag tac ttc ctc   2259
Ala Asn Phe Leu Ala Leu Arg Ser Glu Asp Pro Glu Lys Tyr Phe Leu
    735                 740                 745

aat ggt ggc tgg acc atc cag tgg aac ggg gac tac cag gtg gca ggg   2307
```

```
   Asn Gly Gly Trp Thr Ile Gln Trp Asn Gly Asp Tyr Gln Val Ala Gly
   750                 755                 760                 765

   acc acc ttc aca tac gca cgc agg ggc aac tgg gag aac ctc acg tcc   2355
 5 Thr Thr Phe Thr Tyr Ala Arg Arg Gly Asn Trp Glu Asn Leu Thr Ser
                   770                 775                 780

   ccg ggt ccc acc aag gag cct gtc tgg atc cag gtg cct gcc tcc cgt   2403
   Pro Gly Pro Thr Lys Glu Pro Val Trp Ile Gln Val Pro Ala Ser Arg
10             785                 790                 795

   ggc cca ggc ggg ggg agc aga ggc gga gtc ccc agg ccc agc acc ctc   2451
   Gly Pro Gly Gly Gly Ser Arg Gly Gly Val Pro Arg Pro Ser Thr Leu
         800                 805                 810
15
   cat ggc agg tct cgt cct gga gga gtg agc cct ggt tca gtc aca gag   2499
   His Gly Arg Ser Arg Pro Gly Gly Val Ser Pro Gly Ser Val Thr Glu
       815                 820                 825

20 cct ggc tct gag cca ggc cct cct gct gcg gcc tct acc tca gtt tcc   2547
   Pro Gly Ser Glu Pro Gly Pro Pro Ala Ala Ala Ser Thr Ser Val Ser
   830                 835                 840                 845

   cca tct tta aaa tgg ccc aat ctt gta gct gca gtt cac aga ggt ggc   2595
25 Pro Ser Leu Lys Trp Pro Asn Leu Val Ala Ala Val His Arg Gly Gly
                   850                 855                 860

   tgg ggt caa gct cct tta gga ctg ggt gga tgg aga aga cac ctt gtg   2643
   Trp Gly Gln Ala Pro Leu Gly Leu Gly Gly Trp Arg Arg His Leu Val
30             865                 870                 875

   ctc atg ggc ccc cgc ctg ccc acc cag ctg ctg ttc cag gag agc aac   2691
   Leu Met Gly Pro Arg Leu Pro Thr Gln Leu Leu Phe Gln Glu Ser Asn
         880                 885                 890
35
   cct ggg gtg cac tac gag tac acc atc cac agg gag gca ggt ggc cac   2739
   Pro Gly Val His Tyr Glu Tyr Thr Ile His Arg Glu Ala Gly Gly His
       895                 900                 905

40 gac gag gtc ccg ccg ccc gtg ttc tcc tgg cat tat ggg ccc tgg acc   2787
   Asp Glu Val Pro Pro Pro Val Phe Ser Trp His Tyr Gly Pro Trp Thr
   910                 915                 920                 925

   aag tgc aca gtc acc tgc ggc aga ggt gag aag tgg ggc agg cac agc   2835
45 Lys Cys Thr Val Thr Cys Gly Arg Gly Glu Lys Trp Gly Arg His Ser
                   930                 935                 940

   ccc acc tgc agg ggc tta gtg tct gga cag gga cac tgg ctt cag ctc   2883
   Pro Thr Cys Arg Gly Leu Val Ser Gly Gln Gly His Trp Leu Gln Leu
50             945                 950                 955

   cca gct cac tgc tgg gcc acc acg ggt ttg gaa gtt tgc ttc tct gag   2931
   Pro Ala His Cys Trp Ala Thr Thr Gly Leu Glu Val Cys Phe Ser Glu
         960                 965                 970
55
   cct cag ttc tcc atc tgt gag atg agg cta gcg att gcc ctg tgt ccc   2979
   Pro Gln Phe Ser Ile Cys Glu Met Arg Leu Ala Ile Ala Leu Cys Pro
       975                 980                 985

60 agg ccc gct ggg agg gta cat gga tgaggcaggt gggtgctggc tcgcggcgca  3033
   Arg Pro Ala Gly Arg Val His Gly
   990                 995

   tgttcagtgt gctccagctc ttggcgttct ccctccaggg gacacagctc cccctcgata 3093
65
   gaccagtcca gtggcccctc accacactga cttatttccc taaactattt ataaaaagta 3153
```

gggcaatttc attaactctg actcttacct gcccgggcgg ccgctcgagc cgagtaatca 3213

ctagt 3218

<210> 7
<211> 997
<212> PRT
<213> Homo sapiens ADAMTS-7

<400> 7
Met Pro Gly Gly Pro Ser Pro Arg Ser Pro Ala Pro Leu Leu Arg Pro
1 5 10 15

Leu Leu Leu Leu Leu Cys Ala Leu Ala Pro Gly Ala Pro Gly Pro Ala
20 25 30

Pro Gly Arg Ala Thr Glu Gly Arg Ala Ala Leu Asp Ile Val His Pro
35 40 45

Val Arg Val Asp Ala Gly Gly Ser Phe Leu Ser Tyr Glu Leu Trp Pro
50 55 60

Arg Ala Leu Arg Lys Arg Asp Val Ser Val Arg Arg Asp Ala Pro Ala
65 70 75 80

Phe Tyr Glu Leu Gln Tyr Arg Gly Arg Glu Leu Arg Phe Asn Leu Thr
85 90 95

Ala Asn Gln His Leu Leu Ala Pro Gly Phe Val Ser Glu Thr Arg Arg
100 105 110

Arg Gly Gly Leu Gly Arg Ala His Ile Arg Ala His Thr Pro Ala Cys
115 120 125

His Leu Leu Gly Glu Val Gln Asp Pro Glu Leu Glu Gly Gly Leu Ala
130 135 140

Ala Ile Ser Ala Cys Asp Gly Leu Lys Gly Val Phe Gln Leu Ser Asn
145 150 155 160

Glu Asp Tyr Phe Ile Glu Pro Leu Asp Ser Ala Pro Ala Arg Pro Gly
165 170 175

His Ala Gln Pro His Val Val Tyr Lys Arg Gln Ala Pro Glu Arg Leu
180 185 190

Ala Gln Arg Gly Asp Ser Ser Ala Pro Ser Thr Cys Gly Val Gln Val
195 200 205

Tyr Pro Glu Leu Glu Ser Arg Arg Glu Arg Trp Glu Gln Arg Gln Gln
210 215 220

Trp Arg Arg Pro Arg Leu Arg Arg Leu His Gln Arg Ser Val Ser Lys
225 230 235 240

Glu Lys Trp Cys Glu Thr Leu Val Val Ala Asp Ala Lys Met Val Glu
245 250 255

Tyr His Gly Gln Pro Gln Val Glu Ser Tyr Val Leu Thr Ile Met Asn
260 265 270

Met Val Ala Gly Leu Phe His Asp Pro Ser Ile Gly Asn Pro Ile His
275 280 285

```
Ile Thr Ile Val Arg Leu Val Leu Leu Glu Asp Glu Glu Glu Asp Leu
    290                 295                 300

Lys Ile Thr His His Ala Asp Asn Thr Leu Lys Ser Phe Cys Lys Trp
305                 310                 315                 320

Gln Lys Ser Ile Asn Met Lys Gly Asp Ala His Pro Leu His His Asp
                325                 330                 335

Thr Ala Ile Leu Leu Thr Arg Lys Asp Leu Cys Ala Ala Met Asn Arg
            340                 345                 350

Pro Cys Glu Thr Leu Gly Leu Ser His Val Ala Gly Met Cys Gln Pro
        355                 360                 365

His Arg Ser Cys Ser Ile Asn Glu Asp Thr Gly Leu Pro Leu Ala Phe
    370                 375                 380

Thr Val Ala His Glu Leu Gly His Ser Phe Gly Ile Gln His Asp Gly
385                 390                 395                 400

Ser Gly Asn Asp Cys Glu Pro Val Gly Lys Arg Pro Phe Ile Met Ser
                405                 410                 415

Pro Gln Leu Leu Tyr Asp Ala Ala Pro Leu Thr Trp Ser Arg Cys Ser
            420                 425                 430

Arg Gln Tyr Ile Thr Arg Phe Leu Asp Arg Gly Trp Gly Leu Cys Leu
        435                 440                 445

Asp Asp Pro Pro Ala Lys Asp Ile Ile Asp Phe Pro Ser Val Pro Pro
    450                 455                 460

Gly Val Leu Tyr Asp Val Ser His Gln Cys Arg Leu Gln Tyr Gly Ala
465                 470                 475                 480

Tyr Ser Ala Phe Cys Glu Asp Met Asp Asn Val Cys His Thr Leu Trp
                485                 490                 495

Cys Ser Val Gly Thr Thr Cys His Ser Lys Leu Asp Ala Ala Val Asp
            500                 505                 510

Gly Thr Arg Cys Gly Glu Asn Lys Trp Cys Leu Ser Gly Glu Cys Val
        515                 520                 525

Pro Val Gly Phe Arg Pro Glu Ala Val Asp Gly Gly Trp Ser Gly Trp
    530                 535                 540

Ser Ala Trp Ser Ile Cys Ser Arg Ser Cys Gly Met Gly Val Gln Ser
545                 550                 555                 560

Ala Glu Arg Gln Cys Thr Gln Pro Thr Pro Lys Tyr Lys Gly Arg Tyr
                565                 570                 575

Cys Val Gly Glu Arg Lys Arg Phe Arg Leu Cys Asn Leu Gln Ala Cys
            580                 585                 590

Pro Ala Gly Arg Pro Ser Phe Arg His Val Gln Cys Ser His Phe Asp
        595                 600                 605

Ala Met Leu Tyr Lys Gly Gln Leu His Thr Trp Val Pro Val Val Asn
    610                 615                 620

Asp Val Asn Pro Cys Glu Leu His Cys Arg Pro Ala Asn Glu Tyr Phe
625                 630                 635                 640
```

```
Ala Lys Lys Leu Arg Asp Ala Cys Val Asp Gly Thr Pro Cys Tyr Gln
                645                 650                 655

Val Arg Ala Ser Arg Asp Leu Cys Ile Asn Gly Ile Cys Lys Asn Val
            660                 665                 670

Gly Cys Asp Phe Glu Ile Asp Ser Gly Ala Met Glu Asp Arg Cys Gly
        675                 680                 685

Val Cys His Gly Asn Gly Ser Thr Cys His Thr Val Ser Gly Thr Phe
    690                 695                 700

Glu Glu Ala Glu Gly Leu Gly Tyr Val Asp Val Gly Leu Ile Pro Ala
705                 710                 715                 720

Gly Ala Arg Glu Ile Arg Ile Gln Glu Val Ala Glu Ala Ala Asn Phe
                725                 730                 735

Leu Ala Leu Arg Ser Glu Asp Pro Glu Lys Tyr Phe Leu Asn Gly Gly
            740                 745                 750

Trp Thr Ile Gln Trp Asn Gly Asp Tyr Gln Val Ala Gly Thr Thr Phe
        755                 760                 765

Thr Tyr Ala Arg Arg Gly Asn Trp Glu Asn Leu Thr Ser Pro Gly Pro
    770                 775                 780

Thr Lys Glu Pro Val Trp Ile Gln Val Pro Ala Ser Arg Gly Pro Gly
785                 790                 795                 800

Gly Gly Ser Arg Gly Gly Val Pro Arg Pro Ser Thr Leu His Gly Arg
                805                 810                 815

Ser Arg Pro Gly Gly Val Ser Pro Gly Ser Val Thr Glu Pro Gly Ser
            820                 825                 830

Glu Pro Gly Pro Pro Ala Ala Ala Ser Thr Ser Val Ser Pro Ser Leu
        835                 840                 845

Lys Trp Pro Asn Leu Val Ala Ala Val His Arg Gly Gly Trp Gly Gln
    850                 855                 860

Ala Pro Leu Gly Leu Gly Gly Trp Arg Arg His Leu Val Leu Met Gly
865                 870                 875                 880

Pro Arg Leu Pro Thr Gln Leu Leu Phe Gln Glu Ser Asn Pro Gly Val
                885                 890                 895

His Tyr Glu Tyr Thr Ile His Arg Glu Ala Gly Gly His Asp Glu Val
            900                 905                 910

Pro Pro Pro Val Phe Ser Trp His Tyr Gly Pro Trp Thr Lys Cys Thr
        915                 920                 925

Val Thr Cys Gly Arg Gly Glu Lys Trp Gly Arg His Ser Pro Thr Cys
    930                 935                 940

Arg Gly Leu Val Ser Gly Gln Gly His Trp Leu Gln Leu Pro Ala His
945                 950                 955                 960

Cys Trp Ala Thr Thr Gly Leu Glu Val Cys Phe Ser Glu Pro Gln Phe
                965                 970                 975

Ser Ile Cys Glu Met Arg Leu Ala Ile Ala Leu Cys Pro Arg Pro Ala
            980                 985                 990
```

Gly Arg Val His Gly
995

<210> 8
<211> 3638
<212> DNA
<213> Mus musculus ADAMTS-8

<220>
<221> CDS
<222> (278)..(2992)

<400> 8
tagggcgact gcacgggacg ccgcggagga cgcgcgctcg cggcccgggg cgccacgtgc 60

tcgagttctg ctaggttggc tggcgcagga ggagcgggct gcgcgatcca gaggggccgc 120

cagggaccgc cgcgccacgt gccgctagcc gagtcggcct ccccatccga ttgatcattt 180

ttcctggaca gagcgacccg gccgcctcgg gccaccagca cctgcccgcg cgcggcgatc 240

ttcttccctc tcccgcgctc cgcagcactc tgccccc atg ctc cgc gac ccc acc 295
Met Leu Arg Asp Pro Thr
1 5

acc acc ggg tgg ccg ccc ctc ctg ctg ctg cta ttg cag ctg ccg ccg 343
Thr Thr Gly Trp Pro Pro Leu Leu Leu Leu Leu Gln Leu Pro Pro
10 15 20

ccg cca ctc gtc tgc gga gcc ccg gcg ggg ccg gga acc ggg gcg cag 391
Pro Pro Leu Val Cys Gly Ala Pro Ala Gly Pro Gly Thr Gly Ala Gln
25 30 35

gcc tcg gag cta gtg gtg ccc acg cgg ttg ccc ggc agc gcg agc gag 439
Ala Ser Glu Leu Val Val Pro Thr Arg Leu Pro Gly Ser Ala Ser Glu
40 45 50

ctc gcc ttc cac ctg tcc gcc ttc ggc cag ggc ttc gtg ctg cgc ctg 487
Leu Ala Phe His Leu Ser Ala Phe Gly Gln Gly Phe Val Leu Arg Leu
55 60 65 70

gcg cct gac gcc agc ttc ctg gcg ccg gaa ttc aag atc gag cgc ctc 535
Ala Pro Asp Ala Ser Phe Leu Ala Pro Glu Phe Lys Ile Glu Arg Leu
75 80 85

ggg ggc tcg agc gcg gcg gcc ggg ggc gag ccg gga ctg cgt ggc tgc 583
Gly Gly Ser Ser Ala Ala Ala Gly Gly Glu Pro Gly Leu Arg Gly Cys
90 95 100

ttc ttc tct ggc aca gtg aat gga gaa cgg gag tcg ctg gcg gcg atg 631
Phe Phe Ser Gly Thr Val Asn Gly Glu Arg Glu Ser Leu Ala Ala Met
105 110 115

agc tgt gtc gcg ggc tgg agc ggc tcg ttc ttg ctg gca ggc gag gag 679
Ser Cys Val Ala Gly Trp Ser Gly Ser Phe Leu Leu Ala Gly Glu Glu
120 125 130

ttc acc atc cag cca cag ggc gct ggg gac tcc ctg gac cag cct cat 727
Phe Thr Ile Gln Pro Gln Gly Ala Gly Asp Ser Leu Asp Gln Pro His
135 140 145 150

cgc ctg cag cgc tgg ggg ccg gga cag cgc cgc gaa gac ccc ggg ctc 775
Arg Leu Gln Arg Trp Gly Pro Gly Gln Arg Arg Glu Asp Pro Gly Leu
155 160 165

```
gct gcc gcc gaa gtt ttc ccc ctc cct caa gga ctg gag tgg gag gtg   823
Ala Ala Ala Glu Val Phe Pro Leu Pro Gln Gly Leu Glu Trp Glu Val
            170                 175                 180

gag atg ggt aat ggg cag gga cag gag aga agt gac aac gaa gag gac   871
Glu Met Gly Asn Gly Gln Gly Gln Glu Arg Ser Asp Asn Glu Glu Asp
        185                 190                 195

aag aag cag gac aag gag ggg ttg ctc aaa gag aca gaa gac tcc cgc   919
Lys Lys Gln Asp Lys Glu Gly Leu Leu Lys Glu Thr Glu Asp Ser Arg
    200                 205                 210

aaa gtg cca cca ccc ttc gga tcc aaa act aga agc aag agg ttt gtg   967
Lys Val Pro Pro Pro Phe Gly Ser Lys Thr Arg Ser Lys Arg Phe Val
215                 220                 225                 230

tcc gag gct cgc ttc gtg gaa aca ctt ctg gtg gct gat gcg tcc atg   1015
Ser Glu Ala Arg Phe Val Glu Thr Leu Leu Val Ala Asp Ala Ser Met
                235                 240                 245

gct gcc ttc tat ggg acc gac ctg cag aac cac atc ctc acg gtg atg   1063
Ala Ala Phe Tyr Gly Thr Asp Leu Gln Asn His Ile Leu Thr Val Met
            250                 255                 260

tca atg gca gcc cga atc tac aag cac ccg agc atc agg aac tcc gtc   1111
Ser Met Ala Ala Arg Ile Tyr Lys His Pro Ser Ile Arg Asn Ser Val
        265                 270                 275

aac ctt gtg gtg gtg aaa gtg cta ata gtg gaa aaa gaa aga tgg ggc   1159
Asn Leu Val Val Val Lys Val Leu Ile Val Glu Lys Glu Arg Trp Gly
    280                 285                 290

ccg gaa gtg tcc gac aac ggg ggg ctc aca ctg cgc aac ttc tgc agc   1207
Pro Glu Val Ser Asp Asn Gly Gly Leu Thr Leu Arg Asn Phe Cys Ser
295                 300                 305                 310

tgg caa cgg cgt ttc aac aag ccc agt gac cgc cac ccg gag cac tat   1255
Trp Gln Arg Arg Phe Asn Lys Pro Ser Asp Arg His Pro Glu His Tyr
                315                 320                 325

gac act gcc atc ttg ttc acc aga cag aac ttc tgt ggg aag gga gag   1303
Asp Thr Ala Ile Leu Phe Thr Arg Gln Asn Phe Cys Gly Lys Gly Glu
            330                 335                 340

cag tgt gac acc ctg ggg atg gca gac gtt ggc acc atc tgt gac ccc   1351
Gln Cys Asp Thr Leu Gly Met Ala Asp Val Gly Thr Ile Cys Asp Pro
        345                 350                 355

gac aag agc tgc tca gtg atc aag gat gag gga ctg cag gca gcc tac   1399
Asp Lys Ser Cys Ser Val Ile Lys Asp Glu Gly Leu Gln Ala Ala Tyr
    360                 365                 370

acc ctg gcc cat gag cta ggg cac gtt ctc agc atg ccc cat gat gat   1447
Thr Leu Ala His Glu Leu Gly His Val Leu Ser Met Pro His Asp Asp
375                 380                 385                 390

tct aag ccc tgt gtg aga ttg ttt ggg ccc atg ggc aag tac cac atg   1495
Ser Lys Pro Cys Val Arg Leu Phe Gly Pro Met Gly Lys Tyr His Met
                395                 400                 405

atg gcg cca ttc ttc atc cac gtg aac aag acg ctg ccc tgg tct ccc   1543
Met Ala Pro Phe Phe Ile His Val Asn Lys Thr Leu Pro Trp Ser Pro
            410                 415                 420

tgc agt gct gtc tac ctc aca gag ctc ctg gat gat ggt cac gga gat   1591
```

```
   Cys Ser Ala Val Tyr Leu Thr Glu Leu Leu Asp Asp Gly His Gly Asp
          425                 430                 435

   tgt ctt ctg gat gcc ccc acc tcg gtt ctg ccc ctc ccc aca ggc ctc   1639
 5 Cys Leu Leu Asp Ala Pro Thr Ser Val Leu Pro Leu Pro Thr Gly Leu
       440                 445                 450

   ccg ggc cac agc acc ctc tac gag ctg gac cag cag tgc aag cag atc   1687
   Pro Gly His Ser Thr Leu Tyr Glu Leu Asp Gln Gln Cys Lys Gln Ile
10 455                 460                 465                 470

   ttt ggg cct gat ttc cga cac tgc ccc aac acc tct gtg gag gac atc   1735
   Phe Gly Pro Asp Phe Arg His Cys Pro Asn Thr Ser Val Glu Asp Ile
                  475                 480                 485
15
   tgt gtc cag ctc tgt gcc cgt cat cgg gat agt gat gag ccc att tgc   1783
   Cys Val Gln Leu Cys Ala Arg His Arg Asp Ser Asp Glu Pro Ile Cys
              490                 495                 500

20 cac aca aag aat ggt agc ctg ctc tgg gct gat ggt aca ccc tgt ggc   1831
   His Thr Lys Asn Gly Ser Leu Leu Trp Ala Asp Gly Thr Pro Cys Gly
          505                 510                 515

   cct ggg cac ctg tgc ctg gat ggt agc tgt gta ctc aag gag gat gtg   1879
25 Pro Gly His Leu Cys Leu Asp Gly Ser Cys Val Leu Lys Glu Asp Val
       520                 525                 530

   gag aat ccc aag gct gtg gta gat gga gac tgg ggt ccc tgg aga ccc   1927
   Glu Asn Pro Lys Ala Val Val Asp Gly Asp Trp Gly Pro Trp Arg Pro
30 535                 540                 545                 550

   tgg gga caa tgt tct cgc acc tgt ggt gga ggg ata caa ttc tcg aac   1975
   Trp Gly Gln Cys Ser Arg Thr Cys Gly Gly Gly Ile Gln Phe Ser Asn
                  555                 560                 565
35
   cgt gaa tgt gat aat cca atg cct cag aat gga gga aga ttt tgc ctg   2023
   Arg Glu Cys Asp Asn Pro Met Pro Gln Asn Gly Gly Arg Phe Cys Leu
              570                 575                 580

40 ggt gaa aga gtc aag tac caa tca tgc aac aca gag gaa tgt cca cca   2071
   Gly Glu Arg Val Lys Tyr Gln Ser Cys Asn Thr Glu Glu Cys Pro Pro
          585                 590                 595

   aac gga aaa agc ttc cgg gag cag cag tgt gag aaa tat aat gcc tac   2119
45 Asn Gly Lys Ser Phe Arg Glu Gln Gln Cys Glu Lys Tyr Asn Ala Tyr
       600                 605                 610

   aac cac act gac ctg gat ggg aat ttc ctg cag tgg gtc ccc aag tat   2167
   Asn His Thr Asp Leu Asp Gly Asn Phe Leu Gln Trp Val Pro Lys Tyr
50 615                 620                 625                 630

   tca gga gtg tcc ccc cga gac cga tgc aag ctg ttt tgc aga gcc cgt   2215
   Ser Gly Val Ser Pro Arg Asp Arg Cys Lys Leu Phe Cys Arg Ala Arg
                  635                 640                 645
55
   ggg agg agt gag ttc aaa gtg ttt gaa gct aag gtg atc gat ggc act   2263
   Gly Arg Ser Glu Phe Lys Val Phe Glu Ala Lys Val Ile Asp Gly Thr
              650                 655                 660

60 ctg tgt gga ccg gat act ctg tcc atc tgc gtc cgg ggg caa tgt gtt   2311
   Leu Cys Gly Pro Asp Thr Leu Ser Ile Cys Val Arg Gly Gln Cys Val
          665                 670                 675

   aag gct ggc tgt gac cat gtg gtg aac tca cct aag aag ctg gac aaa   2359
65 Lys Ala Gly Cys Asp His Val Val Asn Ser Pro Lys Lys Leu Asp Lys
       680                 685                 690
```

BNSDOCID: <WO___0111074A2_IA>

```
   tgt ggg gtg tgt ggg ggc aaa ggc act gcc tgt agg aag atc tcc ggt   2407
   Cys Gly Val Cys Gly Gly Lys Gly Thr Ala Cys Arg Lys Ile Ser Gly
   695                 700                 705                 710
 5
   tct ttc acc ccc ttc agt tat ggc tac aat gac att gtc acc atc cca   2455
   Ser Phe Thr Pro Phe Ser Tyr Gly Tyr Asn Asp Ile Val Thr Ile Pro
                   715                 720                 725

10 gct ggt gcc aca aac att gat gtg aaa cag cgg agt cac cca ggg gtc   2503
   Ala Gly Ala Thr Asn Ile Asp Val Lys Gln Arg Ser His Pro Gly Val
               730                 735                 740

   agg aac gac ggc agc tac ctg gcg ctg aag aca gcc aat ggg cag tac   2551
15 Arg Asn Asp Gly Ser Tyr Leu Ala Leu Lys Thr Ala Asn Gly Gln Tyr
           745                 750                 755

   ctg ctc aat ggt aac ctg gcc atc tct gcc ata gag caa gac atc ttg   2599
   Leu Leu Asn Gly Asn Leu Ala Ile Ser Ala Ile Glu Gln Asp Ile Leu
20     760                 765                 770

   gtg aag ggg acc atc ctg aag tac agt ggc tcc atg gct acc ctg gag   2647
   Val Lys Gly Thr Ile Leu Lys Tyr Ser Gly Ser Met Ala Thr Leu Glu
   775                 780                 785                 790
25
   cgg ctg cag agc ttc cag gcc ctg cct gag cct ctt aca gta cag ctc   2695
   Arg Leu Gln Ser Phe Gln Ala Leu Pro Glu Pro Leu Thr Val Gln Leu
                   795                 800                 805

30 ctg act gtg tct ggt gag gtc ttc cct cca aaa gtc aga tat acc ttc   2743
   Leu Thr Val Ser Gly Glu Val Phe Pro Pro Lys Val Arg Tyr Thr Phe
               810                 815                 820

   ttt gtc ccc aat gac atg gac ttc agc gtg cag aat agc aag gaa aga   2791
35 Phe Val Pro Asn Asp Met Asp Phe Ser Val Gln Asn Ser Lys Glu Arg
           825                 830                 835

   gca acc acc aac atc att cag tca ctg ccc tct gcg gag tgg gtt ctg   2839
   Ala Thr Thr Asn Ile Ile Gln Ser Leu Pro Ser Ala Glu Trp Val Leu
40     840                 845                 850

   gga gac tgg tct gaa tgt ccg agc acg tgc aga ggt agc tgg cag cgg   2887
   Gly Asp Trp Ser Glu Cys Pro Ser Thr Cys Arg Gly Ser Trp Gln Arg
   855                 860                 865                 870
45
   cgg act gtg gaa tgc agg gac ccc tca ggt cag gcc tct gac acc tgt   2935
   Arg Thr Val Glu Cys Arg Asp Pro Ser Gly Gln Ala Ser Asp Thr Cys
                   875                 880                 885

50 gat gag gct ctg aaa cct gag gat gcc aag ccc tgt gga agc cag ccg   2983
   Asp Glu Ala Leu Lys Pro Glu Asp Ala Lys Pro Cys Gly Ser Gln Pro
               890                 895                 900

   tgt ccc ctc tgatcccctt ggtggaaatc tcttaggctt atggatttgg           3032
55 Cys Pro Leu
           905

   gctactggtg taacagacaa aggtcccctc caaggtgata ctacatatca agatggcacg 3092

60 gccctttcag gccttctatt actacaaccc cttgggtact acctaattca taaggaagag 3152

   agaagagggt ataagggtaa cagattgtaa agttgactgt ctggtggact ggaccttgct 3212

   tatgaccaag aagtcgggat aggttaaaag gtagaagtgc acttattgat ccaaatggga 3272
65
   gatttcagag ccagtctctt tgcaaaggac tagcaaagct aaatgaaaaa gaagaatttt 3332
```

tttttctat ttggtttccc caataatcaa tctacctcac agcggggaaa aatcagtata 3392

caagaggtat aaggccaggt gttggcagtg aacgccaaag caagctccat aggtatctcc 3452

aagctatctt cagaaatgtc cgtggctgtt ttcagtatta aaatctgttg tctaaaaggg 3512

cagcagtgtc catcacaggg ttatagaaag ccacttttct caggctgcca cctgctgggg 3572

cggacccatt tcaagtattt atgcaaatat gtctccgaac taaagtgtgt cttacaccaa 3632

aagngc 3638

<210> 9
<211> 905
<212> PRT
<213> Mus musculus ADAMTS-8

<400> 9
Met Leu Arg Asp Pro Thr Thr Thr Gly Trp Pro Pro Leu Leu Leu Leu
1 5 10 15

Leu Leu Gln Leu Pro Pro Pro Pro Leu Val Cys Gly Ala Pro Ala Gly
20 25 30

Pro Gly Thr Gly Ala Gln Ala Ser Glu Leu Val Val Pro Thr Arg Leu
35 40 45

Pro Gly Ser Ala Ser Glu Leu Ala Phe His Leu Ser Ala Phe Gly Gln
50 55 60

Gly Phe Val Leu Arg Leu Ala Pro Asp Ala Ser Phe Leu Ala Pro Glu
65 70 75 80

Phe Lys Ile Glu Arg Leu Gly Gly Ser Ser Ala Ala Ala Gly Gly Glu
85 90 95

Pro Gly Leu Arg Gly Cys Phe Phe Ser Gly Thr Val Asn Gly Glu Arg
100 105 110

Glu Ser Leu Ala Ala Met Ser Cys Val Ala Gly Trp Ser Gly Ser Phe
115 120 125

Leu Leu Ala Gly Glu Glu Phe Thr Ile Gln Pro Gln Gly Ala Gly Asp
130 135 140

Ser Leu Asp Gln Pro His Arg Leu Gln Arg Trp Gly Pro Gly Gln Arg
145 150 155 160

Arg Glu Asp Pro Gly Leu Ala Ala Ala Glu Val Phe Pro Leu Pro Gln
165 170 175

Gly Leu Glu Trp Glu Val Glu Met Gly Asn Gly Gln Gly Gln Glu Arg
180 185 190

Ser Asp Asn Glu Glu Asp Lys Lys Gln Asp Lys Glu Gly Leu Leu Lys
195 200 205

Glu Thr Glu Asp Ser Arg Lys Val Pro Pro Pro Phe Gly Ser Lys Thr
210 215 220

Arg Ser Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu Leu
225 230 235 240

Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Thr Asp Leu Gln Asn

245 250 255

His Ile Leu Thr Val Met Ser Met Ala Ala Arg Ile Tyr Lys His Pro
260 265 270

Ser Ile Arg Asn Ser Val Asn Leu Val Val Val Lys Val Leu Ile Val
275 280 285

Glu Lys Glu Arg Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu Thr
290 295 300

Leu Arg Asn Phe Cys Ser Trp Gln Arg Arg Phe Asn Lys Pro Ser Asp
305 310 315 320

Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Phe Thr Arg Gln Asn
325 330 335

Phe Cys Gly Lys Gly Glu Gln Cys Asp Thr Leu Gly Met Ala Asp Val
340 345 350

Gly Thr Ile Cys Asp Pro Asp Lys Ser Cys Ser Val Ile Lys Asp Glu
355 360 365

Gly Leu Gln Ala Ala Tyr Thr Leu Ala His Glu Leu Gly His Val Leu
370 375 380

Ser Met Pro His Asp Asp Ser Lys Pro Cys Val Arg Leu Phe Gly Pro
385 390 395 400

Met Gly Lys Tyr His Met Met Ala Pro Phe Phe Ile His Val Asn Lys
405 410 415

Thr Leu Pro Trp Ser Pro Cys Ser Ala Val Tyr Leu Thr Glu Leu Leu
420 425 430

Asp Asp Gly His Gly Asp Cys Leu Leu Asp Ala Pro Thr Ser Val Leu
435 440 445

Pro Leu Pro Thr Gly Leu Pro Gly His Ser Thr Leu Tyr Glu Leu Asp
450 455 460

Gln Gln Cys Lys Gln Ile Phe Gly Pro Asp Phe Arg His Cys Pro Asn
465 470 475 480

Thr Ser Val Glu Asp Ile Cys Val Gln Leu Cys Ala Arg His Arg Asp
485 490 495

Ser Asp Glu Pro Ile Cys His Thr Lys Asn Gly Ser Leu Leu Trp Ala
500 505 510

Asp Gly Thr Pro Cys Gly Pro Gly His Leu Cys Leu Asp Gly Ser Cys
515 520 525

Val Leu Lys Glu Asp Val Glu Asn Pro Lys Ala Val Val Asp Gly Asp
530 535 540

Trp Gly Pro Trp Arg Pro Trp Gly Gln Cys Ser Arg Thr Cys Gly Gly
545 550 555 560

Gly Ile Gln Phe Ser Asn Arg Glu Cys Asp Asn Pro Met Pro Gln Asn
565 570 575

Gly Gly Arg Phe Cys Leu Gly Glu Arg Val Lys Tyr Gln Ser Cys Asn
580 585 590

Thr Glu Glu Cys Pro Pro Asn Gly Lys Ser Phe Arg Glu Gln Gln Cys

BNSDOCID: <WO___0111074A2_IA>

595 600 605

Glu Lys Tyr Asn Ala Tyr Asn His Thr Asp Leu Asp Gly Asn Phe Leu
610 615 620

Gln Trp Val Pro Lys Tyr Ser Gly Val Ser Pro Arg Asp Arg Cys Lys
625 630 635 640

Leu Phe Cys Arg Ala Arg Gly Arg Ser Glu Phe Lys Val Phe Glu Ala
645 650 655

Lys Val Ile Asp Gly Thr Leu Cys Gly Pro Asp Thr Leu Ser Ile Cys
660 665 670

Val Arg Gly Gln Cys Val Lys Ala Gly Cys Asp His Val Val Asn Ser
675 680 685

Pro Lys Lys Leu Asp Lys Cys Gly Val Cys Gly Gly Lys Gly Thr Ala
690 695 700

Cys Arg Lys Ile Ser Gly Ser Phe Thr Pro Phe Ser Tyr Gly Tyr Asn
705 710 715 720

Asp Ile Val Thr Ile Pro Ala Gly Ala Thr Asn Ile Asp Val Lys Gln
725 730 735

Arg Ser His Pro Gly Val Arg Asn Asp Gly Ser Tyr Leu Ala Leu Lys
740 745 750

Thr Ala Asn Gly Gln Tyr Leu Leu Asn Gly Asn Leu Ala Ile Ser Ala
755 760 765

Ile Glu Gln Asp Ile Leu Val Lys Gly Thr Ile Leu Lys Tyr Ser Gly
770 775 780

Ser Met Ala Thr Leu Glu Arg Leu Gln Ser Phe Gln Ala Leu Pro Glu
785 790 795 800

Pro Leu Thr Val Gln Leu Leu Thr Val Ser Gly Glu Val Phe Pro Pro
805 810 815

Lys Val Arg Tyr Thr Phe Phe Val Pro Asn Asp Met Asp Phe Ser Val
820 825 830

Gln Asn Ser Lys Glu Arg Ala Thr Thr Asn Ile Ile Gln Ser Leu Pro
835 840 845

Ser Ala Glu Trp Val Leu Gly Asp Trp Ser Glu Cys Pro Ser Thr Cys
850 855 860

Arg Gly Ser Trp Gln Arg Arg Thr Val Glu Cys Arg Asp Pro Ser Gly
865 870 875 880

Gln Ala Ser Asp Thr Cys Asp Glu Ala Leu Lys Pro Glu Asp Ala Lys
885 890 895

Pro Cys Gly Ser Gln Pro Cys Pro Leu
900 905

<210> 10
<211> 739
<212> DNA
<213> Homo sapiens ADAMTS-8

<220>
<221> CDS
<222> (3)..(737)

<400> 10
cg agg gca gaa ggc gct agc gag ccg cca ccg ccc ctg ggg gcc acg 47
Arg Ala Glu Gly Ala Ser Glu Pro Pro Pro Pro Leu Gly Ala Thr
1 5 10 15

agt agg acc aag cgg ttt gtg tct gag gcg cgc ttc gtg gag acg ctg 95
Ser Arg Thr Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu
20 25 30

ctg gtg gcc gat gcg tcc atg gct gcc ttc tac ggg gcc gac ctg cag 143
Leu Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Ala Asp Leu Gln
35 40 45

aac cac atc ctg acg tta atg tct gtg gca gcc cga atc tac aag cac 191
Asn His Ile Leu Thr Leu Met Ser Val Ala Ala Arg Ile Tyr Lys His
50 55 60

ccc agc atc aag aat tcc atc aac ctg atg gtg gta aaa gtg ctg atc 239
Pro Ser Ile Lys Asn Ser Ile Asn Leu Met Val Val Lys Val Leu Ile
65 70 75

gta gaa gat gaa aaa tgg ggc cca gag gtg tcc gac aat ggg ggg ctt 287
Val Glu Asp Glu Lys Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu
80 85 90 95

aca ctg cgt aac ttc tgc aac tgg cag cgg cgt ttc aac cag ccc agc 335
Thr Leu Arg Asn Phe Cys Asn Trp Gln Arg Arg Phe Asn Gln Pro Ser
100 105 110

gac cgc cac cca gag cac tac gac acg gcc atc ctg ctc acc aga cag 383
Asp Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Leu Thr Arg Gln
115 120 125

aac ttc tgt ggg cag gag ggg ctg tgt gac acc ctg ggt gtg gca gac 431
Asn Phe Cys Gly Gln Glu Gly Leu Cys Asp Thr Leu Gly Val Ala Asp
130 135 140

atc ggg acc att tgt gac ccc aac aaa agc tgc tcc gtg atc gag gat 479
Ile Gly Thr Ile Cys Asp Pro Asn Lys Ser Cys Ser Val Ile Glu Asp
145 150 155

gag ggg ctc cag gcg gcc cac acc ctg gcc cat gaa cta ggg cac gtc 527
Glu Gly Leu Gln Ala Ala His Thr Leu Ala His Glu Leu Gly His Val
160 165 170 175

ctc agc atg ccc cac gac gac tcc aag ccc tgc aca cgg ctc ttc ggg 575
Leu Ser Met Pro His Asp Asp Ser Lys Pro Cys Thr Arg Leu Phe Gly
180 185 190

ccc atg ggc aag cac cac gtg atg gca ccg ctg ttc gtc cac ctg aac 623
Pro Met Gly Lys His His Val Met Ala Pro Leu Phe Val His Leu Asn
195 200 205

cag acg ctg ccc tgg tcc ccc tgc agc gcc atg ttc tca ggc tgc cac 671
Gln Thr Leu Pro Trp Ser Pro Cys Ser Ala Met Phe Ser Gly Cys His
210 215 220

ctg cag ggg tgg atc cat ttc aag tat tta tgc aaa tgt gtc tct gaa 719
Leu Gln Gly Trp Ile His Phe Lys Tyr Leu Cys Lys Cys Val Ser Glu
225 230 235

cta aag tgt gat ctt atg cc 739

Leu Lys Cys Asp Leu Met
240 245

<210> 11
<211> 245
<212> PRT
<213> Homo sapiens ADAMTS-8

<400> 11
Arg Ala Glu Gly Ala Ser Glu Pro Pro Pro Pro Leu Gly Ala Thr Ser
1 5 10 15

Arg Thr Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu Leu
20 25 30

Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Ala Asp Leu Gln Asn
35 40 45

His Ile Leu Thr Leu Met Ser Val Ala Ala Arg Ile Tyr Lys His Pro
50 55 60

Ser Ile Lys Asn Ser Ile Asn Leu Met Val Val Lys Val Leu Ile Val
65 70 75 80

Glu Asp Glu Lys Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu Thr
85 90 95

Leu Arg Asn Phe Cys Asn Trp Gln Arg Arg Phe Asn Gln Pro Ser Asp
100 105 110

Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Leu Thr Arg Gln Asn
115 120 125

Phe Cys Gly Gln Glu Gly Leu Cys Asp Thr Leu Gly Val Ala Asp Ile
130 135 140

Gly Thr Ile Cys Asp Pro Asn Lys Ser Cys Ser Val Ile Glu Asp Glu
145 150 155 160

Gly Leu Gln Ala Ala His Thr Leu Ala His Glu Leu Gly His Val Leu
165 170 175

Ser Met Pro His Asp Asp Ser Lys Pro Cys Thr Arg Leu Phe Gly Pro
180 185 190

Met Gly Lys His His Val Met Ala Pro Leu Phe Val His Leu Asn Gln
195 200 205

Thr Leu Pro Trp Ser Pro Cys Ser Ala Met Phe Ser Gly Cys His Leu
210 215 220

Gln Gly Trp Ile His Phe Lys Tyr Leu Cys Lys Cys Val Ser Glu Leu
225 230 235 240

Lys Cys Asp Leu Met
245

<210> 12
<211> 5804
<212> DNA
<213> Homo sapiens ADAMTS-9

<220>

BNSDOCID: <WO___0111074A2_IA>

<221> CDS
<222> (3)..(5648)

<220>
<221> misc_feature
<222> (1563)..(1565)

<220>
<221> misc_feature
<222> (1404)..(1406)

<400> 12

```
ga agc acc atg cag ttt gta tcc tgg gcc aca ctg cta acg ctc ctg    47
   Ser Thr Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu
     1               5                  10                  15

gtg cgg gac ctg gcc gag atg ggg agc cca gac gcc gcg gcg gcc gtg   95
Val Arg Asp Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Ala Val
                20                  25                  30

cgc aag gac agg ctg cac ccg agg caa gtg aaa tta tta gag acc ctg   143
Arg Lys Asp Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu
            35                  40                  45

agc gaa tac gaa atc gtg tct ccc atc cga gtg aac gct ctc gga gaa   191
Ser Glu Tyr Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu
        50                  55                  60

ccc ttt ccc acg aac gtc cac ttc aaa aga acg cga cgg agc att aac   239
Pro Phe Pro Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn
    65                  70                  75

tct gcc act gac ccc tgg cct gcc ttc gcc tcc tcc tct tcc tcc tct   287
Ser Ala Thr Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser
80                  85                  90                  95

acc tcc tcc cag gcg cat tac cgc ctc tct gcc ttc ggc cag cag ttt   335
Thr Ser Ser Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe
                100                 105                 110

cta ttt aat ctc acc gcc aat gcc gga ttt atc gct cca ctg ttc act   383
Leu Phe Asn Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr
            115                 120                 125

gtc acc ctc ctt ggg acg ccc ggg gtg aat cag acc aag ttt tat tcc   431
Val Thr Leu Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser
        130                 135                 140

gaa gag gaa gcg gaa cta aag cac tgt ttc tac aaa agg cta tgt caa   479
Glu Glu Glu Ala Glu Leu Lys His Cys Phe Tyr Lys Arg Leu Cys Gln
    145                 150                 155

tac caa ctc cga gca cac ggc cgt cat cag cct ctg ctc agg aat gaa   527
Tyr Gln Leu Arg Ala His Gly Arg His Gln Pro Leu Leu Arg Asn Glu
160                 165                 170                 175

cac aaa aat agg cac agt aaa gac aag aag aaa acc aga gca aga aaa   575
His Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys
                180                 185                 190

tgg gga gaa agg att aac ctg gct ggt gac gta gca gca tta aac agc   623
Trp Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser
            195                 200                 205

ggc tta gca aca gag gca ttt tct gct tat ggt aat aag acg gac aac   671
Gly Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn
```

BNSDOCID: <WO___0111074A2_IA>

```
          210                 215                 220

   aca aga gaa aag agg acc cac aga agg aca aaa cgt ttt tta tcc tat   719
   Thr Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr
 5     225                 230                 235

   cca cgg ttt gta gaa gtc ttg gtg gtg gca gac aac aga atg gtt tca   767
   Pro Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser
   240                 245                 250                 255
10
   tac cat gga gaa aac ctt caa cac tat att tta act tta atg tca att   815
   Tyr His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile
                   260                 265                 270

15 gta gcc tct atc tat aaa gac cca agt att gga aat tta att aat att   863
   Val Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile
               275                 280                 285

   gtt att gtg aac tta att gtg att cat aat gaa cag gat ggg cct tcc   911
20 Val Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser
           290                 295                 300

   ata tct ttt aat gct cag aca aca tta aaa aac ttt tgc cag tgg cag   959
   Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln
25     305                 310                 315

   cat tcg aac agt cca ggt gga atc cat cat gat act gct gtt ctc tta   1007
   His Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu
   320                 325                 330                 335
30
   aca aga cag gat atc tgc aga gct cac gac aaa tgt gat acc tta ggc   1055
   Thr Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly
                   340                 345                 350

35 ctg gct gaa ctg gga acc att tgt gat ccc tat aga agc tgt tct att   1103
   Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile
               355                 360                 365

   agt gaa gat agt gga ttg agt aca gct ttt acg atc gcc cat gag ctg   1151
40 Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu
           370                 375                 380

   ggc cat gtg ttt aac atg cct cat gat gac aac aac aaa tgt aaa gaa   1199
   Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu
45     385                 390                 395

   gaa gga gtt aag agt ccc cag cat gtc atg gct cca aca ctg aac ttc   1247
   Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe
   400                 405                 410                 415
50
   tac acc aac ccc tgg atg tgg tca aag tgt agt cga aaa tat atc act   1295
   Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr
                   420                 425                 430

55 gag ttt tta gac act ggt tat ggc gag tgt ttg ctt aac gaa cct gaa   1343
   Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Glu
               435                 440                 445

   tcc aga ccc tac cct ttg cct gtc caa ctg cca ggc atc ctt tac aac   1391
60 Ser Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile Leu Tyr Asn
           450                 455                 460

   gtg aat aaa caa tgn gaa ttg att ttt gga cca ggt tct cag gtg tgc   1439
   Val Asn Lys Gln Xaa Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys
65     465                 470                 475
```

```
   cca tat atg atg cag tgc aga cgg ctc tgg tgc aat aac gtc aat gga   1487
   Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn Val Asn Gly
   480                 485                 490                 495

 5 gta cac aaa ggc tgc cgg act cag cac aca ccc tgg gcc gat ggg acg   1535
   Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr
                   500                 505                 510

   gag tgc gag cct gga aag cac tgc aag nat gga ttt tgt gtt ccc aaa   1583
10 Glu Cys Glu Pro Gly Lys His Cys Lys Xaa Gly Phe Cys Val Pro Lys
               515                 520                 525

   gaa atg gat gtc ccc gtg aca gat gga tcc tgg gga agt tgg agt ccc   1631
   Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro
15         530                 535                 540

   ttt gga acc tgc tcc aga aca tgt gga ggg ggc atc aaa aca gcc att   1679
   Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile
       545                 550                 555
20
   cga gag tgc aac aga cca gaa cca aaa aat ggt gga aaa tac tgt gta   1727
   Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val
   560                 565                 570                 575

25 gga cgt aga atg aaa ttt aag tcc tgc aac acg gag cca tgt ctc aag   1775
   Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys
                   580                 585                 590

   cag aag cga gac ttc cga gat gaa cag tgt gct cac ttt gac ggg aag   1823
30 Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys
               595                 600                 605

   cat ttt aac atc aac ggt ctg ctt ccc aat gtg cgc tgg gtc cct aaa   1871
   His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys
35         610                 615                 620

   tac agt gga att ctg atg aag gac cgg tgc aag ttg ttc tgc aga gtg   1919
   Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val
       625                 630                 635
40
   gca ggg aac aca gcc tac tat cag ctt cga gac aga gtg ata gat gga   1967
   Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly
   640                 645                 650                 655

45 act cct tgt ggc cag gac aca aat gat atc tgt gtc cag ggc ctt tgc   2015
   Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys
                   660                 665                 670

   cgg caa gct gga tgc gat cat gtt tta aac tca aaa gcc cgg aga gat   2063
50 Arg Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp
               675                 680                 685

   aaa tgc ggg gtt tgt ggt ggc gat aat tct tca tgc aaa aca gtg gca   2111
   Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala
55         690                 695                 700

   gga aca ttt aat aca gta cat tat ggt tac aat act gtg gtc cga att   2159
   Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile
       705                 710                 715
60
   cca gct ggt gct acc aat att gat gtg cgg cag cac agt ttc tca ggg   2207
   Pro Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly
   720                 725                 730                 735

65 gaa aca gac gat gac aac tac tta gct tta tca agc agt aaa ggt gaa   2255
   Glu Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser Ser Lys Gly Glu
```

```
                    740                 745                 750

   ttc ttg cta aat gga aac ttt gtt gtc aca atg gcc aaa agg gaa att   2303
   Phe Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile
 5             755                 760                 765

   cgc att ggg aat gct gtg gta gag tac agt ggg tcc gag act gcc gta   2351
   Arg Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val
         770                 775                 780
10
   gaa aga att aac tca aca gat cgc att gag caa gaa ctt ttg ctt cag   2399
   Glu Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Leu Gln
     785                 790                 795

15 gtt ttg tcg gtg gga aag ttg tac aac ccc gat gta cgc tat tct ttc   2447
   Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe
   800                 805                 810                 815

   aat att cca att gaa gat aaa cct cag cag ttt tac tgg aac agt cat   2495
20 Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His
                   820                 825                 830

   ggg cca tgg caa gca tgc agt aaa ccc tgc caa ggg gaa cgg aaa cga   2543
   Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg
25             835                 840                 845

   aaa ctt gtt tgc acc agg gaa tct gat cag ctt act gtt tct gat caa   2591
   Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln
         850                 855                 860
30
   aga tgc gat cgg ctg ccc cag cct gga cac att act gaa ccc tgt ggt   2639
   Arg Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly
     865                 870                 875

35 aca ggc tgt gac ctg agg tgg cat gtt gcc agc agg agt gaa tgt agt   2687
   Thr Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser
   880                 885                 890                 895

   gcc cag tgt ggc ttg ggt tac cgc aca ttg gac atc tac tgt gcc aaa   2735
40 Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys
                   900                 905                 910

   tat agc agg ctg gat ggg aag act gag aag gtt gat gat ggt ttt tgc   2783
   Tyr Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys
45             915                 920                 925

   agc agc cat ccc aaa cca agc aac cgt gaa aaa tgc tca ggg gaa tgt   2831
   Ser Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys
         930                 935                 940
50
   aac acg ggt ggc tgg cgc tat tct gcc tgg act gaa tgt tca aaa agc   2879
   Asn Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser
     945                 950                 955

55 tgt gac ggt ggg acc cag agg aga agg gct att tgt gtc aat acc cga   2927
   Cys Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg
   960                 965                 970                 975

   aat gat gta ctg gat gac agc aaa tgc aca cat caa gag aaa gtt acc   2975
60 Asn Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr
                   980                 985                 990

   att cag agg tgc agt gag ttc cct tgt cca cag tgg aaa tct gga gac   3023
   Ile Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp
65             995                1000                1005
```

BNSDOCID: <WO___0111074A2_IA>

```
tgg tca gag tgc ttg gtc acc tgt gga aaa ggg cat aag cac agc cag   3071
Trp Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys His Ser Gln
      1010                1015                1020

gtc tgg tgt cag ttt ggt gaa gat cga tta aat gat aga atg tgt gac   3119
Val Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp
   1025                1030                1035

cct gag acc aag cca aca tct atg cag act tgt cag cag ccg gaa tgt   3167
Pro Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Cys
1040                1045                1050                1055

gca tcc tgg cag gcg ggt ccc tgg gta cag tgc agt gtc act tgt gga   3215
Ala Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly
               1060                1065                1070

cag gga tac cag cta aga gca gtg aaa tgc atc att ggg act tat atg   3263
Gln Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met
          1075                1080                1085

tca gtg gta gat gac aat gac tgt aat gca gca act aga cca act gat   3311
Ser Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp
      1090                1095                1100

acc cag gac tgt gaa tta cca tca tgt cat cct ccc cca gct gcc ccg   3359
Thr Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro
   1105                1110                1115

gaa acg agg aga agc aca tac agt gca cca aga acc cag tgg cga ttt   3407
Glu Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe
1120                1125                1130                1135

ggg tct tgg acc cca tgc tca gcc act tgt ggg aaa ggt acc cgg atg   3455
Gly Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met
               1140                1145                1150

aga tac gtc agc tgc cga gat gag aat ggc tct gtg gct gac gag agt   3503
Arg Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser
          1155                1160                1165

gcc tgt gct acc ctg cct aga cca gtg gca aag gaa gaa tgt tct gtg   3551
Ala Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val
      1170                1175                1180

aca ccc tgt ggg caa tgg aag gcc ttg gac tgg agc tct tgc tct gtg   3599
Thr Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser Cys Ser Val
   1185                1190                1195

acc tgt ggg caa ggt agg gca acc cgg caa gtg atg tgt gtc aac tac   3647
Thr Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys Val Asn Tyr
1200                1205                1210                1215

agt gac cac gtg atc gat cgg agt gag tgt gac cag gat tat atc cca   3695
Ser Asp His Val Ile Asp Arg Ser Glu Cys Asp Gln Asp Tyr Ile Pro
               1220                1225                1230

gaa act gac cag gac tgt tcc atg tca cca tgc cct caa agg acc cca   3743
Glu Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro
          1235                1240                1245

gac agt ggc tta gct cag cac ccc ttc caa aat gag gac tat cgt ccc   3791
Asp Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp Tyr Arg Pro
      1250                1255                1260

cgg agc gcc agc ccc agc cgc acc cat gtg ctc ggt gga aac cag tgg   3839
Arg Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp
```

```
      1265                1270                1275

   aga act ggc ccc tgg gga gca tgt tcc agt acc tgt gct ggc gga tcc   3887
   Arg Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser
 5 1280                1285                1290                1295

   cag cgg cgt gtt gtt gta tgt cag gat gaa aat gga tac acc gca aac   3935
   Gln Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn
                  1300                1305                1310
10
   gac tgt gtg gag aga ata aaa cct gat gag caa aga gcc tgt gaa tcc   3983
   Asp Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser
             1315                1320                1325

15 ggc cct tgt cct cag tgg gct tat ggc aac tgg gga gag tgc act aag   4031
   Gly Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys
          1330                1335                1340

   ctg tgt ggt gga ggc ata aga aca aga ctg gtg gtc tct cag cgg tcc   4079
20 Leu Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Ser Gln Arg Ser
      1345                1350                1355

   aac ggt gaa cgg ttt cca gat ttg agc tgt gaa att ctt gat aaa cct   4127
   Asn Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro
25 1360                1365                1370                1375

   ccc gat cgt gag cag tgt aac aca cat gct tgt cca cac gac gct gca   4175
   Pro Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala
                  1380                1385                1390
30
   tgg agt act ggc cct tgg agc tcg tgt tct gtc tct tgt ggt cga ggg   4223
   Trp Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly
             1395                1400                1405

35 cat aaa caa cga aat gtt tac tgc atg gca aaa gat gga agc cat tta   4271
   His Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu
          1410                1415                1420

   gaa agt gat tac tgt aag cac ctg gct aag cca cat ggg cac aga aag   4319
40 Glu Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys
      1425                1430                1435

   tgc cga gga gga aga tgc ccc aaa tgg aaa gct ggc gct tgg agt cag   4367
   Cys Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln
45 1440                1445                1450                1455

   tgc tct gtg tcc atg ggc cga ggc gta cag cag agg cat gtg ggc tgt   4415
   Cys Ser Val Ser Met Gly Arg Gly Val Gln Gln Arg His Val Gly Cys
                  1460                1465                1470
50
   cag atc gga aca cac aaa ata gcc aga gag acc gag tgc aac cca tac   4463
   Gln Ile Gly Thr His Lys Ile Ala Arg Glu Thr Glu Cys Asn Pro Tyr
             1475                1480                1485

55 acc aga ccg gag tcg gaa tgc gaa tgc caa ggc cca cgg tgt ccc ctt   4511
   Thr Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu
          1490                1495                1500

   tac act tgg agg gca gag gaa tgg caa gaa tgc acc aag acc tgc ggc   4559
60 Tyr Thr Trp Arg Ala Glu Glu Trp Gln Glu Cys Thr Lys Thr Cys Gly
      1505                1510                1515

   gaa ggc tcc agg tac cgc aag gtg gtg tgt gtg gat gac aac aaa aac   4607
   Glu Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn
65 1520                1525                1530                1535
```

```
   gag gtg cat ggg gca cgc tgt gac gtg agc aag cgg ccg gtg gac cgt   4655
   Glu Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg
                  1540                1545                1550

 5 gaa agc tgt agt ttg caa ccc tgc gag tat gtc tgg act aca gga gaa   4703
   Glu Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Thr Thr Gly Glu
             1555                1560                1565

   tgg tca gag tgc tca gtg acc tgt gga aaa ggc tac aaa caa agg ctt   4751
10 Trp Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu
         1570                1575                1580

   gtc tcg tgc agc gag att tac acc ggg aaa gag aat tat gaa tac agc   4799
   Val Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser
15    1585                1590                1595

   tac caa acc acc atc aac tgc cca ggc acg cag ccc ccc agt gtt cac   4847
   Tyr Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His
   1600                1605                1610                1615
20
   ccc tgt tac ctg agg gag tgc cct gtc tcg gcc acc tgg aga gtt ggc   4895
   Pro Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly
                  1620                1625                1630

25 aac tgg ggg agc tgc tca gtg tct tgt ggt gtt gga gtg atg cag aga   4943
   Asn Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg
             1635                1640                1645

   tct gtg caa tgt tta acc aat gag gac caa ccc agc cac tta tgc cac   4991
30 Ser Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His
         1650                1655                1660

   act gat ctg aag cca gaa gaa cga aaa acc tgc cgt aat gtc tat aac   5039
   Thr Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn
35    1665                1670                1675

   tgt gag tta ccc cag aat tgc aag gag gta aaa aga ctt aaa ggt gcc   5087
   Cys Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala
   1680                1685                1690                1695
40
   agt gaa gat ggt gaa tat ttc ctg atg att aga gga aag ctt ctg aag   5135
   Ser Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys
                  1700                1705                1710

45 ata ttc tgt gcg ggg atg cac tct gac cac ccc aaa gag tac gtg aca   5183
   Ile Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr
             1715                1720                1725

   ctg gtg cat gga gac tct gag aat ttc tcc gag gtt tat ggg cac agg   5231
50 Leu Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg
         1730                1735                1740

   tta cac aac cca aca gaa tgt ccc tat aac ggg agc cgg cgc gat gac   5279
   Leu His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp
55    1745                1750                1755

   tgc caa tgt cgg aag gat tac acg gcc gct ggg ttt tcc agt ttt cag   5327
   Cys Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln
   1760                1765                1770                1775
60
   aaa atc aga ata gac ctg acc agc atg cag ata atc acc act gac tta   5375
   Lys Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu
                  1780                1785                1790

65 cag ttt gca agg aca agc gaa gga cat ccc gtc cct ttt gcc aca gcc   5423
   Gln Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala
```

BNSDOCID: <WO___0111074A2_IA>

```
            1795                1800                1805

   ggg gat tgc tac agc gct gcc aag tgc cca cag ggt cgt ttt agc atc   5471
   Gly Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile
 5       1810                1815                1820

   aac ctt tat gga acc ggc ttg tct tta act gaa tct gcc aga tgg ata   5519
   Asn Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile
      1825                1830                1835
10
   tca caa ggg aat tat gct gtc tct gac atc aag aag tcg ccg gat ggt   5567
   Ser Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly
   1840                1845                1850                1855

15 acc cga gtc gta ggg aaa tgc ggt ggt tac tgt gga aaa tgc act cca   5615
   Thr Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro
                  1860                1865                1870

   tcc tct ggt act ggc ctg gag gtg cga gtt tta tagctaaggt gctttgaaga 5668
20 Ser Ser Gly Thr Gly Leu Glu Val Arg Val Leu
            1875                1880

   ggaagccatt atggatggat gaaggatagt aatgcaatac ctccacctta atttgggtgc 5728

25 atgtgtatgt gtgtgtgtgt ttgtgtgtga cttgtatgct tgtgtgtgta aatgtgtgta 5788

   catatacata tataca                                                 5804


30 <210> 13
   <211> 1882
   <212> PRT
   <213> Homo sapiens ADAMTS-9

35 <400> 13
   Ser Thr Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu Val
     1               5                  10                  15

   Arg Asp Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Ala Val Arg
40              20                  25                  30

   Lys Asp Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu Ser
            35                  40                  45

45 Glu Tyr Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu Pro
        50                  55                  60

   Phe Pro Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn Ser
    65                  70                  75                  80
50
   Ala Thr Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser Thr
                   85                  90                  95

   Ser Ser Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe Leu
55              100                 105                 110

   Phe Asn Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr Val
            115                 120                 125

60 Thr Leu Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser Glu
        130                 135                 140

   Glu Glu Ala Glu Leu Lys His Cys Phe Tyr Lys Arg Leu Cys Gln Tyr
   145                 150                 155                 160
65
   Gln Leu Arg Ala His Gly Arg His Gln Pro Leu Leu Arg Asn Glu His
```

```
                    165                 170                 175

Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys Trp
                180                 185                 190

Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser Gly
        195                 200                 205

Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn Thr
    210                 215                 220

Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr Pro
225                 230                 235                 240

Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser Tyr
                245                 250                 255

His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile Val
            260                 265                 270

Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile Val
        275                 280                 285

Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser Ile
    290                 295                 300

Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln His
305                 310                 315                 320

Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu Thr
                325                 330                 335

Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly Leu
            340                 345                 350

Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile Ser
        355                 360                 365

Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu Gly
    370                 375                 380

His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu Glu
385                 390                 395                 400

Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe Tyr
                405                 410                 415

Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr Glu
            420                 425                 430

Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Glu Ser
        435                 440                 445

Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile Leu Tyr Asn Val
    450                 455                 460

Asn Lys Gln Xaa Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys Pro
465                 470                 475                 480

Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn Val Asn Gly Val
                485                 490                 495

His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr Glu
            500                 505                 510

Cys Glu Pro Gly Lys His Cys Lys Xaa Gly Phe Cys Val Pro Lys Glu
```

```
          515                 520                 525

   Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro Phe
       530                 535                 540
5
   Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile Arg
   545                 550                 555                 560

   Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val Gly
10                 565                 570                 575

   Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys Gln
              580                 585                 590

15 Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys His
          595                 600                 605

   Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys Tyr
       610                 615                 620
20
   Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val Ala
   625                 630                 635                 640

   Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly Thr
25                 645                 650                 655

   Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys Arg
              660                 665                 670

30 Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp Lys
          675                 680                 685

   Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala Gly
       690                 695                 700
35
   Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile Pro
   705                 710                 715                 720

   Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly Glu
40                 725                 730                 735

   Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser Ser Lys Gly Glu Phe
              740                 745                 750

45 Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile Arg
          755                 760                 765

   Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val Glu
       770                 775                 780
50
   Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Leu Gln Val
   785                 790                 795                 800

   Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe Asn
55                 805                 810                 815

   Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His Gly
              820                 825                 830

60 Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg Lys
          835                 840                 845

   Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln Arg
       850                 855                 860
65
   Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly Thr
```

BNSDOCID: <WO___0111074A2_IA>

```
   865                 870                 875                 880

   Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser Ala
                   885                 890                 895
5
   Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys Tyr
               900                 905                 910

   Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys Ser
10         915                 920                 925

   Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys Asn
       930                 935                 940

15 Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser Cys
   945                 950                 955                 960

   Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg Asn
                   965                 970                 975
20
   Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr Ile
               980                 985                 990

   Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp Trp
25         995                1000                1005

   Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys His Ser Gln Val
      1010                1015                1020

30 Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp Pro
   1025                1030                1035                1040

   Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Cys Ala
                  1045                1050                1055
35
   Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly Gln
              1060                1065                1070

   Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met Ser
40        1075                1080                1085

   Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp Thr
      1090                1095                1100

45 Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro Glu
   1105                1110                1115                1120

   Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe Gly
                  1125                1130                1135
50
   Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met Arg
              1140                1145                1150

   Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser Ala
55        1155                1160                1165

   Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val Thr
      1170                1175                1180

60 Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser Cys Ser Val Thr
   1185                1190                1195                1200

   Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys Val Asn Tyr Ser
                  1205                1210                1215
65
   Asp His Val Ile Asp Arg Ser Glu Cys Asp Gln Asp Tyr Ile Pro Glu
```

1220 1225 1230

Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro Asp
1235 1240 1245

Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp Tyr Arg Pro Arg
1250 1255 1260

Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp Arg
1265 1270 1275 1280

Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser Gln
1285 1290 1295

Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn Asp
1300 1305 1310

Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser Gly
1315 1320 1325

Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys Leu
1330 1335 1340

Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Ser Gln Arg Ser Asn
1345 1350 1355 1360

Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro Pro
1365 1370 1375

Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala Trp
1380 1385 1390

Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly His
1395 1400 1405

Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu Glu
1410 1415 1420

Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys Cys
1425 1430 1435 1440

Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln Cys
1445 1450 1455

Ser Val Ser Met Gly Arg Gly Val Gln Gln Arg His Val Gly Cys Gln
1460 1465 1470

Ile Gly Thr His Lys Ile Ala Arg Glu Thr Glu Cys Asn Pro Tyr Thr
1475 1480 1485

Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu Tyr
1490 1495 1500

Thr Trp Arg Ala Glu Glu Trp Gln Glu Cys Thr Lys Thr Cys Gly Glu
1505 1510 1515 1520

Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn Glu
1525 1530 1535

Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg Glu
1540 1545 1550

Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Thr Thr Gly Glu Trp
1555 1560 1565

Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu Val

BNSDOCID: <WO___0111074A2_IA>

```
      1570                1575                1580

   Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser Tyr
   1585                1590                1595                1600
5
   Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His Pro
                  1605                1610                1615

   Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly Asn
10            1620                1625                1630

   Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg Ser
          1635                1640                1645

15 Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His Thr
      1650                1655                1660

   Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn Cys
   1665                1670                1675                1680
20
   Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala Ser
                  1685                1690                1695

   Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys Ile
25            1700                1705                1710

   Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr Leu
          1715                1720                1725

30 Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg Leu
      1730                1735                1740

   His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp Cys
   1745                1750                1755                1760
35
   Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln Lys
                  1765                1770                1775

   Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu Gln
40            1780                1785                1790

   Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala Gly
          1795                1800                1805

45 Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile Asn
      1810                1815                1820

   Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile Ser
   1825                1830                1835                1840
50
   Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly Thr
                  1845                1850                1855

   Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro Ser
55            1860                1865                1870

   Ser Gly Thr Gly Leu Glu Val Arg Val Leu
          1875                1880

60

   <210> 14
   <211> 2625
   <212> DNA
65 <213> Mus musculus ADAMTS-9
```

BNSDOCID: <WO___0111074A2_IA>

<220>
<221> CDS
<222> (2)..(2623)

<400> 14
g cac act gcg gtc atc agc ctg tgc tcc gga atg atg ggc acg ttc cgc 49
His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Met Gly Thr Phe Arg
1 5 10 15

tct cac gat gga gat tat ttc att gaa cca ctg cag tct gtg gat gag 97
Ser His Asp Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Val Asp Glu
20 25 30

caa gag gat gaa gag gaa caa aac aaa ccc cac att att tat agg cac 145
Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg His
35 40 45

agc acc cct cag agg gaa ccc tcc aca gga aag cat gcc tgt gcc acc 193
Ser Thr Pro Gln Arg Glu Pro Ser Thr Gly Lys His Ala Cys Ala Thr
50 55 60

tca gaa ctc aaa aat agt cac agt aaa gac aag cgg aaa atc aga atg 241
Ser Glu Leu Lys Asn Ser His Ser Lys Asp Lys Arg Lys Ile Arg Met
65 70 75 80

cga aaa cgg aga aag agg aat agc ctg gct gac gac gtg gca ctg cta 289
Arg Lys Arg Arg Lys Arg Asn Ser Leu Ala Asp Asp Val Ala Leu Leu
85 90 95

aag agc ggt ttg gca aca aag gtg ctc tct ggc tat agc aac cag aca 337
Lys Ser Gly Leu Ala Thr Lys Val Leu Ser Gly Tyr Ser Asn Gln Thr
100 105 110

aac aac aca agg gac aga tgg aac cac aaa aga acc aaa cgc ttt ctg 385
Asn Asn Thr Arg Asp Arg Trp Asn His Lys Arg Thr Lys Arg Phe Leu
115 120 125

tcc tac cca cgg ttt gta gag gtg atg gtg gtg gct gac cac agg atg 433
Ser Tyr Pro Arg Phe Val Glu Val Met Val Val Ala Asp His Arg Met
130 135 140

gtt tta tac cac gga gca aac ctt caa cat tat atc tta acc tta atg 481
Val Leu Tyr His Gly Ala Asn Leu Gln His Tyr Ile Leu Thr Leu Met
145 150 155 160

tcc att gta gct tct atc tat aaa gac tca agt att gga aat tta att 529
Ser Ile Val Ala Ser Ile Tyr Lys Asp Ser Ser Ile Gly Asn Leu Ile
165 170 175

aat att gtt att gtg aac tta gtt gtg att cat aat gaa cag gaa gga 577
Asn Ile Val Ile Val Asn Leu Val Val Ile His Asn Glu Gln Glu Gly
180 185 190

cct tac ata aat ttc aat gcc cag aca aca tta aag aac ttt tgc cag 625
Pro Tyr Ile Asn Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln
195 200 205

tgg cag cac tca aag aac tac ttg ggt ggg att cag cac gac aca gcc 673
Trp Gln His Ser Lys Asn Tyr Leu Gly Gly Ile Gln His Asp Thr Ala
210 215 220

gtt ctg gtc aca agg gaa gat atc tgc aga gct cag gac aaa tgt gac 721
Val Leu Val Thr Arg Glu Asp Ile Cys Arg Ala Gln Asp Lys Cys Asp
225 230 235 240

acc tta ggt ctt gct gaa ctg gga acc att tgc gac ccc tac cga agc 769

```
Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser
                245                 250                 255

tgt tcc att agt gaa gac agt ggg ctg agc aca gct ttc aca ata gct   817
Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala
            260                 265                 270

cac gag ctg ggc cat gtg ttt aat atg cct cac gat gac agc aat aaa   865
His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Ser Asn Lys
        275                 280                 285

tgc aaa gaa gaa gga gtt aag agt ccc cag cat gtc atg gca cca aca   913
Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr
    290                 295                 300

ctg aac ttc tac acc aac ccc tgg atg tgg tca aag tgc agt cgg aaa   961
Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys
305                 310                 315                 320

tac atc act gag ttc cta gac act ggg tac gga gag tgc ttg ctg aat  1009
Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn
                325                 330                 335

gaa cct gca tcc agg acc tat cct ttg cct tcc caa ctg ccc ggc ctt  1057
Glu Pro Ala Ser Arg Thr Tyr Pro Leu Pro Ser Gln Leu Pro Gly Leu
            340                 345                 350

ctc tac aac gtg aat aaa caa tgt gaa ctg att ttt ggg cca ggc tct  1105
Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser
        355                 360                 365

caa gtg tgc ccc tat atg atg cag tgc aga cgg ctc tgg tgc aat aat  1153
Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn
    370                 375                 380

gtg gat gga gca cac aaa ggc tgc aag act cag cac acg ccc tgg gca  1201
Val Asp Gly Ala His Lys Gly Cys Lys Thr Gln His Thr Pro Trp Ala
385                 390                 395                 400

gat gga acc gag tgt gag cct gga aag cac tgc aag ttt gga ttt tgt  1249
Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Phe Gly Phe Cys
                405                 410                 415

gtt ccc aaa gaa atg gag ggc cct gca att gat gga tcc tgg gga ggt  1297
Val Pro Lys Glu Met Glu Gly Pro Ala Ile Asp Gly Ser Trp Gly Gly
            420                 425                 430

tgg agc cac ttt ggg acc tgc tca aga acg tgt gga gga ggc atc aaa  1345
Trp Ser His Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys
        435                 440                 445

aca gcc atc aga gag tgc aac aga cca gag cca aaa aat ggt ggg aag  1393
Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys
    450                 455                 460

tac tgt gta gga agg aga atg aag ttc aaa tcc tgc aac acg gag ccc  1441
Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro
465                 470                 475                 480

tgc atg aag cag aag cga gac ttc cga gag gag cag tgt gct cac ttt  1489
Cys Met Lys Gln Lys Arg Asp Phe Arg Glu Glu Gln Cys Ala His Phe
                485                 490                 495

gat ggc aaa cac ttc aac atc aat ggt ctg ctg ccc agc gta cgc tgg  1537
Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Ser Val Arg Trp
            500                 505                 510
```

```
ttt cct aag tac agc gga att ttg atg aag gac cgg tgc aag ttg ttc   1585
Phe Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe
        515                 520                 525

tgc aga gtg gca gga aac aca gcc tac tac cag ctc cga gac aga gtg   1633
Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val
    530                 535                 540

att gac gga acc cct tgt ggc cag gac aca aat gac atc tgt gtc caa   1681
Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln
545                 550                 555                 560

ggc ctt tgc cgg caa gct gga tgt gat cat att tta aac tca aag gtc   1729
Gly Leu Cys Arg Gln Ala Gly Cys Asp His Ile Leu Asn Ser Lys Val
                565                 570                 575

cgg aaa gat aaa tgt ggg att tgt ggt gga gat aat tct tca tgc aaa   1777
Arg Lys Asp Lys Cys Gly Ile Cys Gly Gly Asp Asn Ser Ser Cys Lys
            580                 585                 590

aca gtg gca gga aca ttt aac act gtc cat tat ggt tac aat act gtt   1825
Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val
        595                 600                 605

gtc cga att ccg gct ggt gct acc agc att gac gtg cgt cag cac agc   1873
Val Arg Ile Pro Ala Gly Ala Thr Ser Ile Asp Val Arg Gln His Ser
    610                 615                 620

ttc tca ggg aag tct gag gat gac aac tac cta gct tta tca aac agt   1921
Phe Ser Gly Lys Ser Glu Asp Asp Asn Tyr Leu Ala Leu Ser Asn Ser
625                 630                 635                 640

aaa ggt gaa ttc ctg cta aat gga gac ttt gtt gtc tcc atg tcc aaa   1969
Lys Gly Glu Phe Leu Leu Asn Gly Asp Phe Val Val Ser Met Ser Lys
                645                 650                 655

agg gag gtc cgc gtg ggg agc gcc gtc att gag tac agc gga tcg gac   2017
Arg Glu Val Arg Val Gly Ser Ala Val Ile Glu Tyr Ser Gly Ser Asp
            660                 665                 670

aat gtg tgt gaa aga ctg aac tgt acg gac cgt atc gag gaa gaa ctt   2065
Asn Val Cys Glu Arg Leu Asn Cys Thr Asp Arg Ile Glu Glu Glu Leu
        675                 680                 685

ctc ctt cag gtg ttg tcc gtg gga aag ctg tat aac cca gat gtg cgg   2113
Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg
    690                 695                 700

tac tca ttc aat att ccc att gag gac aaa cct cag caa ttt tac tgg   2161
Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp
705                 710                 715                 720

aac agt cac ggg ccg tgg caa gca tgc agc aag ccc tgc caa ggg gag   2209
Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu
                725                 730                 735

cgg aga cca aaa ctt gtt tgc acc agg gag tct gat cag cta acc gtt   2257
Arg Arg Pro Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val
            740                 745                 750

tct gat caa aga tgt gac cgg ctg ccc cag cca gga cct gtc act gaa   2305
Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly Pro Val Thr Glu
        755                 760                 765

gcg tgc ggc aca gac tgt gac ttg agg tgg cac gtt gcc agc aag agc   2353
```

BNSDOCID: <WO___0111074A2_IA>

```
   Ala Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Lys Ser
       770                 775                 780

   gaa tgc agt gcc cag tgt ggt ttg ggc tac cgt act tta gac atc cac   2401
 5 Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile His
   785                 790                 795                 800

   tgt gcc aaa tac agc agg atg gac ggg aag acg gag aag gtg gat gac   2449
   Cys Ala Lys Tyr Ser Arg Met Asp Gly Lys Thr Glu Lys Val Asp Asp
10                 805                 810                 815

   agt ttc tgt agc agt caa ccc aga ccg agt aac cag gag aaa tgc tca   2497
   Ser Phe Cys Ser Ser Gln Pro Arg Pro Ser Asn Gln Glu Lys Cys Ser
               820                 825                 830
15
   gga gag tgc agc aca ggt gga tgg cgc tat tca gcc tgg acc gaa tgt   2545
   Gly Glu Cys Ser Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys
           835                 840                 845

20 tct aga agc tgt gat ggt ggt acc cac aga aga aga gca att tgt gtc   2593
   Ser Arg Ser Cys Asp Gly Gly Thr His Arg Arg Arg Ala Ile Cys Val
       850                 855                 860

   aac acc cgc aat gat gtc ctg gat gac agc aa                       2625
25 Asn Thr Arg Asn Asp Val Leu Asp Asp Ser
   865                 870


   <210> 15
30 <211> 874
   <212> PRT
   <213> Mus musculus ADAMTS-9

   <400> 15
35 His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Met Gly Thr Phe Arg
     1               5                  10                  15

   Ser His Asp Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Val Asp Glu
               20                  25                  30
40
   Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg His
           35                  40                  45

   Ser Thr Pro Gln Arg Glu Pro Ser Thr Gly Lys His Ala Cys Ala Thr
45      50                  55                  60

   Ser Glu Leu Lys Asn Ser His Ser Lys Asp Lys Arg Lys Ile Arg Met
    65                  70                  75                  80

50 Arg Lys Arg Arg Lys Arg Asn Ser Leu Ala Asp Asp Val Ala Leu Leu
                   85                  90                  95

   Lys Ser Gly Leu Ala Thr Lys Val Leu Ser Gly Tyr Ser Asn Gln Thr
               100                 105                 110
55
   Asn Asn Thr Arg Asp Arg Trp Asn His Lys Arg Thr Lys Arg Phe Leu
           115                 120                 125

   Ser Tyr Pro Arg Phe Val Glu Val Met Val Val Ala Asp His Arg Met
60     130                 135                 140

   Val Leu Tyr His Gly Ala Asn Leu Gln His Tyr Ile Leu Thr Leu Met
   145                 150                 155                 160

65 Ser Ile Val Ala Ser Ile Tyr Lys Asp Ser Ser Ile Gly Asn Leu Ile
                   165                 170                 175
```

```
Asn Ile Val Ile Val Asn Leu Val Val Ile His Asn Glu Gln Glu Gly
            180                 185                 190

Pro Tyr Ile Asn Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln
        195                 200                 205

Trp Gln His Ser Lys Asn Tyr Leu Gly Gly Ile Gln His Asp Thr Ala
    210                 215                 220

Val Leu Val Thr Arg Glu Asp Ile Cys Arg Ala Gln Asp Lys Cys Asp
225                 230                 235                 240

Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser
                245                 250                 255

Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala
            260                 265                 270

His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Ser Asn Lys
        275                 280                 285

Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr
    290                 295                 300

Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys
305                 310                 315                 320

Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn
                325                 330                 335

Glu Pro Ala Ser Arg Thr Tyr Pro Leu Pro Ser Gln Leu Pro Gly Leu
            340                 345                 350

Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser
        355                 360                 365

Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn Asn
    370                 375                 380

Val Asp Gly Ala His Lys Gly Cys Lys Thr Gln His Thr Pro Trp Ala
385                 390                 395                 400

Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Phe Gly Phe Cys
                405                 410                 415

Val Pro Lys Glu Met Glu Gly Pro Ala Ile Asp Gly Ser Trp Gly Gly
            420                 425                 430

Trp Ser His Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys
        435                 440                 445

Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys
    450                 455                 460

Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro
465                 470                 475                 480

Cys Met Lys Gln Lys Arg Asp Phe Arg Glu Glu Gln Cys Ala His Phe
                485                 490                 495

Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Ser Val Arg Trp
            500                 505                 510

Phe Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe
        515                 520                 525
```

BNSDOCID: <WO__0111074A2_IA>

```
Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val
530                 535                 540

Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln
545                 550                 555                 560

Gly Leu Cys Arg Gln Ala Gly Cys Asp His Ile Leu Asn Ser Lys Val
                565                 570                 575

Arg Lys Asp Lys Cys Gly Ile Cys Gly Gly Asp Asn Ser Ser Cys Lys
            580                 585                 590

Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val
        595                 600                 605

Val Arg Ile Pro Ala Gly Ala Thr Ser Ile Asp Val Arg Gln His Ser
    610                 615                 620

Phe Ser Gly Lys Ser Glu Asp Asp Asn Tyr Leu Ala Leu Ser Asn Ser
625                 630                 635                 640

Lys Gly Glu Phe Leu Leu Asn Gly Asp Phe Val Val Ser Met Ser Lys
                645                 650                 655

Arg Glu Val Arg Val Gly Ser Ala Val Ile Glu Tyr Ser Gly Ser Asp
            660                 665                 670

Asn Val Cys Glu Arg Leu Asn Cys Thr Asp Arg Ile Glu Glu Glu Leu
        675                 680                 685

Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg
    690                 695                 700

Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp
705                 710                 715                 720

Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu
                725                 730                 735

Arg Arg Pro Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val
            740                 745                 750

Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly Pro Val Thr Glu
        755                 760                 765

Ala Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Lys Ser
    770                 775                 780

Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile His
785                 790                 795                 800

Cys Ala Lys Tyr Ser Arg Met Asp Gly Lys Thr Glu Lys Val Asp Asp
                805                 810                 815

Ser Phe Cys Ser Ser Gln Pro Arg Pro Ser Asn Gln Glu Lys Cys Ser
            820                 825                 830

Gly Glu Cys Ser Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys
        835                 840                 845

Ser Arg Ser Cys Asp Gly Gly Thr His Arg Arg Arg Ala Ile Cys Val
    850                 855                 860

Asn Thr Arg Asn Asp Val Leu Asp Asp Ser
865                 870
```

<210> 16
<211> 3885
<212> DNA
<213> Homo sapiens ADAMTS-10

<220>
<221> CDS
<222> (1)..(3246)

<400> 16
tca cgc acg cct tcc ggt ctc aag atg agt tcc tgt cca gtc tgg aga 48
Ser Arg Thr Pro Ser Gly Leu Lys Met Ser Ser Cys Pro Val Trp Arg
1 5 10 15

gct atg aga tcg cct tcc cca ccc gcg tgg acc aca acg ggg cac tgc 96
Ala Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys
20 25 30

tgg cct tct cgc cac ctc ctc ccc gga gca gcg ccg cgg cac ggg ggc 144
Trp Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly
35 40 45

cac agc cga gtc ccg cct ctt cta caa agt ggc ctc gcc agc acc cac 192
His Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His
50 55 60

ttc ctg ctg aac ctg acc cgc agc tcc cgt cta ctg gca ggg cgc gtc 240
Phe Leu Leu Asn Leu Thr Arg Ser Ser Arg Leu Leu Ala Gly Arg Val
65 70 75 80

tcc gtg gag tac tgg aca cgg gag ggc ctg gcc tgg cag agg gcg gcc 288
Ser Val Glu Tyr Trp Thr Arg Glu Gly Leu Ala Trp Gln Arg Ala Ala
85 90 95

cgg ccc cac tgc ctc tac gct ggt cac ctg cag ggc cag gcc agc agc 336
Arg Pro His Cys Leu Tyr Ala Gly His Leu Gln Gly Gln Ala Ser Ser
100 105 110

tcc cat gtg gcc atc agc acc tgt gga ggc ctg cac ggc ctg atc gtg 384
Ser His Val Ala Ile Ser Thr Cys Gly Gly Leu His Gly Leu Ile Val
115 120 125

gca gac gag gaa gag tac ctg att gag ccc ctg cac ggt ggg ccc aag 432
Ala Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys
130 135 140

ggt tct cgg agc ccg gag gaa agt gga cca cat tgt gtg tac aag cgt 480
Gly Ser Arg Ser Pro Glu Glu Ser Gly Pro His Cys Val Tyr Lys Arg
145 150 155 160

tcc tct ctg cgt cac ccc cac ctg gac aca gcc tgt gga gtg aga gat 528
Ser Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp
165 170 175

gag aaa ccg tgg aaa ggg cgg cca tgg tgg ctg cgg acc ttg aag cca 576
Glu Lys Pro Trp Lys Gly Arg Pro Trp Trp Leu Arg Thr Leu Lys Pro
180 185 190

ccg cct gcc aga ccc ctg ggg aat gaa aca gag cgt ggc cag cca ggc 624
Pro Pro Ala Arg Pro Leu Gly Asn Glu Thr Glu Arg Gly Gln Pro Gly
195 200 205

ctg aag cga tcg gtc agc cga gag cgc tac gtg gag acc atg gat gtg 672

BNSDOCID: <WO___0111074A2_IA>

```
   Leu Lys Arg Ser Val Ser Arg Glu Arg Tyr Val Glu Thr Met Asp Val
       210                 215                 220

   gct gac aag atg atg gtg gcc tat cac ggg cgc cgg gat gtg gag cag   720
 5 Ala Asp Lys Met Met Val Ala Tyr His Gly Arg Arg Asp Val Glu Gln
   225                 230                 235                 240

   tat gtc ctg gcc atc atg aac att gtt gcc aaa ctt ttc cag gac tcg   768
   Tyr Val Leu Ala Ile Met Asn Ile Val Ala Lys Leu Phe Gln Asp Ser
10                 245                 250                 255

   agt ctg gga agc acc gtt aac atc ctc gta act cgc ctc atc ctg ctc   816
   Ser Leu Gly Ser Thr Val Asn Ile Leu Val Thr Arg Leu Ile Leu Leu
              260                 265                 270
15
   acg gag gac cag ccc act ctg gag atc acc cac cat gcc ggg aag tcc   864
   Thr Glu Asp Gln Pro Thr Leu Glu Ile Thr His His Ala Gly Lys Ser
          275                 280                 285

20 cta gac agc ttc tgt aag tgg cag aaa tcc atc gtg aac cac agc ggc   912
   Leu Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Val Asn His Ser Gly
       290                 295                 300

   cat ggc aat gcc att cca gag aac ggt gtg gct aac cat gac aca gca   960
25 His Gly Asn Ala Ile Pro Glu Asn Gly Val Ala Asn His Asp Thr Ala
   305                 310                 315                 320

   gtg ctc atc aca cgc tat gac atc tgc atc tac aag aac aaa ccc tgc   1008
   Val Leu Ile Thr Arg Tyr Asp Ile Cys Ile Tyr Lys Asn Lys Pro Cys
30                 325                 330                 335

   ggc aca cta ggc ctg gcc cgg tgg gcg gaa tgt gtg agc gcg aga gaa   1056
   Gly Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu
              340                 345                 350
35
   gct gca gcg tca atg agg aca ttg gct gcc aca agc gtt cac cat tgc   1104
   Ala Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys
          355                 360                 365

40 cac gag atc ggg cac aca ttc ggc atg aac cat gac ggc gtg gga aac   1152
   His Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn
       370                 375                 380

   agc tgt ggg gcc cgt ggt cag gac cca gcc aag ctc atg gct gcc cac   1200
45 Ser Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His
   385                 390                 395                 400

   att acc atg aag acc aac cca ttc gtg tgg tca tcc tgc aac cgt gac   1248
   Ile Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp
50                 405                 410                 415

   tac atc acc agc ttt cta gac tcg ggc ctg ggg ctc tgc ctg aac aac   1296
   Tyr Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn
              420                 425                 430
55
   cgg ccc ccc aga cag gac ttt gtg tac ccg aca gtg gca ccg ggc caa   1344
   Arg Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln
          435                 440                 445

60 gcc tac gat gca gat gag caa tgc cgc ttt cag cat gga gtc aaa tcg   1392
   Ala Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser
       450                 455                 460

   cgt cag tgt aaa tac ggg gag gtc tgc agc gag ctg tgg tgt ctg agc   1440
65 Arg Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser
   465                 470                 475                 480
```

```
   aag agc aac cgg tgc atc acc aac agc atc ccg gcc gcc gag ggc acg   1488
   Lys Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr
                   485                 490                 495
5
   ctg tgc cag acg cac acc atc gac aag ggg tgg tgc tac aaa cgg gtc   1536
   Leu Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val
               500                 505                 510

10 tgt gtc ccc ttt ggg tcg cgc cca gag ggt gtg gac gga gcc tgg ggg   1584
   Cys Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly
           515                 520                 525

   ccg tgg act cca tgg ggc gac tgc agc cgg acc tgt ggc ggc ggc gtg   1632
15 Pro Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val
       530                 535                 540

   tcc tct tct agt cgt cac tgc gac agc ccc agg cca acc atc ggg ggc   1680
   Ser Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly
20 545                 550                 555                 560

   aag tac tgt ctg ggt gag aga agg cgg cac cgc tcc tgc aac acg gat   1728
   Lys Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp
                   565                 570                 575
25
   gac tgt ccc cct ggc tcc cag gac ttc aga gaa gtg cag tgt gct gaa   1776
   Asp Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ala Glu
               580                 585                 590

30 ttt gac agc atc cct ttc cgt ggg aaa ttc tac aag tgg aaa acg tac   1824
   Phe Asp Ser Ile Pro Phe Arg Gly Lys Phe Tyr Lys Trp Lys Thr Tyr
           595                 600                 605

   cgg gga ggg ggc gtg aag gcc tgc tcg ctc acg agc cta gcg gaa ggc   1872
35 Arg Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly
       610                 615                 620

   ttc aac ttc tac acg gag agg gcg gca gcc gtg gtg gac ggg aca ccc   1920
   Phe Asn Phe Tyr Thr Glu Arg Ala Ala Ala Val Val Asp Gly Thr Pro
40 625                 630                 635                 640

   tgc cgt cca gac acg gtg gac att tgc gtc agt ggc gaa tgc aag cac   1968
   Cys Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His
                   645                 650                 655
45
   gtg ggc tgc gac cga gtc ctg ggc tcc gac ctg cgg gag gac aag tgc   2016
   Val Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys
               660                 665                 670

50 cga gtg tgt ggc ggt gac ggc agt gcc tgc gag acc atc gag ggc gtc   2064
   Arg Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val
           675                 680                 685

   ttc agc cca gcc tca cct ggg gcc ggg tac gag gat gtc gtc tgg att   2112
55 Phe Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile
       690                 695                 700

   ccc aaa ggc tcc gtc cac atc ttc atc cag gat ctg aac ctc tct ctc   2160
   Pro Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu
60 705                 710                 715                 720

   agt cac ttg gcc ctg aag gga gac cag gag tcc ctg ctg ctg gag ggg   2208
   Ser His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly
                   725                 730                 735
65
   ctg cct ggg acc ccc cag ccc cac cgt ctg cct cta gct ggg acc acc   2256
```

```
   Leu Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr
               740                 745                 750

   ttt caa ctg cga cag ggg cca gac cag gtc cag agc ctc gaa gcc ctg   2304
 5 Phe Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu
          755                 760                 765

   gga ccg att aat gca tct ctc atc gtc atg gtg ctg gcc cgg acc gag   2352
   Gly Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu
10     770                 775                 780

   ctg cct gcc ctc cgc tac cgc ttc aat gcc ccc atc gcc cgt gac tcg   2400
   Leu Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser
   785                 790                 795                 800
15
   ctg ccc ccc tac tcc tgg cac tat gcg ccc tgg acc aag tgc tcg gcc   2448
   Leu Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala
                  805                 810                 815

20 cag tgt gca ggc ggt agc cag gtg cag gcg gtg gag tgc cgc aac cag   2496
   Gln Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln
               820                 825                 830

   ctg gac agc tcc gcg gtc gcc ccc cac tac tgc agt gcc cac agc aag   2544
25 Leu Asp Ser Ser Ala Val Ala Pro His Tyr Cys Ser Ala His Ser Lys
          835                 840                 845

   ctg ccc aaa agg cag cgc gcc tgc aac acg gag cct tgc cct cca gac   2592
   Leu Pro Lys Arg Gln Arg Ala Cys Asn Thr Glu Pro Cys Pro Pro Asp
30     850                 855                 860

   tgg gtt gta ggg aac tgg tcg ctc tgc agc cgc agc tgc gat gca ggc   2640
   Trp Val Val Gly Asn Trp Ser Leu Cys Ser Arg Ser Cys Asp Ala Gly
   865                 870                 875                 880
35
   gtg cgc agt acg tcg gtc gtg tgc cag cgc cgc gtc tct gcc gcg gag   2688
   Val Arg Ser Thr Ser Val Val Cys Gln Arg Arg Val Ser Ala Ala Glu
                  885                 890                 895

40 gag aag gcg ctg gac gac agc gca tgc ccg cag ccg cgc cca cct gta   2736
   Glu Lys Ala Leu Asp Asp Ser Ala Cys Pro Gln Pro Arg Pro Pro Val
               900                 905                 910

   ctg gag gcc tgc cac ggc ccc act tgc cct ccg gag tgg gca acc ctc   2784
45 Leu Glu Ala Cys His Gly Pro Thr Cys Pro Pro Glu Trp Ala Thr Leu
          915                 920                 925

   gac tgg tct gag tgt acc cca agc tgt ggg cct ggt ctc cgc cac cga   2832
   Asp Trp Ser Glu Cys Thr Pro Ser Cys Gly Pro Gly Leu Arg His Arg
50     930                 935                 940

   gtg gtc ctt tgt aag agt gca gat caa cga tct act ctg ccc cct ggg   2880
   Val Val Leu Cys Lys Ser Ala Asp Gln Arg Ser Thr Leu Pro Pro Gly
   945                 950                 955                 960
55
   cac tgc ctt cct gca gcc aag cca cca tct act atg cga tgt aac ttg   2928
   His Cys Leu Pro Ala Ala Lys Pro Pro Ser Thr Met Arg Cys Asn Leu
                  965                 970                 975

60 cgc cgc tgc cct cct gcc cgc tgg gtg acc agt gag tgg ggt gag tgt   2976
   Arg Arg Cys Pro Pro Ala Arg Trp Val Thr Ser Glu Trp Gly Glu Cys
               980                 985                 990

   tcc aca cag tgt ggc ctc ggc cag cag cag cgc aca gtg cgc tgc acc   3024
65 Ser Thr Gln Cys Gly Leu Gly Gln Gln Gln Arg Thr Val Arg Cys Thr
          995                1000                1005
```

```
   agc cac acc ggc cag cca tct cga gag tgc act gaa gcc ttg cgg cca   3072
   Ser His Thr Gly Gln Pro Ser Arg Glu Cys Thr Glu Ala Leu Arg Pro
      1010                1015                1020
5
   tcc acc atg cag cag tgt gag gcc aag tgt gac agt gtg gtg ccg cct   3120
   Ser Thr Met Gln Gln Cys Glu Ala Lys Cys Asp Ser Val Val Pro Pro
   1025               1030                1035                1040

10 gga gat ggc cca gaa gaa tgc aag gat gtg aac aag gtg gct tac tgc   3168
   Gly Asp Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys
                  1045                1050                1055

   ccc ctg gtg ctc aaa ttt cag ttc tgt agc cga gcc tac ttc cgc cag   3216
15 Pro Leu Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln
              1060                1065                1070

   atg tgc tgc aaa acc tgc caa ggc cgc tag ggtacctgga accaacctgg     3266
   Met Cys Cys Lys Thr Cys Gln Gly Arg
20        1075                1080

   agcacaggct gaggcagggg acatcccact ggagagggca tgagggaaag gggggcttga 3326

   attgaagggt gagatgcagt tgaaagttat ttattgggta accctacagg gctcctgact 3386
25
   aaggggtgga gaagagctgg ctacccaggg accctctgct gtatcttgcc cagttgatag 3446

   tgaagagaga ggactccttg ttgcacacat atttaagtcc ctagcacccc tcccaccctt 3506

30 tgatcggaat atgtactgtg aagagtgggg gtggggaggg gtgtgctggt gccctgcccc 3566

   ctgcactgtt ctatccctac actctgagct ggggggattt atatctgcta tgggggggagt 3626

   aggcttgata ccacctccct gtagccctcc cccagactga cgaaggggaa gatccacccc 3686
35
   aacctctgcc ctgcctgccc caggggggag ttcaacatcc aggccgttcc ccatcatggt 3746

   gctacaagcc ctgccctggg gcccacacac tcctcaccaa gaagccttac attaaaaaag 3806

40 ttgtgttatc ctacaaaaaa aaaaaaaaac tcgaggggggg gcccggtacc caattcgcgc 3866

   tatagtaaat ngggtntta                                              3885


45 <210> 17
   <211> 1081
   <212> PRT
   <213> Homo sapiens ADAMTS-10

50 <400> 17
   Ser Arg Thr Pro Ser Gly Leu Lys Met Ser Ser Cys Pro Val Trp Arg
     1               5                  10                  15
   Ala Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys
                20                  25                  30
55 Trp Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly
            35                  40                  45
   His Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His
        50                  55                  60
   Phe Leu Leu Asn Leu Thr Arg Ser Ser Arg Leu Leu Ala Gly Arg Val
60  65                  70                  75                  80
   Ser Val Glu Tyr Trp Thr Arg Glu Gly Leu Ala Trp Gln Arg Ala Ala
                   85                  90                  95
   Arg Pro His Cys Leu Tyr Ala Gly His Leu Gln Gly Gln Ala Ser Ser
               100                 105                 110
65 Ser His Val Ala Ile Ser Thr Cys Gly Gly Leu His Gly Leu Ile Val
           115                 120                 125
```

```
Ala Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys
130                 135                 140
Gly Ser Arg Ser Pro Glu Glu Ser Gly Pro His Cys Val Tyr Lys Arg
145                 150                 155                 160
Ser Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp
                165                 170                 175
Glu Lys Pro Trp Lys Gly Arg Pro Trp Trp Leu Arg Thr Leu Lys Pro
            180                 185                 190
Pro Pro Ala Arg Pro Leu Gly Asn Glu Thr Glu Arg Gly Gln Pro Gly
        195                 200                 205
Leu Lys Arg Ser Val Ser Arg Glu Arg Tyr Val Glu Thr Met Asp Val
    210                 215                 220
Ala Asp Lys Met Met Val Ala Tyr His Gly Arg Arg Asp Val Glu Gln
225                 230                 235                 240
Tyr Val Leu Ala Ile Met Asn Ile Val Ala Lys Leu Phe Gln Asp Ser
                245                 250                 255
Ser Leu Gly Ser Thr Val Asn Ile Leu Val Thr Arg Leu Ile Leu Leu
            260                 265                 270
Thr Glu Asp Gln Pro Thr Leu Glu Ile Thr His His Ala Gly Lys Ser
        275                 280                 285
Leu Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Val Asn His Ser Gly
    290                 295                 300
His Gly Asn Ala Ile Pro Glu Asn Gly Val Ala Asn His Asp Thr Ala
305                 310                 315                 320
Val Leu Ile Thr Arg Tyr Asp Ile Cys Ile Tyr Lys Asn Lys Pro Cys
                325                 330                 335
Gly Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu
            340                 345                 350
Ala Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys
        355                 360                 365
His Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn
    370                 375                 380
Ser Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His
385                 390                 395                 400
Ile Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp
                405                 410                 415
Tyr Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn
            420                 425                 430
Arg Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln
        435                 440                 445
Ala Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser
    450                 455                 460
Arg Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser
465                 470                 475                 480
Lys Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr
                485                 490                 495
Leu Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val
            500                 505                 510
Cys Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly
        515                 520                 525
Pro Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val
    530                 535                 540
Ser Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly
545                 550                 555                 560
Lys Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp
                565                 570                 575
Asp Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ala Glu
            580                 585                 590
Phe Asp Ser Ile Pro Phe Arg Gly Lys Phe Tyr Lys Trp Lys Thr Tyr
        595                 600                 605
Arg Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly
    610                 615                 620
Phe Asn Phe Tyr Thr Glu Arg Ala Ala Ala Val Val Asp Gly Thr Pro
625                 630                 635                 640
Cys Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His
                645                 650                 655
```

```
   Val Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys
                660                 665                 670
   Arg Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val
            675                 680                 685
 5 Phe Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile
        690                 695                 700
   Pro Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu
   705                 710                 715                 720
   Ser His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly
10                 725                 730                 735
   Leu Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr
                740                 745                 750
   Phe Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu
            755                 760                 765
15 Gly Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu
        770                 775                 780
   Leu Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser
   785                 790                 795                 800
   Leu Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala
20                 805                 810                 815
   Gln Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln
                820                 825                 830
   Leu Asp Ser Ser Ala Val Ala Pro His Tyr Cys Ser Ala His Ser Lys
            835                 840                 845
25 Leu Pro Lys Arg Gln Arg Ala Cys Asn Thr Glu Pro Cys Pro Pro Asp
        850                 855                 860
   Trp Val Val Gly Asn Trp Ser Leu Cys Ser Arg Ser Cys Asp Ala Gly
   865                 870                 875                 880
   Val Arg Ser Thr Ser Val Val Cys Gln Arg Arg Val Ser Ala Ala Glu
30                 885                 890                 895
   Glu Lys Ala Leu Asp Asp Ser Ala Cys Pro Gln Pro Arg Pro Pro Val
                900                 905                 910
   Leu Glu Ala Cys His Gly Pro Thr Cys Pro Pro Glu Trp Ala Thr Leu
            915                 920                 925
35 Asp Trp Ser Glu Cys Thr Pro Ser Cys Gly Pro Gly Leu Arg His Arg
        930                 935                 940
   Val Val Leu Cys Lys Ser Ala Asp Gln Arg Ser Thr Leu Pro Pro Gly
   945                 950                 955                 960
   His Cys Leu Pro Ala Ala Lys Pro Pro Ser Thr Met Arg Cys Asn Leu
40                 965                 970                 975
   Arg Arg Cys Pro Pro Ala Arg Trp Val Thr Ser Glu Trp Gly Glu Cys
                980                 985                 990
   Ser Thr Gln Cys Gly Leu Gly Gln Gln Gln Arg Thr Val Arg Cys Thr
            995                1000                1005
45 Ser His Thr Gly Gln Pro Ser Arg Glu Cys Thr Glu Ala Leu Arg Pro
       1010                1015                1020
   Ser Thr Met Gln Gln Cys Glu Ala Lys Cys Asp Ser Val Val Pro Pro
   1025                1030                1035                1040
   Gly Asp Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys
50                 1045                1050                1055
   Pro Leu Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln
               1060                1065                1070
   Met Cys Cys Lys Thr Cys Gln Gly Arg
           1075                1080
55


   <210> 18
   <211> 1642
60 <212> DNA
   <213> Mus musculus ADAMTS-10

   <220>
   <221> CDS
65 <222> (2)..(1351)
```

<220>
<221> misc_feature
<222> (338)..(340)

<220>
<221> misc_feature
<222> (353)..(355)

<400> 18

```
a gca gca gct gtg gtg gat gga aca ccc tgc cgc cct gac acg gtg gac 49
  Ala Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp
    1               5                  10                  15

att tgt gtc agc ggc gag tgc aag cat gta ggc tgt gac agg ctc ctg   97
Ile Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Leu Leu
            20                  25                  30

ggt tct gat ctc cga gag gac aaa tgc cgt gtg tgt ggg ggt gat ggc   145
Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg Val Cys Gly Gly Asp Gly
        35                  40                  45

agt gcc tgt gag acc att gaa ggt gtc ttt agc cca gct ttg cca gga   193
Ser Ala Cys Glu Thr Ile Glu Gly Val Phe Ser Pro Ala Leu Pro Gly
    50                  55                  60

act ggg tat gag gac gtc gtc tgg atc ccc aaa ggc tcg gtc cac att   241
Thr Gly Tyr Glu Asp Val Val Trp Ile Pro Lys Gly Ser Val His Ile
65                  70                  75                  80

ttc atc caa gat ctg aac ctg tcc ctg agt cac ctg gcc cta aag ggg   289
Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly
                85                  90                  95

gac caa gag tct ctg cta ctg gag ggg cta cct ggg acc ccc caa cct   337
Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro
            100                 105                 110

nac cgc ctt ccc ctg gnt ggg acc aca ttt cat cta cgg cag ggg ccg   385
Xaa Arg Leu Pro Leu Xaa Gly Thr Thr Phe His Leu Arg Gln Gly Pro
        115                 120                 125

gac cag gca cag agc ctg gaa gcc ctg gga ccc att aat gca tct ctc   433
Asp Gln Ala Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu
    130                 135                 140

atc atc atg gtg ctg gcc cag gca gag ttg cct gct ctc cac tac cgc   481
Ile Ile Met Val Leu Ala Gln Ala Glu Leu Pro Ala Leu His Tyr Arg
145                 150                 155                 160

ttc aat gca ccc att gcc cgg gat gca ctg cct ccc tac tcc tgg cac   529
Phe Asn Ala Pro Ile Ala Arg Asp Ala Leu Pro Pro Tyr Ser Trp His
                165                 170                 175

tat gcc ccc tgg acc aaa tgc tca gcc cag tgt gca ggc ggc agc cag   577
Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln
            180                 185                 190

gtg caa gta gtg gag tgc cga aat cag ctg gac agc tca gca gtg gcc   625
Val Gln Val Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala
        195                 200                 205

cca cac tac tgt agt ggc cac agt aaa ttg ccc aag agg cag cgt gcc   673
Pro His Tyr Cys Ser Gly His Ser Lys Leu Pro Lys Arg Gln Arg Ala
    210                 215                 220

tgc aac aca gaa cca tgt cca cca gat tgg gtt gta gga aac tgg tca   721
```

```
   Cys Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser
   225                 230                 235                 240

   cgc tgc agc cgt agc tgt gac gct ggt gtg cgt agc cgc tca gtg gtg   769
 5 Arg Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val
               245                 250                 255

   tgc caa cgc cgg gtg tct gct gca gag gaa aaa gcc tta gac gac agt   817
   Cys Gln Arg Arg Val Ser Ala Ala Glu Glu Lys Ala Leu Asp Asp Ser
10             260                 265                 270

   gcc tgt cca cag cca cgc cca cct gtg ctg gag gcc tgc caa ggc cca   865
   Ala Cys Pro Gln Pro Arg Pro Pro Val Leu Glu Ala Cys Gln Gly Pro
         275                 280                 285
15
   atg tgc cct cct gag tgg gca acc ctc gac tgg tct gag tgt acc cca   913
   Met Cys Pro Pro Glu Trp Ala Thr Leu Asp Trp Ser Glu Cys Thr Pro
       290                 295                 300

20 agc tgt ggg cct ggt ctc cgc cac cga gtg gtc ctt tgt aag agt gca   961
   Ser Cys Gly Pro Gly Leu Arg His Arg Val Val Leu Cys Lys Ser Ala
   305                 310                 315                 320

   gat caa cga tct act ctg ccc cct ggg cac tgc ctt cct gca gcc aag   1009
25 Asp Gln Arg Ser Thr Leu Pro Pro Gly His Cys Leu Pro Ala Ala Lys
               325                 330                 335

   cca cca tct act atg cga tgt aac ttg cgc cgc tgc cct cct gcc cgc   1057
   Pro Pro Ser Thr Met Arg Cys Asn Leu Arg Arg Cys Pro Pro Ala Arg
30             340                 345                 350

   tgg gtg acc agt gag tgg ggt gag tgt tcc aca cag tgt ggc ctc ggc   1105
   Trp Val Thr Ser Glu Trp Gly Glu Cys Ser Thr Gln Cys Gly Leu Gly
         355                 360                 365
35
   cag cag cag cgc aca gtg cgc tgc acc agc cac acc ggc cag cca tct   1153
   Gln Gln Gln Arg Thr Val Arg Cys Thr Ser His Thr Gly Gln Pro Ser
       370                 375                 380

40 cga gag tgc act gaa gcc ttg cgg cca tcc acc atg cag cag tgt gag   1201
   Arg Glu Cys Thr Glu Ala Leu Arg Pro Ser Thr Met Gln Gln Cys Glu
   385                 390                 395                 400

   gcc aag tgt gac agt gtg gtg ccg cct gga gat ggc cca gaa gaa tgc   1249
45 Ala Lys Cys Asp Ser Val Val Pro Pro Gly Asp Gly Pro Glu Glu Cys
               405                 410                 415

   aag gat gtg aac aag gtg gct tac tgc ccc ctg gtg ctc aaa ttt cag   1297
   Lys Asp Val Asn Lys Val Ala Tyr Cys Pro Leu Val Leu Lys Phe Gln
50             420                 425                 430

   ttc tgt agc cga gcc tac ttc cgc cag atg agc tgc aaa acc tgc caa   1345
   Phe Cys Ser Arg Ala Tyr Phe Arg Gln Met Ser Cys Lys Thr Cys Gln
         435                 440                 445
55
   ggc cgc tagggtacct ggaaccaacc tggagcacag gctgaggcag gggacatccc    1401
   Gly Arg
       450

60 actggagagg gcatgaggga aaggggggct tgaattgaag ggtgagatgc aagttgaaag 1461

   tatttatttg ggtaacccct acagggcttc tgacttaagg ggtggagaan agctggctac 1521

   cccagggacc cttttgttgg atcttggccc anttgatagt gaagagagag gacttcttgg 1581
65
   tgnacacatt tttaagtcct tagacccttc caccnttgat cggatatgtc tgggaagagg 1641
```

n 1642

<210> 19
<211> 450
<212> PRT
<213> Mus musculus ADAMTS-10

<400> 19
Ala Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp
1 5 10 15

Ile Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Leu Leu
20 25 30

Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg Val Cys Gly Gly Asp Gly
35 40 45

Ser Ala Cys Glu Thr Ile Glu Gly Val Phe Ser Pro Ala Leu Pro Gly
50 55 60

Thr Gly Tyr Glu Asp Val Val Trp Ile Pro Lys Gly Ser Val His Ile
65 70 75 80

Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly
85 90 95

Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro
100 105 110

Xaa Arg Leu Pro Leu Xaa Gly Thr Thr Phe His Leu Arg Gln Gly Pro
115 120 125

Asp Gln Ala Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu
130 135 140

Ile Ile Met Val Leu Ala Gln Ala Glu Leu Pro Ala Leu His Tyr Arg
145 150 155 160

Phe Asn Ala Pro Ile Ala Arg Asp Ala Leu Pro Pro Tyr Ser Trp His
165 170 175

Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln
180 185 190

Val Gln Val Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala
195 200 205

Pro His Tyr Cys Ser Gly His Ser Lys Leu Pro Lys Arg Gln Arg Ala
210 215 220

Cys Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser
225 230 235 240

Arg Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val
245 250 255

Cys Gln Arg Arg Val Ser Ala Ala Glu Glu Lys Ala Leu Asp Asp Ser
260 265 270

Ala Cys Pro Gln Pro Arg Pro Pro Val Leu Glu Ala Cys Gln Gly Pro
275 280 285

Met Cys Pro Pro Glu Trp Ala Thr Leu Asp Trp Ser Glu Cys Thr Pro
290 295 300

BNSDOCID: <WO___0111074A2_IA>

```
Ser Cys Gly Pro Gly Leu Arg His Arg Val Val Leu Cys Lys Ser Ala
305                 310                 315                 320

Asp Gln Arg Ser Thr Leu Pro Pro Gly His Cys Leu Pro Ala Ala Lys
                325                 330                 335

Pro Pro Ser Thr Met Arg Cys Asn Leu Arg Arg Cys Pro Pro Ala Arg
            340                 345                 350

Trp Val Thr Ser Glu Trp Gly Glu Cys Ser Thr Gln Cys Gly Leu Gly
        355                 360                 365

Gln Gln Gln Arg Thr Val Arg Cys Thr Ser His Thr Gly Gln Pro Ser
    370                 375                 380

Arg Glu Cys Thr Glu Ala Leu Arg Pro Ser Thr Met Gln Gln Cys Glu
385                 390                 395                 400

Ala Lys Cys Asp Ser Val Val Pro Pro Gly Asp Gly Pro Glu Glu Cys
                405                 410                 415

Lys Asp Val Asn Lys Val Ala Tyr Cys Pro Leu Val Leu Lys Phe Gln
            420                 425                 430

Phe Cys Ser Arg Ala Tyr Phe Arg Gln Met Ser Cys Lys Thr Cys Gln
        435                 440                 445

Gly Arg
    450
```

<210> 20
<211> 1803
<212> DNA
<213> Homo sapiens ADAMTS-R1

<220>
<221> CDS
<222> (51)..(1634)

<400> 20

```
gaattcggca cgaggcagtg tccgattctg attccggcaa ggatccaagc atg gaa    56
                                                        Met Glu
                                                          1

tgc tgc cgt cgg gca act cct ggc aca ctg ctc ctc ttt ctg gct ttc   104
Cys Cys Arg Arg Ala Thr Pro Gly Thr Leu Leu Leu Phe Leu Ala Phe
          5                  10                  15

ctg ctc ctg agt tcc agg acc gca cgc tcc gag gag gac cgg gac ggc   152
Leu Leu Leu Ser Ser Arg Thr Ala Arg Ser Glu Glu Asp Arg Asp Gly
     20                  25                  30

cta tgg gat gcc tgg ggc cca tgg agt gaa tgc tca cgc acc tgc ggg   200
Leu Trp Asp Ala Trp Gly Pro Trp Ser Glu Cys Ser Arg Thr Cys Gly
 35                  40                  45                  50

ggt ggg gcc gcc aac tct ctg agg cgc tgc ctg agc agc aag agc tgt   248
Gly Gly Ala Ala Asn Ser Leu Arg Arg Cys Leu Ser Ser Lys Ser Cys
                 55                  60                  65

gaa gga aga aat atc cga tac aga aca tgc agt aat gtg gac tgc cca   296
Glu Gly Arg Asn Ile Arg Tyr Arg Thr Cys Ser Asn Val Asp Cys Pro
             70                  75                  80
```

```
   cca gaa gca ggt gat ttc cga gct cag caa tgc tca gct cat aat gat   344
   Pro Glu Ala Gly Asp Phe Arg Ala Gln Gln Cys Ser Ala His Asn Asp
            85                  90                  95
 5
   gtc aag cac cat ggc cag ttt tat gaa tgg ctt cct gtg tct aat gac   392
   Val Lys His His Gly Gln Phe Tyr Glu Trp Leu Pro Val Ser Asn Asp
       100                 105                 110

10 cct gac aac cca tgt tca ctc aag tgc caa gcc aaa gga aca acc ctg   440
   Pro Asp Asn Pro Cys Ser Leu Lys Cys Gln Ala Lys Gly Thr Thr Leu
   115                 120                 125                 130

   gtt gtt gaa cta gca cct aag gtc tta gat ggt acg cgt tgc tat aca   488
15 Val Val Glu Leu Ala Pro Lys Val Leu Asp Gly Thr Arg Cys Tyr Thr
                   135                 140                 145

   gaa tct ttg gat atg tgc atc agt ggt tta tgc caa att gtt ggc tgc   536
   Glu Ser Leu Asp Met Cys Ile Ser Gly Leu Cys Gln Ile Val Gly Cys
20             150                 155                 160

   gat cac cag ctg gga agc acc gtc aag gaa gat aac tgt ggg gtc tgc   584
   Asp His Gln Leu Gly Ser Thr Val Lys Glu Asp Asn Cys Gly Val Cys
           165                 170                 175
25
   aac gga gat ggg tcc acc tgc cgg ctg gtc cga ggg cag tat aaa tcc   632
   Asn Gly Asp Gly Ser Thr Cys Arg Leu Val Arg Gly Gln Tyr Lys Ser
       180                 185                 190

30 cag ctc tcc gca acc aaa tcg gat gat act gtg gtt gca att ccc tat   680
   Gln Leu Ser Ala Thr Lys Ser Asp Asp Thr Val Val Ala Ile Pro Tyr
   195                 200                 205                 210

   gga agt aga cat att cgc ctt gtc tta aaa ggt cct gat cac tta tat   728
35 Gly Ser Arg His Ile Arg Leu Val Leu Lys Gly Pro Asp His Leu Tyr
                   215                 220                 225

   ctg gaa acc aaa acc ctc cag ggg act aaa ggt gaa aac agt ctc agc   776
   Leu Glu Thr Lys Thr Leu Gln Gly Thr Lys Gly Glu Asn Ser Leu Ser
40             230                 235                 240

   tcc aca gga act ttc ctt gtg gac aat tct agt gtg gac ttc cag aaa   824
   Ser Thr Gly Thr Phe Leu Val Asp Asn Ser Ser Val Asp Phe Gln Lys
           245                 250                 255
45
   ttt cca gac aaa gag ata ctg aga atg gct gga cca ctc aca gca gat   872
   Phe Pro Asp Lys Glu Ile Leu Arg Met Ala Gly Pro Leu Thr Ala Asp
       260                 265                 270

50 ttc att gtc aag att cgt aac tcg ggc tcc gct gac agt aca gtc cag   920
   Phe Ile Val Lys Ile Arg Asn Ser Gly Ser Ala Asp Ser Thr Val Gln
   275                 280                 285                 290

   ttc atc ttc tat caa ccc atc atc cac cga tgg agg gag acg gat ttc   968
55 Phe Ile Phe Tyr Gln Pro Ile Ile His Arg Trp Arg Glu Thr Asp Phe
                   295                 300                 305

   ttt cct tgc tca gca acc tgt gga gga ggt tat cag ctg aca tcg gct  1016
   Phe Pro Cys Ser Ala Thr Cys Gly Gly Gly Tyr Gln Leu Thr Ser Ala
60             310                 315                 320

   gag tgc tac gat ctg agg agc aac cgt gtg gtt gct gac caa tac tgt  1064
   Glu Cys Tyr Asp Leu Arg Ser Asn Arg Val Val Ala Asp Gln Tyr Cys
           325                 330                 335
65
   cac tat tac cca gag aac atc aaa ccc aaa ccc aag ctt cag gag tgc  1112
```

```
His Tyr Tyr Pro Glu Asn Ile Lys Pro Lys Pro Lys Leu Gln Glu Cys
    340                 345                 350

aac ttg gat cct tgt cca gcc agt gac gga tac aag cag atc atg cct  1160
Asn Leu Asp Pro Cys Pro Ala Ser Asp Gly Tyr Lys Gln Ile Met Pro
355                 360                 365                 370

tat gac ctc tac cat ccc ctt cct cgg tgg gag gcc acc cca tgg acc  1208
Tyr Asp Leu Tyr His Pro Leu Pro Arg Trp Glu Ala Thr Pro Trp Thr
                375                 380                 385

gcg tgc tcc tcc tcg tgt ggg ggg ggc atc cag agc cgg gca gtt tcc  1256
Ala Cys Ser Ser Ser Cys Gly Gly Gly Ile Gln Ser Arg Ala Val Ser
            390                 395                 400

tgt gtg gag gag gac atc cag ggg cat gtc act tca gtg gaa gag tgg  1304
Cys Val Glu Glu Asp Ile Gln Gly His Val Thr Ser Val Glu Glu Trp
        405                 410                 415

aaa tgc atg tac acc cct aag atg ccc atc gcg cag ccc tgc aac att  1352
Lys Cys Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys Asn Ile
    420                 425                 430

ttt gac tgc cct aaa tgg ctg gca cag gag tgg tct ccg tgc aca gtg  1400
Phe Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys Thr Val
435                 440                 445                 450

acg tgt ggc cag ggc ctc aga tac cgt gtg gtc ctc tgc atc gac cat  1448
Thr Cys Gly Gln Gly Leu Arg Tyr Arg Val Val Leu Cys Ile Asp His
                455                 460                 465

cga gga atg cac aca gga ggc tgt agc cca aaa aca aag ccc cac ata  1496
Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro His Ile
            470                 475                 480

aaa gag gaa tgc atc gta ccc act ccc tgc tat aaa ccc aaa gag aaa  1544
Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro Lys Glu Lys
        485                 490                 495

ctt cca gtc gag gcc aag ttg cca tgg ttc aaa caa gct caa gag cta  1592
Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln Ala Gln Glu Leu
    500                 505                 510

gaa gaa gga gct gct gtg tca gag gag ccc tcg taa gtt gta          1634
Glu Glu Gly Ala Ala Val Ser Glu Glu Pro Ser     Val Val
515                 520                 525

aaagcacaga ctgttctata tttgaaactt ttgtttaaag aaagcagtgt ctcactggtt 1694

gtagctttca tgggttctga actaagtgta atcatctcac caaagctttt tggctctcaa 1754

attaaagatt gattagtttc aaaaaaaaaa aaaaaaaaga tgcggccgc            1803


<210> 21
<211> 525
<212> PRT
<213> Homo sapiens ADAMTS-R1

<400> 21
Met Glu Cys Cys Arg Arg Ala Thr Pro Gly Thr Leu Leu Leu Phe Leu
  1               5                  10                  15
Ala Phe Leu Leu Leu Ser Ser Arg Thr Ala Arg Ser Glu Glu Asp Arg
             20                  25                  30
Asp Gly Leu Trp Asp Ala Trp Gly Pro Trp Ser Glu Cys Ser Arg Thr
         35                  40                  45
```

```
Cys Gly Gly Gly Ala Ala Asn Ser Leu Arg Arg Cys Leu Ser Ser Lys
     50                  55                  60
Ser Cys Glu Gly Arg Asn Ile Arg Tyr Arg Thr Cys Ser Asn Val Asp
 65                  70                  75                  80
Cys Pro Pro Glu Ala Gly Asp Phe Arg Ala Gln Gln Cys Ser Ala His
                 85                  90                  95
Asn Asp Val Lys His His Gly Gln Phe Tyr Glu Trp Leu Pro Val Ser
            100                 105                 110
Asn Asp Pro Asp Asn Pro Cys Ser Leu Lys Cys Gln Ala Lys Gly Thr
        115                 120                 125
Thr Leu Val Val Glu Leu Ala Pro Lys Val Leu Asp Gly Thr Arg Cys
    130                 135                 140
Tyr Thr Glu Ser Leu Asp Met Cys Ile Ser Gly Leu Cys Gln Ile Val
145                 150                 155                 160
Gly Cys Asp His Gln Leu Gly Ser Thr Val Lys Glu Asp Asn Cys Gly
                165                 170                 175
Val Cys Asn Gly Asp Gly Ser Thr Cys Arg Leu Val Arg Gly Gln Tyr
            180                 185                 190
Lys Ser Gln Leu Ser Ala Thr Lys Ser Asp Asp Thr Val Val Ala Ile
        195                 200                 205
Pro Tyr Gly Ser Arg His Ile Arg Leu Val Leu Lys Gly Pro Asp His
    210                 215                 220
Leu Tyr Leu Glu Thr Lys Thr Leu Gln Gly Thr Lys Gly Glu Asn Ser
225                 230                 235                 240
Leu Ser Ser Thr Gly Thr Phe Leu Val Asp Asn Ser Ser Val Asp Phe
                245                 250                 255
Gln Lys Phe Pro Asp Lys Glu Ile Leu Arg Met Ala Gly Pro Leu Thr
            260                 265                 270
Ala Asp Phe Ile Val Lys Ile Arg Asn Ser Gly Ser Ala Asp Ser Thr
        275                 280                 285
Val Gln Phe Ile Phe Tyr Gln Pro Ile Ile His Arg Trp Arg Glu Thr
    290                 295                 300
Asp Phe Phe Pro Cys Ser Ala Thr Cys Gly Gly Gly Tyr Gln Leu Thr
305                 310                 315                 320
Ser Ala Glu Cys Tyr Asp Leu Arg Ser Asn Arg Val Val Ala Asp Gln
                325                 330                 335
Tyr Cys His Tyr Tyr Pro Glu Asn Ile Lys Pro Lys Pro Lys Leu Gln
            340                 345                 350
Glu Cys Asn Leu Asp Pro Cys Pro Ala Ser Asp Gly Tyr Lys Gln Ile
        355                 360                 365
Met Pro Tyr Asp Leu Tyr His Pro Leu Pro Arg Trp Glu Ala Thr Pro
    370                 375                 380
Trp Thr Ala Cys Ser Ser Ser Cys Gly Gly Gly Ile Gln Ser Arg Ala
385                 390                 395                 400
Val Ser Cys Val Glu Glu Asp Ile Gln Gly His Val Thr Ser Val Glu
                405                 410                 415
Glu Trp Lys Cys Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys
            420                 425                 430
Asn Ile Phe Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys
        435                 440                 445
Thr Val Thr Cys Gly Gln Gly Leu Arg Tyr Arg Val Val Leu Cys Ile
    450                 455                 460
Asp His Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro
465                 470                 475                 480
His Ile Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro Lys
                485                 490                 495
Glu Lys Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln Ala Gln
            500                 505                 510
Glu Leu Glu Glu Gly Ala Ala Val Ser Glu Glu Pro Ser
        515                 520                 525
```

<210> 22
<211> 518
<212> PRT

ENSDOCID: <WO__0111074A2_IA>

<213> Homo sapiens ADAMTS-5

<400> 22

```
Gly His Leu Leu Gly Leu Ser His Asp Asp Ser Lys Phe Cys Glu Glu
 1               5                  10                  15

Thr Phe Gly Ser Thr Glu Asp Lys Arg Leu Met Ser Ser Ile Leu Thr
            20                  25                  30

Ser Ile Asp Ala Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr Ile
        35                  40                  45

Thr Glu Phe Leu Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu Pro
    50                  55                  60

Arg Lys Gln Ile Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr Asp
65                  70                  75                  80

Ala Thr Gln Gln Cys Asn Leu Thr Phe Gly Pro Asp Tyr Ser Val Cys
                85                  90                  95

Pro Gly Xaa Asp Val Cys Ala Arg Leu Trp Cys Ala Val Val Arg Gln
            100                 105                 110

Gly Gln Met Val Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly Thr
        115                 120                 125

Pro Cys Gly Lys Gly Arg Ile Cys Leu Gln Gly Lys Cys Val Asp Lys
    130                 135                 140

Thr Lys Lys Lys Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly Ser
145                 150                 155                 160

Trp Gly Ser Trp Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val Gln
                165                 170                 175

Phe Ala Tyr Arg His Cys Asn Asn Pro Ala Pro Arg Asn Asn Gly Arg
            180                 185                 190

Tyr Cys Thr Gly Lys Arg Ala Ile Tyr His Ser Cys Ser Leu Met Pro
        195                 200                 205

Cys Pro Pro Asn Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala Lys
    210                 215                 220

Asn Gly Tyr Gln Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu Trp
225                 230                 235                 240

Val Pro Lys Tyr Ala Gly Val Leu Pro Ala Asp Val Cys Lys Leu Thr
                245                 250                 255

Cys Arg Ala Lys Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys Val
            260                 265                 270

Thr Asp Gly Thr Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val Arg
        275                 280                 285

Gly Lys Cys Val Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys Leu
    290                 295                 300

Gln Tyr Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Thr
305                 310                 315                 320

Lys Ile Val Gly Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp Val
                325                 330                 335
```

BNSDOCID: <WO___0111074A2_IA>

```
   Val Arg Ile Pro Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys
               340                 345                 350

   Ala Lys Asp Gln Thr Arg Phe Thr Ala Tyr Leu Ala Leu Lys Lys Lys
 5         355                 360                 365

   Asn Gly Glu Tyr Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu
     370                 375                 380

10 Thr Ile Ile Asp Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser
   385                 390                 395                 400

   His Arg Asp Asp Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu
                   405                 410                 415
15
   Ile Leu Ile Val Gln Ile Leu Ala Thr Asp Pro Thr Lys Pro Leu Asp
               420                 425                 430

   Val Arg Tyr Ser Phe Phe Val Pro Lys Lys Ser Thr Pro Lys Val Asn
20         435                 440                 445

   Ser Val Thr Ser His Gly Ser Asn Lys Val Gly Ser His Thr Ser Gln
     450                 455                 460

25 Pro Gln Trp Val Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp
   465                 470                 475                 480

   Thr Gly Trp His Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg Lys
                   485                 490                 495
30
   Leu Ala Lys Gly Cys Pro Leu Ser Gln Arg Pro Ser Ala Phe Lys Gln
               500                 505                 510

   Cys Leu Leu Lys Lys Cys
35         515


   <210> 23
   <211> 3409
40 <212> DNA
   <213> Homo sapiens ADAMTS-10

   <220>
   <221> CDS
45 <222> (25)..(3240)

   <400> 23
   tcacgcacgc cttccggtct caag atg agt tcc tgt cca gtc tgg aga gct    51
                             Met Ser Ser Cys Pro Val Trp Arg Ala
50                             1               5

   atg aga tcg cct tcc cca ccc gcg tgg acc aca acg ggg cac tgc tgg    99
   Met Arg Ser Pro Ser Pro Pro Ala Trp Thr Thr Thr Gly His Cys Trp
    10                  15                  20                  25
55
   cct tct cgc cac ctc ctc ccc gga gca gcg ccg cgg cac ggg ggc cac   147
   Pro Ser Arg His Leu Leu Pro Gly Ala Ala Pro Arg His Gly Gly His
                   30                  35                  40

60 agc cga gtc ccg cct ctt cta caa agt ggc ctc gcc agc acc cac ttc   195
   Ser Arg Val Pro Pro Leu Leu Gln Ser Gly Leu Ala Ser Thr His Phe
               45                  50                  55

   ctg ctg aac ctg acc cgc agc tcc cgt cta ctg gca ggg cgc gtc tcc   243
65 Leu Leu Asn Leu Thr Arg Ser Ser Arg Leu Leu Ala Gly Arg Val Ser
           60                  65                  70
```

```
   gtg gag tac tgg aca cgg gag ggc ctg gcc tgg cag agg gcg gcc cgg   291
   Val Glu Tyr Trp Thr Arg Glu Gly Leu Ala Trp Gln Arg Ala Ala Arg
        75                  80                  85
5
   ccc cac tgc ctc tac gct ggt cac ctg cag ggc cag gcc agc agc tcc   339
   Pro His Cys Leu Tyr Ala Gly His Leu Gln Gly Gln Ala Ser Ser Ser
    90                  95                 100                 105

10 cat gtg gcc atc agc acc tgt gga ggc ctg cac ggc ctg atc gtg gca   387
   His Val Ala Ile Ser Thr Cys Gly Gly Leu His Gly Leu Ile Val Ala
                   110                 115                 120

   gac gag gaa gag tac ctg att gag ccc ctg cac ggt ggg ccc aag ggt   435
15 Asp Glu Glu Glu Tyr Leu Ile Glu Pro Leu His Gly Gly Pro Lys Gly
               125                 130                 135

   tct cgg agc ccg gag gaa agt gga cca cat gtg gtg tac aag cgt tcc   483
   Ser Arg Ser Pro Glu Glu Ser Gly Pro His Val Val Tyr Lys Arg Ser
20         140                 145                 150

   tct ctg cgt cac ccc cac ctg gac aca gcc tgt gga gtg aga gat gag   531
   Ser Leu Arg His Pro His Leu Asp Thr Ala Cys Gly Val Arg Asp Glu
       155                 160                 165
25
   aaa ccg tgg aaa ggg cgg cca tgg tgg ctg cgg acc ttg aag cca ccg   579
   Lys Pro Trp Lys Gly Arg Pro Trp Trp Leu Arg Thr Leu Lys Pro Pro
   170                 175                 180                 185

30 cct gcc aga ccc ctg ggg aat gaa aca gag cgt ggc cag cca ggc ctg   627
   Pro Ala Arg Pro Leu Gly Asn Glu Thr Glu Arg Gly Gln Pro Gly Leu
                   190                 195                 200

   aag cga tcg gtc agc cga gag cgc tac gtg gag acc ctg gtg gtg gct   675
35 Lys Arg Ser Val Ser Arg Glu Arg Tyr Val Glu Thr Leu Val Val Ala
               205                 210                 215

   gac aag atg atg gtg gcc tat cac ggg cgc cgg gat gtg gag cag tat   723
   Asp Lys Met Met Val Ala Tyr His Gly Arg Arg Asp Val Glu Gln Tyr
40         220                 225                 230

   gtc ctg gcc atc atg aac att gtt gcc aaa ctt ttc cag gac tcg agt   771
   Val Leu Ala Ile Met Asn Ile Val Ala Lys Leu Phe Gln Asp Ser Ser
       235                 240                 245
45
   ctg gga agc acc gtt aac atc ctc gta act cgc ctc atc ctg ctc acg   819
   Leu Gly Ser Thr Val Asn Ile Leu Val Thr Arg Leu Ile Leu Leu Thr
   250                 255                 260                 265

50 gag gac cag ccc act ctg gag atc acc cac cat gcc ggg aag tcc cta   867
   Glu Asp Gln Pro Thr Leu Glu Ile Thr His His Ala Gly Lys Ser Leu
                   270                 275                 280

   gac agc ttc tgt aag tgg cag aaa tcc atc gtg aac cac agc ggc cat   915
55 Asp Ser Phe Cys Lys Trp Gln Lys Ser Ile Val Asn His Ser Gly His
               285                 290                 295

   ggc aat gcc att cca gag aac ggt gtg gct aac cat gac aca gca gtg   963
   Gly Asn Ala Ile Pro Glu Asn Gly Val Ala Asn His Asp Thr Ala Val
60         300                 305                 310

   ctc atc aca cgc tat gac atc tgc atc tac aag aac aaa ccc tgc ggc   1011
   Leu Ile Thr Arg Tyr Asp Ile Cys Ile Tyr Lys Asn Lys Pro Cys Gly
       315                 320                 325
65
   aca cta ggc ctg gcc cgg tgg gcg gaa tgt gtg agc gcg aga gaa gct   1059
```

```
   Thr Leu Gly Leu Ala Arg Trp Ala Glu Cys Val Ser Ala Arg Glu Ala
   330                 335                 340                 345

   gca gcg tca atg agg aca ttg gct gcc aca agc gtt cac cat tgc cac   1107
 5 Ala Ala Ser Met Arg Thr Leu Ala Ala Thr Ser Val His His Cys His
                   350                 355                 360

   gag atc ggg cac aca ttc ggc atg aac cat gac ggc gtg gga aac agc   1155
   Glu Ile Gly His Thr Phe Gly Met Asn His Asp Gly Val Gly Asn Ser
10             365                 370                 375

   tgt ggg gcc cgt ggt cag gac cca gcc aag ctc atg gct gcc cac att   1203
   Cys Gly Ala Arg Gly Gln Asp Pro Ala Lys Leu Met Ala Ala His Ile
           380                 385                 390
15
   acc atg aag acc aac cca ttc gtg tgg tca tcc tgc aac cgt gac tac   1251
   Thr Met Lys Thr Asn Pro Phe Val Trp Ser Ser Cys Asn Arg Asp Tyr
       395                 400                 405

20 atc acc agc ttt cta gac tcg ggc ctg ggg ctc tgc ctg aac aac cgg   1299
   Ile Thr Ser Phe Leu Asp Ser Gly Leu Gly Leu Cys Leu Asn Asn Arg
   410                 415                 420                 425

   ccc ccc aga cag gac ttt gtg tac ccg aca gtg gca ccg ggc caa gcc   1347
25 Pro Pro Arg Gln Asp Phe Val Tyr Pro Thr Val Ala Pro Gly Gln Ala
                   430                 435                 440

   tac gat gca gat gag caa tgc cgc ttt cag cat gga gtc aaa tcg cgt   1395
   Tyr Asp Ala Asp Glu Gln Cys Arg Phe Gln His Gly Val Lys Ser Arg
30             445                 450                 455

   cag tgt aaa tac ggg gag gtc tgc agc gag ctg tgg tgt ctg agc aag   1443
   Gln Cys Lys Tyr Gly Glu Val Cys Ser Glu Leu Trp Cys Leu Ser Lys
           460                 465                 470
35
   agc aac cgg tgc atc acc aac agc atc ccg gcc gcc gag ggc acg ctg   1491
   Ser Asn Arg Cys Ile Thr Asn Ser Ile Pro Ala Ala Glu Gly Thr Leu
       475                 480                 485

40 tgc cag acg cac acc atc gac aag ggg tgg tgc tac aaa cgg gtc tgt   1539
   Cys Gln Thr His Thr Ile Asp Lys Gly Trp Cys Tyr Lys Arg Val Cys
   490                 495                 500                 505

   gtc ccc ttt ggg tcg cgc cca gag ggt gtg gac gga gcc tgg ggg ccg   1587
45 Val Pro Phe Gly Ser Arg Pro Glu Gly Val Asp Gly Ala Trp Gly Pro
                   510                 515                 520

   tgg act cca tgg ggc gac tgc agc cgg acc tgt ggc ggc ggc gtg tcc   1635
   Trp Thr Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val Ser
50             525                 530                 535

   tct tct agt cgt cac tgc gac agc ccc agg cca acc atc ggg ggc aag   1683
   Ser Ser Ser Arg His Cys Asp Ser Pro Arg Pro Thr Ile Gly Gly Lys
           540                 545                 550
55
   tac tgt ctg ggt gag aga agg cgg cac cgc tcc tgc aac acg gat gac   1731
   Tyr Cys Leu Gly Glu Arg Arg Arg His Arg Ser Cys Asn Thr Asp Asp
       555                 560                 565

60 tgt ccc cct ggc tcc cag gac ttc aga gaa gtg cag tgt tct gaa ttt   1779
   Cys Pro Pro Gly Ser Gln Asp Phe Arg Glu Val Gln Cys Ser Glu Phe
   570                 575                 580                 585

   gac agc atc cct ttc cgt ggg aaa ttc tac aag tgg aaa acg tac cgg   1827
65 Asp Ser Ile Pro Phe Arg Gly Lys Phe Tyr Lys Trp Lys Thr Tyr Arg
                   590                 595                 600
```

```
   gga ggg ggc gtg aag gcc tgc tcg ctc acg agc cta gcg gaa ggc ttc   1875
   Gly Gly Gly Val Lys Ala Cys Ser Leu Thr Ser Leu Ala Glu Gly Phe
               605                 610                 615
5
   aac ttc tac acg gag agg gcg gca gcc gtg gtg gac ggg aca ccc tgc   1923
   Asn Phe Tyr Thr Glu Arg Ala Ala Ala Val Val Asp Gly Thr Pro Cys
           620                 625                 630

10 cgt cca gac acg gtg gac att tgc gtc agt ggc gaa tgc aag cac gtg   1971
   Arg Pro Asp Thr Val Asp Ile Cys Val Ser Gly Glu Cys Lys His Val
       635                 640                 645

   ggc tgc gac cga gtc ctg ggc tcc gac ctg cgg gag gac aag tgc cga   2019
15 Gly Cys Asp Arg Val Leu Gly Ser Asp Leu Arg Glu Asp Lys Cys Arg
   650                 655                 660                 665

   gtg tgt ggc ggt gac ggc agt gcc tgc gag acc atc gag ggc gtc ttc   2067
   Val Cys Gly Gly Asp Gly Ser Ala Cys Glu Thr Ile Glu Gly Val Phe
20                 670                 675                 680

   agc cca gcc tca cct ggg gcc ggg tac gag gat gtc gtc tgg att ccc   2115
   Ser Pro Ala Ser Pro Gly Ala Gly Tyr Glu Asp Val Val Trp Ile Pro
               685                 690                 695
25
   aaa ggc tcc gtc cac atc ttc atc cag gat ctg aac ctc tct ctc agt   2163
   Lys Gly Ser Val His Ile Phe Ile Gln Asp Leu Asn Leu Ser Leu Ser
           700                 705                 710

30 cac ttg gcc ctg aag gga gac cag gag tcc ctg ctg ctg gag ggg ctg   2211
   His Leu Ala Leu Lys Gly Asp Gln Glu Ser Leu Leu Leu Glu Gly Leu
       715                 720                 725

   cct ggg acc ccc cag ccc cac cgt ctg cct cta gct ggg acc acc ttt   2259
35 Pro Gly Thr Pro Gln Pro His Arg Leu Pro Leu Ala Gly Thr Thr Phe
   730                 735                 740                 745

   caa ctg cga cag ggg cca gac cag gtc cag agc ctc gaa gcc ctg gga   2307
   Gln Leu Arg Gln Gly Pro Asp Gln Val Gln Ser Leu Glu Ala Leu Gly
40                 750                 755                 760

   ccg att aat gca tct ctc atc gtc atg gtg ctg gcc cgg acc gag ctg   2355
   Pro Ile Asn Ala Ser Leu Ile Val Met Val Leu Ala Arg Thr Glu Leu
               765                 770                 775
45
   cct gcc ctc cgc tac cgc ttc aat gcc ccc atc gcc cgt gac tcg ctg   2403
   Pro Ala Leu Arg Tyr Arg Phe Asn Ala Pro Ile Ala Arg Asp Ser Leu
           780                 785                 790

50 ccc ccc tac tcc tgg cac tat gcg ccc tgg acc aag tgc tcg gcc cag   2451
   Pro Pro Tyr Ser Trp His Tyr Ala Pro Trp Thr Lys Cys Ser Ala Gln
       795                 800                 805

   tgt gca ggc ggt agc cag gtg cag gcg gtg gag tgc cgc aac cag ctg   2499
55 Cys Ala Gly Gly Ser Gln Val Gln Ala Val Glu Cys Arg Asn Gln Leu
   810                 815                 820                 825

   gac agc tcc gcg gtc gcc ccc cac tac tgc agt gcc cac agc aag ctg   2547
   Asp Ser Ser Ala Val Ala Pro His Tyr Cys Ser Ala His Ser Lys Leu
60                 830                 835                 840

   ccc aaa agg cag cgc gcc tgc aac acg gag cct tgc cct cca gac tgg   2595
   Pro Lys Arg Gln Arg Ala Cys Asn Thr Glu Pro Cys Pro Pro Asp Trp
               845                 850                 855
65
   gtt gta ggg aac tgg tcg ctc tgc agc cgc agc tgc gat gca ggc gtg   2643
```

```
   Val Val Gly Asn Trp Ser Leu Cys Ser Arg Ser Cys Asp Ala Gly Val
           860                 865                 870

   cgc agt cgc tcg gtc gtg tgc cag cgc cgc gtc tct gcc gcg gag gag   2691
 5 Arg Ser Arg Ser Val Val Cys Gln Arg Arg Val Ser Ala Ala Glu Glu
       875                 880                 885

   aag gcg ctg gac gac agc gca tgc ccg cag ccg cgc cca cct gta ctg   2739
   Lys Ala Leu Asp Asp Ser Ala Cys Pro Gln Pro Arg Pro Pro Val Leu
10 890                 895                 900                 905

   gag gcc tgc cac ggc ccc act tgc cct ccg gag tgg gcg gcc ctc gac   2787
   Glu Ala Cys His Gly Pro Thr Cys Pro Pro Glu Trp Ala Ala Leu Asp
                   910                 915                 920
15
   tgg tct gag tgc acc ccc agc tgc ggg ccg ggc ctc cgc cac cgc gtg   2835
   Trp Ser Glu Cys Thr Pro Ser Cys Gly Pro Gly Leu Arg His Arg Val
               925                 930                 935

20 gtc ctt tgc aag agc gca gac cac cgc gcc acg ctg ccc ccg gcg cac   2883
   Val Leu Cys Lys Ser Ala Asp His Arg Ala Thr Leu Pro Pro Ala His
           940                 945                 950

   tgc tca ccc gcc gcc aag cca ccg gcc acc atg cgc tgc aac ttg cgc   2931
25 Cys Ser Pro Ala Ala Lys Pro Pro Ala Thr Met Arg Cys Asn Leu Arg
       955                 960                 965

   cgc tgc ccc ccg gcc cgc tgg gtg gct ggc gag tgg ggt gag tgc tct   2979
   Arg Cys Pro Pro Ala Arg Trp Val Ala Gly Glu Trp Gly Glu Cys Ser
30 970                 975                 980                 985

   gca cag tgc ggc gtc ggg cag cgg cag cgc tcg gtg cgc tgc acc agc   3027
   Ala Gln Cys Gly Val Gly Gln Arg Gln Arg Ser Val Arg Cys Thr Ser
                   990                 995                1000
35
   cac acg ggc cag gcg tcg cac gag tgc acg gag gcc ctg cgg ccg ccc   3075
   His Thr Gly Gln Ala Ser His Glu Cys Thr Glu Ala Leu Arg Pro Pro
               1005                1010                1015

40 acc acg cag cag tgt gag gcc aag tgc gac agc cca acc ccc ggg gac   3123
   Thr Thr Gln Gln Cys Glu Ala Lys Cys Asp Ser Pro Thr Pro Gly Asp
           1020                1025                1030

   ggc cct gaa gag tgc aag gat gtg aac aag gtc gcc tac tgc ccc ctg   3171
45 Gly Pro Glu Glu Cys Lys Asp Val Asn Lys Val Ala Tyr Cys Pro Leu
       1035                1040                1045

   gtg ctc aaa ttt cag ttc tgc agc cga gcc tac ttc cgc cag atg tgc   3219
   Val Leu Lys Phe Gln Phe Cys Ser Arg Ala Tyr Phe Arg Gln Met Cys
50 1050                1055                1060                1065

   tgc aaa acc tgc cag ggc cac taggggcgc gcggcacccg gagccacagc       3270
   Cys Lys Thr Cys Gln Gly His
                   1070
55
   tggcggggtc tccgccgcca gccctgcagc gggccggcca aaggggccc cgggggggcg 3330

   ggaactggga gggaagggtg agacggagcc ggaagttatt tattgggaac ccctgcaggg 3390

60 ccctggctgg ggggatgga                                            3409


   <210> 24
   <211> 1072
65 <212> PRT
   <213> Homo sapiens ADAMTS-10
```

BNSDOCID: <WO___0111074A2_IA>

<400> 24
Met Ser Ser Cys Pro Val Trp Arg Ala Met Arg Ser Pro Ser Pro Pro
1 5 10 15

Ala Trp Thr Thr Thr Gly His Cys Trp Pro Ser Arg His Leu Leu Pro
20 25 30

Gly Ala Ala Pro Arg His Gly Gly His Ser Arg Val Pro Pro Leu Leu
35 40 45

Gln Ser Gly Leu Ala Ser Thr His Phe Leu Leu Asn Leu Thr Arg Ser
50 55 60

Ser Arg Leu Leu Ala Gly Arg Val Ser Val Glu Tyr Trp Thr Arg Glu
65 70 75 80

Gly Leu Ala Trp Gln Arg Ala Ala Arg Pro His Cys Leu Tyr Ala Gly
85 90 95

His Leu Gln Gly Gln Ala Ser Ser Ser His Val Ala Ile Ser Thr Cys
100 105 110

Gly Gly Leu His Gly Leu Ile Val Ala Asp Glu Glu Glu Tyr Leu Ile
115 120 125

Glu Pro Leu His Gly Gly Pro Lys Gly Ser Arg Ser Pro Glu Glu Ser
130 135 140

Gly Pro His Val Val Tyr Lys Arg Ser Ser Leu Arg His Pro His Leu
145 150 155 160

Asp Thr Ala Cys Gly Val Arg Asp Glu Lys Pro Trp Lys Gly Arg Pro
165 170 175

Trp Trp Leu Arg Thr Leu Lys Pro Pro Pro Ala Arg Pro Leu Gly Asn
180 185 190

Glu Thr Glu Arg Gly Gln Pro Gly Leu Lys Arg Ser Val Ser Arg Glu
195 200 205

Arg Tyr Val Glu Thr Leu Val Val Ala Asp Lys Met Met Val Ala Tyr
210 215 220

His Gly Arg Arg Asp Val Glu Gln Tyr Val Leu Ala Ile Met Asn Ile
225 230 235 240

Val Ala Lys Leu Phe Gln Asp Ser Ser Leu Gly Ser Thr Val Asn Ile
245 250 255

Leu Val Thr Arg Leu Ile Leu Leu Thr Glu Asp Gln Pro Thr Leu Glu
260 265 270

Ile Thr His His Ala Gly Lys Ser Leu Asp Ser Phe Cys Lys Trp Gln
275 280 285

Lys Ser Ile Val Asn His Ser Gly His Gly Asn Ala Ile Pro Glu Asn
290 295 300

Gly Val Ala Asn His Asp Thr Ala Val Leu Ile Thr Arg Tyr Asp Ile
305 310 315 320

Cys Ile Tyr Lys Asn Lys Pro Cys Gly Thr Leu Gly Leu Ala Arg Trp
325 330 335

Ala Glu Cys Val Ser Ala Arg Glu Ala Ala Ala Ser Met Arg Thr Leu

```
                340                 345                 350

   Ala Ala Thr Ser Val His His Cys His Glu Ile Gly His Thr Phe Gly
           355                 360                 365

   Met Asn His Asp Gly Val Gly Asn Ser Cys Gly Ala Arg Gly Gln Asp
       370                 375                 380

   Pro Ala Lys Leu Met Ala Ala His Ile Thr Met Lys Thr Asn Pro Phe
385                 390                 395                 400

   Val Trp Ser Ser Cys Asn Arg Asp Tyr Ile Thr Ser Phe Leu Asp Ser
                   405                 410                 415

Gly Leu Gly Leu Cys Leu Asn Asn Arg Pro Pro Arg Gln Asp Phe Val
                420                 425                 430

   Tyr Pro Thr Val Ala Pro Gly Gln Ala Tyr Asp Ala Asp Glu Gln Cys
           435                 440                 445

   Arg Phe Gln His Gly Val Lys Ser Arg Gln Cys Lys Tyr Gly Glu Val
       450                 455                 460

   Cys Ser Glu Leu Trp Cys Leu Ser Lys Ser Asn Arg Cys Ile Thr Asn
465                 470                 475                 480

   Ser Ile Pro Ala Ala Glu Gly Thr Leu Cys Gln Thr His Thr Ile Asp
                   485                 490                 495

Lys Gly Trp Cys Tyr Lys Arg Val Cys Val Pro Phe Gly Ser Arg Pro
                500                 505                 510

   Glu Gly Val Asp Gly Ala Trp Gly Pro Trp Thr Pro Trp Gly Asp Cys
           515                 520                 525

   Ser Arg Thr Cys Gly Gly Gly Val Ser Ser Ser Ser Arg His Cys Asp
       530                 535                 540

   Ser Pro Arg Pro Thr Ile Gly Gly Lys Tyr Cys Leu Gly Glu Arg Arg
545                 550                 555                 560

   Arg His Arg Ser Cys Asn Thr Asp Asp Cys Pro Pro Gly Ser Gln Asp
                   565                 570                 575

Phe Arg Glu Val Gln Cys Ser Glu Phe Asp Ser Ile Pro Phe Arg Gly
                580                 585                 590

   Lys Phe Tyr Lys Trp Lys Thr Tyr Arg Gly Gly Gly Val Lys Ala Cys
           595                 600                 605

   Ser Leu Thr Ser Leu Ala Glu Gly Phe Asn Phe Tyr Thr Glu Arg Ala
       610                 615                 620

   Ala Ala Val Val Asp Gly Thr Pro Cys Arg Pro Asp Thr Val Asp Ile
625                 630                 635                 640

   Cys Val Ser Gly Glu Cys Lys His Val Gly Cys Asp Arg Val Leu Gly
                   645                 650                 655

Ser Asp Leu Arg Glu Asp Lys Cys Arg Val Cys Gly Gly Asp Gly Ser
                660                 665                 670

   Ala Cys Glu Thr Ile Glu Gly Val Phe Ser Pro Ala Ser Pro Gly Ala
           675                 680                 685

   Gly Tyr Glu Asp Val Val Trp Ile Pro Lys Gly Ser Val His Ile Phe
```

690 695 700

Ile Gln Asp Leu Asn Leu Ser Leu Ser His Leu Ala Leu Lys Gly Asp
705 710 715 720

Gln Glu Ser Leu Leu Leu Glu Gly Leu Pro Gly Thr Pro Gln Pro His
725 730 735

Arg Leu Pro Leu Ala Gly Thr Thr Phe Gln Leu Arg Gln Gly Pro Asp
740 745 750

Gln Val Gln Ser Leu Glu Ala Leu Gly Pro Ile Asn Ala Ser Leu Ile
755 760 765

Val Met Val Leu Ala Arg Thr Glu Leu Pro Ala Leu Arg Tyr Arg Phe
770 775 780

Asn Ala Pro Ile Ala Arg Asp Ser Leu Pro Pro Tyr Ser Trp His Tyr
785 790 795 800

Ala Pro Trp Thr Lys Cys Ser Ala Gln Cys Ala Gly Gly Ser Gln Val
805 810 815

Gln Ala Val Glu Cys Arg Asn Gln Leu Asp Ser Ser Ala Val Ala Pro
820 825 830

His Tyr Cys Ser Ala His Ser Lys Leu Pro Lys Arg Gln Arg Ala Cys
835 840 845

Asn Thr Glu Pro Cys Pro Pro Asp Trp Val Val Gly Asn Trp Ser Leu
850 855 860

Cys Ser Arg Ser Cys Asp Ala Gly Val Arg Ser Arg Ser Val Val Cys
865 870 875 880

Gln Arg Arg Val Ser Ala Ala Glu Glu Lys Ala Leu Asp Asp Ser Ala
885 890 895

Cys Pro Gln Pro Arg Pro Pro Val Leu Glu Ala Cys His Gly Pro Thr
900 905 910

Cys Pro Pro Glu Trp Ala Ala Leu Asp Trp Ser Glu Cys Thr Pro Ser
915 920 925

Cys Gly Pro Gly Leu Arg His Arg Val Val Leu Cys Lys Ser Ala Asp
930 935 940

His Arg Ala Thr Leu Pro Pro Ala His Cys Ser Pro Ala Ala Lys Pro
945 950 955 960

Pro Ala Thr Met Arg Cys Asn Leu Arg Arg Cys Pro Pro Ala Arg Trp
965 970 975

Val Ala Gly Glu Trp Gly Glu Cys Ser Ala Gln Cys Gly Val Gly Gln
980 985 990

Arg Gln Arg Ser Val Arg Cys Thr Ser His Thr Gly Gln Ala Ser His
995 1000 1005

Glu Cys Thr Glu Ala Leu Arg Pro Pro Thr Thr Gln Gln Cys Glu Ala
1010 1015 1020

Lys Cys Asp Ser Pro Thr Pro Gly Asp Gly Pro Glu Glu Cys Lys Asp
1025 1030 1035 1040

Val Asn Lys Val Ala Tyr Cys Pro Leu Val Leu Lys Phe Gln Phe Cys

BNSDOCID: <WO___0111074A2_IA>

```
                1045                1050                1055

   Ser Arg Ala Tyr Phe Arg Gln Met Cys Cys Lys Thr Cys Gln Gly His
              1060                1065                1070
5

   <210> 25
   <211> 5990
10 <212> DNA
   <213> Homo sapiens ADAMTS-9b

   <220>
   <221> CDS
15 <222> (33)..(5834)

   <400> 25
   tgggggcagc ggagggaggg gtgggaagca cc atg cag ttt gta tcc tgg gcc   53
                                      Met Gln Phe Val Ser Trp Ala
20                                      1               5

   aca ctg cta acg ctc ctg gtg cgg gac ctg gcc gag atg ggg agc cca   101
   Thr Leu Leu Thr Leu Leu Val Arg Asp Leu Ala Glu Met Gly Ser Pro
            10                  15                  20
25
   gac gcc gcg gcg gcc gtg cgc aag gac agg ctg cac ccg agg caa gtg   149
   Asp Ala Ala Ala Ala Val Arg Lys Asp Arg Leu His Pro Arg Gln Val
        25                  30                  35

30 aaa tta tta gag acc ctg agc gaa tac gaa atc gtg tct ccc atc cga   197
   Lys Leu Leu Glu Thr Leu Ser Glu Tyr Glu Ile Val Ser Pro Ile Arg
    40                  45                  50                  55

   gtg aac gct ctc gga gaa ccc ttt ccc acg aac gtc cac ttc aaa aga   245
35 Val Asn Ala Leu Gly Glu Pro Phe Pro Thr Asn Val His Phe Lys Arg
                    60                  65                  70

   acg cga cgg agc att aac tct gcc act gac ccc tgg cct gcc ttc gcc   293
   Thr Arg Arg Ser Ile Asn Ser Ala Thr Asp Pro Trp Pro Ala Phe Ala
40              75                  80                  85

   tcc tcc tct tcc tcc tct acc tcc ccc cag gcg cat tac cgc ctc tct   341
   Ser Ser Ser Ser Ser Ser Thr Ser Pro Gln Ala His Tyr Arg Leu Ser
            90                  95                  100
45
   gcc ttc ggc cag cag ttt cta ttt aat ctc acc gcc aat gcc gga ttt   389
   Ala Phe Gly Gln Gln Phe Leu Phe Asn Leu Thr Ala Asn Ala Gly Phe
        105                 110                 115

50 atc gct cca ctg ttc act gtc acc ctc ctc ggg acg ccc ggg gtg aat   437
   Ile Ala Pro Leu Phe Thr Val Thr Leu Leu Gly Thr Pro Gly Val Asn
   120                 125                 130                 135

   cag acc aag ttt tat tcc gaa gag gaa gcg gaa ctc aag cac tgt ttc   485
55 Gln Thr Lys Phe Tyr Ser Glu Glu Glu Ala Glu Leu Lys His Cys Phe
                    140                 145                 150

   tac aaa ggc tat gtc aat acc aac tcc gag cac acg gcc gtc atc agc   533
   Tyr Lys Gly Tyr Val Asn Thr Asn Ser Glu His Thr Ala Val Ile Ser
60              155                 160                 165

   ctc tgc tca gga atg ctg ggc aca ttc cgg tct cat gat ggg ggt tat   581
   Leu Cys Ser Gly Met Leu Gly Thr Phe Arg Ser His Asp Gly Gly Tyr
            170                 175                 180
65
   ttt att gaa cca cta cag tct atg gat gaa caa gaa gat gaa gag gaa   629
```

```
   Phe Ile Glu Pro Leu Gln Ser Met Asp Glu Gln Glu Asp Glu Glu Glu
       185                 190                 195

   caa aac aaa ccc cac atc att tat agg cgc agc gcc ccc cag aga gag   677
 5 Gln Asn Lys Pro His Ile Ile Tyr Arg Arg Ser Ala Pro Gln Arg Glu
   200                 205                 210                 215

   ccc tca aca gga agg cat gca tgt gac acc tca gaa cac aaa aat agg   725
   Pro Ser Thr Gly Arg His Ala Cys Asp Thr Ser Glu His Lys Asn Arg
10                 220                 225                 230

   cac agt aaa gac aag aag aaa acc aga gca aga aaa tgg gga gaa agg   773
   His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys Trp Gly Glu Arg
               235                 240                 245
15
   att aac ctg gct ggt gac gta gca gca tta aac agc ggc tta gca aca   821
   Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser Gly Leu Ala Thr
           250                 255                 260

20 gag gca ttt tct gct tat ggt aat aag acg gac aac aca aga gaa aag   869
   Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn Thr Arg Glu Lys
       265                 270                 275

   agg acc cac aga agg aca aaa cgt ttt tta tcc tat cca cgg ttt gta   917
25 Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr Pro Arg Phe Val
   280                 285                 290                 295

   gaa gtc ttg gtg gtg gca gac aac aga atg gtt tca tac cat gga gaa   965
   Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser Tyr His Gly Glu
30                 300                 305                 310

   aac ctt caa cac tat att tta act tta atg tca att gta gcc tct atc   1013
   Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile Val Ala Ser Ile
               315                 320                 325
35
   tat aaa gac cca agt att gga aat tta att aat att gtt att gtg aac   1061
   Tyr Lys Asp Pro Ser Ile Gly Asn Leu Ile Asn Ile Val Ile Val Asn
           330                 335                 340

40 tta att gtg att cat aat gaa cag gat ggg cct tcc ata tct ttt aat   1109
   Leu Ile Val Ile His Asn Glu Gln Asp Gly Pro Ser Ile Ser Phe Asn
       345                 350                 355

   gct cag aca aca tta aaa aac ttt tgc cag tgg cag cat tcg aac agt   1157
45 Ala Gln Thr Thr Leu Lys Asn Phe Cys Gln Trp Gln His Ser Asn Ser
   360                 365                 370                 375

   cca ggt gga atc cat cat gat act gct gtt ctc tta aca aga cag gat   1205
   Pro Gly Gly Ile His His Asp Thr Ala Val Leu Leu Thr Arg Gln Asp
50                 380                 385                 390

   atc tgc aga gct cac gac aaa tgt gat acc tta ggc ctg gct gaa ctg   1253
   Ile Cys Arg Ala His Asp Lys Cys Asp Thr Leu Gly Leu Ala Glu Leu
               395                 400                 405
55
   gga acc att tgt gat ccc tat aga agc tgt tct att agt gaa gat agt   1301
   Gly Thr Ile Cys Asp Pro Tyr Arg Ser Cys Ser Ile Ser Glu Asp Ser
           410                 415                 420

60 gga ttg agt aca gct ttt acg atc gcc cat gag ctg ggc cat gtg ttt   1349
   Gly Leu Ser Thr Ala Phe Thr Ile Ala His Glu Leu Gly His Val Phe
       425                 430                 435

   aac atg cct cat gat gac aac aac aaa tgt aaa gaa gaa gga gtt aag   1397
65 Asn Met Pro His Asp Asp Asn Asn Lys Cys Lys Glu Glu Gly Val Lys
   440                 445                 450                 455
```

```
   agt ccc cag cat gtc atg gct cca aca ctg aac ttc tac acc aac ccc   1445
   Ser Pro Gln His Val Met Ala Pro Thr Leu Asn Phe Tyr Thr Asn Pro
                   460                 465                 470
5
   tgg atg tgg tca aag tgt agt cga aaa tat atc act gag ttt tta gac   1493
   Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr Glu Phe Leu Asp
               475                 480                 485

10 act ggt tat ggc gag tgt ttg ctt aac gaa cct gaa tcc aga ccc tac   1541
   Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Glu Ser Arg Pro Tyr
           490                 495                 500

   cct ttg cct gtc caa ctg cca ggc atc ctt tac aac gtg aat aaa caa   1589
15 Pro Leu Pro Val Gln Leu Pro Gly Ile Leu Tyr Asn Val Asn Lys Gln
       505                 510                 515

   tgt gaa ttg att ttt gga cca ggt tct cag gtg tgc cca tat atg atg   1637
   Cys Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys Pro Tyr Met Met
20 520                 525                 530                 535

   cag tgc aga cgg ctc tgg tcg aat aac gtc aat gga gta cac aaa ggc   1685
   Gln Cys Arg Arg Leu Trp Ser Asn Asn Val Asn Gly Val His Lys Gly
                   540                 545                 550
25
   tgc cgg act cag cac aca ccc tgg gcc gat ggg acg gag tgc gag cct   1733
   Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr Glu Cys Glu Pro
               555                 560                 565

30 gga aag cac tgc aag tat gga ttt tgt gtt ccc aaa gaa atg gat gtc   1781
   Gly Lys His Cys Lys Tyr Gly Phe Cys Val Pro Lys Glu Met Asp Val
           570                 575                 580

   ccc gtg aca gat gga tcc tgg gga agt tgg agt ccc ttt gga acc tgc   1829
35 Pro Val Thr Asp Gly Ser Trp Gly Ser Trp Ser Pro Phe Gly Thr Cys
       585                 590                 595

   tcc aga aca tgt gga ggg ggc atc aaa aca gcc att cga gag tgc aac   1877
   Ser Arg Thr Cys Gly Gly Gly Ile Lys Thr Ala Ile Arg Glu Cys Asn
40 600                 605                 610                 615

   aga cca gaa cca aaa aat ggt gga aaa tac tgt gta gga cgt aga atg   1925
   Arg Pro Glu Pro Lys Asn Gly Gly Lys Tyr Cys Val Gly Arg Arg Met
                   620                 625                 630
45
   aaa ttt aag tcc tgc aac acg gag cca tgt ctc aag cag aag cga gac   1973
   Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Leu Lys Gln Lys Arg Asp
               635                 640                 645

50 ttc cga gat gaa cag tgt gct cac ttt gac ggg aag cat ttt aac atc   2021
   Phe Arg Asp Glu Gln Cys Ala His Phe Asp Gly Lys His Phe Asn Ile
           650                 655                 660

   aac ggt ctg ctt ccc aat gtg cgc tgg gtc cct aaa tac agt gga att   2069
55 Asn Gly Leu Leu Pro Asn Val Arg Trp Val Pro Lys Tyr Ser Gly Ile
       665                 670                 675

   ctg atg aag gac cgg tgc aag ttg ttc tgc aga gtg gca ggg aac aca   2117
   Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val Ala Gly Asn Thr
60 680                 685                 690                 695

   gcc tac tat cag ctt cga gac aga gtg ata gat gga act cct tgt ggc   2165
   Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly Thr Pro Cys Gly
                   700                 705                 710
65
   cag gac aca aat gat atc tgt gtc cag ggc ctt tgc cgg caa gct gga   2213
```

```
   Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys Arg Gln Ala Gly
                715                 720                 725

   tgc gat cat gtt tta aac tca aaa gcc cgg aga gat aaa tgc ggg gtt   2261
 5 Cys Asp His Val Leu Asn Ser Lys Ala Arg Arg Asp Lys Cys Gly Val
          730                 735                 740

   tgt ggt ggc gat aat tct tca tgc aaa aca gtg gca gga aca ttt aat   2309
   Cys Gly Gly Asp Asn Ser Ser Cys Lys Thr Val Ala Gly Thr Phe Asn
10     745                 750                 755

   aca gta cat tat ggt tac aat act gtg gtc cga att cca gct ggt gct   2357
   Thr Val His Tyr Gly Tyr Asn Thr Val Val Arg Ile Pro Ala Gly Ala
   760                 765                 770                 775
15
   acc aat att gat gtg cgg cag cac agt ttc tca ggg gaa aca gac gat   2405
   Thr Asn Ile Asp Val Arg Gln His Ser Phe Ser Gly Glu Thr Asp Asp
                780                 785                 790

20 gac aac tac tta gct tta tca agc agt aaa ggt gaa ttc ttg cta aat   2453
   Asp Asn Tyr Leu Ala Leu Ser Ser Ser Lys Gly Glu Phe Leu Leu Asn
                795                 800                 805

   gga aac ttt gtt gtc aca atg gcc aaa agg gaa att cgc att ggg aat   2501
25 Gly Asn Phe Val Val Thr Met Ala Lys Arg Glu Ile Arg Ile Gly Asn
          810                 815                 820

   gct gtg gta gag tac agt ggg tcc gag act gcc gta gaa aga att aac   2549
   Ala Val Val Glu Tyr Ser Gly Ser Glu Thr Ala Val Glu Arg Ile Asn
30     825                 830                 835

   tca aca gat cgc att gag caa gaa ctt ttg ctt cag gtt ttg tcg gtg   2597
   Ser Thr Asp Arg Ile Glu Gln Glu Leu Leu Leu Gln Val Leu Ser Val
   840                 845                 850                 855
35
   gga aag ttg tac aac ccc gat gta cgc tat tct ttc aat att cca att   2645
   Gly Lys Leu Tyr Asn Pro Asp Val Arg Tyr Ser Phe Asn Ile Pro Ile
                860                 865                 870

40 gaa gat aaa cct cag cag ttt tac tgg aac agt cat ggg cca tgg caa   2693
   Glu Asp Lys Pro Gln Gln Phe Tyr Trp Asn Ser His Gly Pro Trp Gln
                875                 880                 885

   gca tgc agt aaa ccc tgc caa ggg gaa cgg aaa cga aaa ctt gtt tgc   2741
45 Ala Cys Ser Lys Pro Cys Gln Gly Glu Arg Lys Arg Lys Leu Val Cys
          890                 895                 900

   acc agg gaa tct gat cag ctt act gtt tct gat caa aga tgc gat cgg   2789
   Thr Arg Glu Ser Asp Gln Leu Thr Val Ser Asp Gln Arg Cys Asp Arg
50     905                 910                 915

   ctg ccc cag cct gga cac att act gaa ccc tgt ggt aca ggc tgt gac   2837
   Leu Pro Gln Pro Gly His Ile Thr Glu Pro Cys Gly Thr Gly Cys Asp
   920                 925                 930                 935
55
   ctg agg tgg cat gtt gcc agc agg agt gaa tgt agt gcc cag tgt ggc   2885
   Leu Arg Trp His Val Ala Ser Arg Ser Glu Cys Ser Ala Gln Cys Gly
                940                 945                 950

60 ttg ggt tac cgc aca ttg gac atc tac tgt gcc aaa tat agc agg ctg   2933
   Leu Gly Tyr Arg Thr Leu Asp Ile Tyr Cys Ala Lys Tyr Ser Arg Leu
                955                 960                 965

   gat ggg aag act gag aag gtt gat gat ggt ttt tgc agc agc cat ccc   2981
65 Asp Gly Lys Thr Glu Lys Val Asp Asp Gly Phe Cys Ser Ser His Pro
          970                 975                 980
```

```
aaa cca agc aac cgt gaa aaa tgc tca ggg gaa tgt aac acg ggt ggc   3029
Lys Pro Ser Asn Arg Glu Lys Cys Ser Gly Glu Cys Asn Thr Gly Gly
    985                 990                 995

tgg cgc tat tct gcc tgg act gaa tgt tca aaa agc tgt gac ggt ggg   3077
Trp Arg Tyr Ser Ala Trp Thr Glu Cys Ser Lys Ser Cys Asp Gly Gly
1000                1005                1010                1015

acc cag agg aga agg gct att tgt gtc aat acc cga aat gat gta ctg   3125
Thr Gln Arg Arg Arg Ala Ile Cys Val Asn Thr Arg Asn Asp Val Leu
                1020                1025                1030

gat gac agc aaa tgc aca cat caa gag aaa gtt acc att cag agg tgc   3173
Asp Asp Ser Lys Cys Thr His Gln Glu Lys Val Thr Ile Gln Arg Cys
            1035                1040                1045

agt gag ttc cct tgt cca cag tgg aaa tct gga gac tgg tca gag tgc   3221
Ser Glu Phe Pro Cys Pro Gln Trp Lys Ser Gly Asp Trp Ser Glu Cys
        1050                1055                1060

ttg gtc acc tgt gga aaa ggg cat aag cac cgc cag gtc tgg tgt cag   3269
Leu Val Thr Cys Gly Lys Gly His Lys His Arg Gln Val Trp Cys Gln
    1065                1070                1075

ttt ggt gaa gat cga tta aat gat aga atg tgt gac cct gag acc aag   3317
Phe Gly Glu Asp Arg Leu Asn Asp Arg Met Cys Asp Pro Glu Thr Lys
1080                1085                1090                1095

cca aca tct atg cag act tgt cag cag ccg gaa atg gca tcc tgg cag   3365
Pro Thr Ser Met Gln Thr Cys Gln Gln Pro Glu Met Ala Ser Trp Gln
                1100                1105                1110

gcg ggt ccc tgg gta cag tgc agt gtc act tgt gga cag gga tac cag   3413
Ala Gly Pro Trp Val Gln Cys Ser Val Thr Cys Gly Gln Gly Tyr Gln
            1115                1120                1125

cta aga gca gtg aaa tgc atc att ggg act tat atg tca gtg gta gat   3461
Leu Arg Ala Val Lys Cys Ile Ile Gly Thr Tyr Met Ser Val Val Asp
        1130                1135                1140

gac aat gac tgt aat gca gca act aga cca act gat acc cag gac tgt   3509
Asp Asn Asp Cys Asn Ala Ala Thr Arg Pro Thr Asp Thr Gln Asp Cys
    1145                1150                1155

gaa tta cca tca tgt cat cct ccc cca gct gcc ccg gaa acg agg aga   3557
Glu Leu Pro Ser Cys His Pro Pro Pro Ala Ala Pro Glu Thr Arg Arg
1160                1165                1170                1175

agc aca tac agt gca cca aga acc cag tgg cga ttt ggg tct tgg acc   3605
Ser Thr Tyr Ser Ala Pro Arg Thr Gln Trp Arg Phe Gly Ser Trp Thr
                1180                1185                1190

cca tgc tca gcc act tgt ggg aaa ggt acc cgg atg aga tac gtc agc   3653
Pro Cys Ser Ala Thr Cys Gly Lys Gly Thr Arg Met Arg Tyr Val Ser
            1195                1200                1205

tgc cga gat gag aat ggc tct gtg gct gac gag agt gcc tgt gct acc   3701
Cys Arg Asp Glu Asn Gly Ser Val Ala Asp Glu Ser Ala Cys Ala Thr
        1210                1215                1220

ctg cct aga cca gtg gca aag gaa gaa tgt tct gtg aca ccc tgt ggg   3749
Leu Pro Arg Pro Val Ala Lys Glu Glu Cys Ser Val Thr Pro Cys Gly
    1225                1230                1235

caa tgg aag gcc ttg gac tgg agc tct tgc tct gtg acc tgt ggg caa   3797
```

```
   Gln Trp Lys Ala Leu Asp Trp Ser Ser Cys Ser Val Thr Cys Gly Gln
   1240                1245                1250                1255

   ggt agg gca acc cgg caa gtg atg tgt gtc aac tac agt gac cac gtg   3845
 5 Gly Arg Ala Thr Arg Gln Val Met Cys Val Asn Tyr Ser Asp His Val
                  1260                1265                1270

   atc gat cgg agt gag tgt gac cag gat tat atc cca gaa act gac cag   3893
   Ile Asp Arg Ser Glu Cys Asp Gln Asp Tyr Ile Pro Glu Thr Asp Gln
10            1275                1280                1285

   gac tgt tcc atg tca cca tgc cct caa agg acc cca gac agt ggc tta   3941
   Asp Cys Ser Met Ser Pro Cys Pro Gln Arg Thr Pro Asp Ser Gly Leu
         1290                1295                1300
15
   gct cag cac ccc ttc caa aat gag gac tat cgt ccc cgg agc gcc agc   3989
   Ala Gln His Pro Phe Gln Asn Glu Asp Tyr Arg Pro Arg Ser Ala Ser
      1305                1310                1315

20 ccc agc cgc acc cat gtg ctc ggt gga aac cag tgg aga act ggc ccc   4037
   Pro Ser Arg Thr His Val Leu Gly Gly Asn Gln Trp Arg Thr Gly Pro
   1320                1325                1330                1335

   tgg gga gca tgt tcc agt acc tgt gct ggc gga tcc cag cgg cgt gtt   4085
25 Trp Gly Ala Cys Ser Ser Thr Cys Ala Gly Gly Ser Gln Arg Arg Val
                  1340                1345                1350

   gtt gta tgt cag gat gaa aat gga tac acc gca aac gac tgt gtg gag   4133
   Val Val Cys Gln Asp Glu Asn Gly Tyr Thr Ala Asn Asp Cys Val Glu
30            1355                1360                1365

   aga ata aaa cct gat gag caa aga gcc tgt gaa tcc ggc cct tgt cct   4181
   Arg Ile Lys Pro Asp Glu Gln Arg Ala Cys Glu Ser Gly Pro Cys Pro
         1370                1375                1380
35
   cag tgg gct tat ggc aac tgg gga gag tgc act aag ctg tgt ggt gga   4229
   Gln Trp Ala Tyr Gly Asn Trp Gly Glu Cys Thr Lys Leu Cys Gly Gly
      1385                1390                1395

40 ggc ata aga aca aga ctg gtg gtc tgt cag cgg tcc aac ggt gaa cgg   4277
   Gly Ile Arg Thr Arg Leu Val Val Cys Gln Arg Ser Asn Gly Glu Arg
   1400                1405                1410                1415

   ttt cca gat ttg agc tgt gaa att ctt gat aaa cct ccc gat cgt gag   4325
45 Phe Pro Asp Leu Ser Cys Glu Ile Leu Asp Lys Pro Pro Asp Arg Glu
                  1420                1425                1430

   cag tgt aac aca cat gct tgt cca cac gac gct gca tgg agt act ggc   4373
   Gln Cys Asn Thr His Ala Cys Pro His Asp Ala Ala Trp Ser Thr Gly
50            1435                1440                1445

   cct tgg agc tcg tgt tct gtc tct tgt ggt cga ggg cat aaa caa cga   4421
   Pro Trp Ser Ser Cys Ser Val Ser Cys Gly Arg Gly His Lys Gln Arg
         1450                1455                1460
55
   aat gtt tac tgc atg gca aaa gat gga agc cat tta gaa agt gat tac   4469
   Asn Val Tyr Cys Met Ala Lys Asp Gly Ser His Leu Glu Ser Asp Tyr
      1465                1470                1475

60 tgt aag cac ctg gct aag cca cat ggg cac aga aag tgc cga gga gga   4517
   Cys Lys His Leu Ala Lys Pro His Gly His Arg Lys Cys Arg Gly Gly
   1480                1485                1490                1495

   aga tgc ccc aaa tgg aaa gct ggc gct tgg agt cag tgc tct gtg tcc   4565
65 Arg Cys Pro Lys Trp Lys Ala Gly Ala Trp Ser Gln Cys Ser Val Ser
                  1500                1505                1510
```

```
   tgt ggc cga ggc gta cag cag agg cat gtg ggc tgt cag atc gga aca   4613
   Cys Gly Arg Gly Val Gln Gln Arg His Val Gly Cys Gln Ile Gly Thr
             1515                1520                1525
 5
   cac aaa ata gcc aga gac acc gag tgc aac cca tac acc aga ccg gag   4661
   His Lys Ile Ala Arg Asp Thr Glu Cys Asn Pro Tyr Thr Arg Pro Glu
          1530                1535                1540

10 tcg gaa tgc gaa tgc caa ggc cca cgg tgt ccc ctt tac act tgg agg   4709
   Ser Glu Cys Glu Cys Gln Gly Pro Arg Cys Pro Leu Tyr Thr Trp Arg
      1545                1550                1555

   gca gag gaa tcg caa gaa tgc acc aag acc tgc ggc gaa ggc tcc agg   4757
15 Ala Glu Glu Ser Gln Glu Cys Thr Lys Thr Cys Gly Glu Gly Ser Arg
   1560                1565                1570                1575

   tac cgc aag gtg gtg tgt gtg gat gac aac aaa aac gag gtg cat ggg   4805
   Tyr Arg Lys Val Val Cys Val Asp Asp Asn Lys Asn Glu Val His Gly
20                 1580                1585                1590

   gca cgc tgt gac gtg agc aag cgg ccg gtg gac cgt gaa agc tgt agt   4853
   Ala Arg Cys Asp Val Ser Lys Arg Pro Val Asp Arg Glu Ser Cys Ser
             1595                1600                1605
25
   ttg caa ccc tgc gag tat gtc tgg atc aca gga gaa tgg tca gag tgc   4901
   Leu Gln Pro Cys Glu Tyr Val Trp Ile Thr Gly Glu Trp Ser Glu Cys
          1610                1615                1620

30 tca gtg acc tgt gga aaa ggc tac aaa caa agg ctt gtc tcg tgc agc   4949
   Ser Val Thr Cys Gly Lys Gly Tyr Lys Gln Arg Leu Val Ser Cys Ser
      1625                1630                1635

   gag att tac acc ggg aaa gag aat tat gaa tac agc tac caa acc acc   4997
35 Glu Ile Tyr Thr Gly Lys Glu Asn Tyr Glu Tyr Ser Tyr Gln Thr Thr
   1640                1645                1650                1655

   atc aac tgc cca ggc acg cag ccc ccc agt gtt cac ccc tgt tac ctg   5045
   Ile Asn Cys Pro Gly Thr Gln Pro Pro Ser Val His Pro Cys Tyr Leu
40                 1660                1665                1670

   agg gag tgc cct gtc tcg gcc acc tgg aga gtt ggc aac tgg ggg agc   5093
   Arg Glu Cys Pro Val Ser Ala Thr Trp Arg Val Gly Asn Trp Gly Ser
             1675                1680                1685
45
   tgc tca gtg tct tgt ggt gtt gga gtg atg cag aga tct gtg caa tgt   5141
   Cys Ser Val Ser Cys Gly Val Gly Val Met Gln Arg Ser Val Gln Cys
          1690                1695                1700

50 tta acc aat gag gac caa ccc agc cac tta tgc cac act gat ctg aag   5189
   Leu Thr Asn Glu Asp Gln Pro Ser His Leu Cys His Thr Asp Leu Lys
      1705                1710                1715

   cca gaa gaa cga aaa acc tgc cgt aat gtc tat aac tgt gag tta ccc   5237
55 Pro Glu Glu Arg Lys Thr Cys Arg Asn Val Tyr Asn Cys Glu Leu Pro
   1720                1725                1730                1735

   cag aat tgc aag gag gta aaa aga ctt aaa ggt gcc agt gaa gat ggt   5285
   Gln Asn Cys Lys Glu Val Lys Arg Leu Lys Gly Ala Ser Glu Asp Gly
60                 1740                1745                1750

   gaa tat ttc ctg atg att aga gga aag ctt ctg aag ata ttc tgt gcg   5333
   Glu Tyr Phe Leu Met Ile Arg Gly Lys Leu Leu Lys Ile Phe Cys Ala
             1755                1760                1765
65
   ggg atg cac tct gac cac ccc aaa gag tac gtg aca ctg gtg cat gga   5381
```

BNSDOCID: <WO___0111074A2_IA>

```
   Gly Met His Ser Asp His Pro Lys Glu Tyr Val Thr Leu Val His Gly
          1770                1775                1780

   gac tct gag aat ttc tcc gag gtt tat ggg cac agg tta cac aac cca   5429
 5 Asp Ser Glu Asn Phe Ser Glu Val Tyr Gly His Arg Leu His Asn Pro
      1785                1790                1795

   aca gaa tgt ccc tat aac ggg agc cgg cgc gat gac tgc caa tgt cgg   5477
   Thr Glu Cys Pro Tyr Asn Gly Ser Arg Arg Asp Asp Cys Gln Cys Arg
10 1800                1805                1810                1815

   aag gat tac acg gcc gct ggg ttt tcc agt ttt cag aaa atc aga ata   5525
   Lys Asp Tyr Thr Ala Ala Gly Phe Ser Ser Phe Gln Lys Ile Arg Ile
                  1820                1825                1830
15
   gac ctg acc agc atg cag ata atc acc act gac tta cag ttt gca agg   5573
   Asp Leu Thr Ser Met Gln Ile Ile Thr Thr Asp Leu Gln Phe Ala Arg
             1835                1840                1845

20 aca agc gaa gga cat ccc gtc cct ttt gcc aca gcc ggg gat tgc tac   5621
   Thr Ser Glu Gly His Pro Val Pro Phe Ala Thr Ala Gly Asp Cys Tyr
          1850                1855                1860

   agc gct gcc aag tgc cca cag ggt cgt ttt agc atc aac ctt tat gga   5669
25 Ser Ala Ala Lys Cys Pro Gln Gly Arg Phe Ser Ile Asn Leu Tyr Gly
      1865                1870                1875

   acc ggc ttg tct tta act gaa tct gcc aga tgg ata tca caa ggg aat   5717
   Thr Gly Leu Ser Leu Thr Glu Ser Ala Arg Trp Ile Ser Gln Gly Asn
30 1880                1885                1890                1895

   tat gct gtc tct gac atc aag aag tcg ccg gat ggt acc cga gtc gta   5765
   Tyr Ala Val Ser Asp Ile Lys Lys Ser Pro Asp Gly Thr Arg Val Val
                  1900                1905                1910
35
   ggg aaa tgc ggt ggt tac tgt gga aaa tgc act cca tcc tct ggt act   5813
   Gly Lys Cys Gly Gly Tyr Cys Gly Lys Cys Thr Pro Ser Ser Gly Thr
             1915                1920                1925

40 ggc ctg gag gtg cga gtt tta tagctaaggt gctttgaaga ggaagccatt      5864
   Gly Leu Glu Val Arg Val Leu
          1930

   atggatggat gaaggatagt aatgcaatac ctccacctta atttgggtgc atgtgtatgt 5924
45
   gtgtgtgtgt ttgtgtgtga cttgtatgct tgtgtgtgta aatgtgtgta catatacata 5984

   tataca                                                            5990

50
   <210> 26
   <211> 1934
   <212> PRT
   <213> Homo sapiens ADAMTS-9b
55
   <400> 26
   Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu Val Arg Asp
     1               5                  10                  15

60 Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Ala Val Arg Lys Asp
                20                  25                  30

   Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu Ser Glu Tyr
            35                  40                  45
65
   Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu Pro Phe Pro
```

```
      50                  55                  60

   Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn Ser Ala Thr
    65                  70                  75                  80
5
   Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser Thr Ser Pro
                   85                  90                  95

   Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe Leu Phe Asn
10             100                 105                 110

   Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr Val Thr Leu
           115                 120                 125

15 Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser Glu Glu Glu
       130                 135                 140

   Ala Glu Leu Lys His Cys Phe Tyr Lys Gly Tyr Val Asn Thr Asn Ser
   145                 150                 155                 160
20
   Glu His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Leu Gly Thr Phe
                   165                 170                 175

   Arg Ser His Asp Gly Gly Tyr Phe Ile Glu Pro Leu Gln Ser Met Asp
25             180                 185                 190

   Glu Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg
           195                 200                 205

30 Arg Ser Ala Pro Gln Arg Glu Pro Ser Thr Gly Arg His Ala Cys Asp
       210                 215                 220

   Thr Ser Glu His Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg
   225                 230                 235                 240
35
   Ala Arg Lys Trp Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala
                   245                 250                 255

   Leu Asn Ser Gly Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys
40             260                 265                 270

   Thr Asp Asn Thr Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe
           275                 280                 285

45 Leu Ser Tyr Pro Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg
       290                 295                 300

   Met Val Ser Tyr His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu
   305                 310                 315                 320
50
   Met Ser Ile Val Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu
                   325                 330                 335

   Ile Asn Ile Val Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp
55             340                 345                 350

   Gly Pro Ser Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Phe Cys
           355                 360                 365

60 Gln Trp Gln His Ser Asn Ser Pro Gly Gly Ile His His Asp Thr Ala
       370                 375                 380

   Val Leu Leu Thr Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys Asp
   385                 390                 395                 400
65
   Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg Ser
```

```
                    405                 410                 415

   Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile Ala
                420                 425                 430

 5
   His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn Lys
           435                 440                 445

   Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro Thr
10      450                 455                 460

   Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg Lys
   465                 470                 475                 480

15 Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn
                    485                 490                 495

   Glu Pro Glu Ser Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly Ile
                500                 505                 510

20
   Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser
           515                 520                 525

   Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Ser Asn Asn
25      530                 535                 540

   Val Asn Gly Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp Ala
   545                 550                 555                 560

30 Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Tyr Gly Phe Cys
                    565                 570                 575

   Val Pro Lys Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly Ser
                580                 585                 590

35
   Trp Ser Pro Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile Lys
           595                 600                 605

   Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly Lys
40      610                 615                 620

   Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu Pro
   625                 630                 635                 640

45 Cys Leu Lys Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His Phe
                    645                 650                 655

   Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg Trp
                660                 665                 670

50
   Val Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu Phe
           675                 680                 685

   Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val
55      690                 695                 700

   Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val Gln
   705                 710                 715                 720

60 Gly Leu Cys Arg Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys Ala
                    725                 730                 735

   Arg Arg Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Lys
                740                 745                 750

65
   Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr Val
```

```
          755                 760                 765

   Val Arg Ile Pro Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His Ser
       770                 775                 780
 5
   Phe Ser Gly Glu Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser Ser
   785                 790                 795                 800

   Lys Gly Glu Phe Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala Lys
10                 805                 810                 815

   Arg Glu Ile Arg Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser Glu
              820                 825                 830

15 Thr Ala Val Glu Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu Leu
          835                 840                 845

   Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val Arg
       850                 855                 860
20
   Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr Trp
   865                 870                 875                 880

   Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly Glu
25                 885                 890                 895

   Arg Lys Arg Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr Val
              900                 905                 910

30 Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr Glu
          915                 920                 925

   Pro Cys Gly Thr Gly Cys Asp Leu Arg Trp His Val Ala Ser Arg Ser
       930                 935                 940
35
   Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile Tyr
   945                 950                 955                 960

   Cys Ala Lys Tyr Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp Asp
40                 965                 970                 975

   Gly Phe Cys Ser Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys Ser
              980                 985                 990

45 Gly Glu Cys Asn Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu Cys
          995                1000                1005

   Ser Lys Ser Cys Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys Val
      1010                1015                1020
50
   Asn Thr Arg Asn Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln Glu
   1025                1030                1035                1040

   Lys Val Thr Ile Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp Lys
55                 1045                1050                1055

   Ser Gly Asp Trp Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His Lys
              1060                1065                1070

60 His Arg Gln Val Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp Arg
          1075                1080                1085

   Met Cys Asp Pro Glu Thr Lys Pro Thr Ser Met Gln Thr Cys Gln Gln
      1090                1095                1100
65
   Pro Glu Met Ala Ser Trp Gln Ala Gly Pro Trp Val Gln Cys Ser Val
```

1105 1110 1115 1120

Thr Cys Gly Gln Gly Tyr Gln Leu Arg Ala Val Lys Cys Ile Ile Gly
1125 1130 1135

Thr Tyr Met Ser Val Val Asp Asp Asn Asp Cys Asn Ala Ala Thr Arg
1140 1145 1150

Pro Thr Asp Thr Gln Asp Cys Glu Leu Pro Ser Cys His Pro Pro Pro
1155 1160 1165

Ala Ala Pro Glu Thr Arg Arg Ser Thr Tyr Ser Ala Pro Arg Thr Gln
1170 1175 1180

Trp Arg Phe Gly Ser Trp Thr Pro Cys Ser Ala Thr Cys Gly Lys Gly
1185 1190 1195 1200

Thr Arg Met Arg Tyr Val Ser Cys Arg Asp Glu Asn Gly Ser Val Ala
1205 1210 1215

Asp Glu Ser Ala Cys Ala Thr Leu Pro Arg Pro Val Ala Lys Glu Glu
1220 1225 1230

Cys Ser Val Thr Pro Cys Gly Gln Trp Lys Ala Leu Asp Trp Ser Ser
1235 1240 1245

Cys Ser Val Thr Cys Gly Gln Gly Arg Ala Thr Arg Gln Val Met Cys
1250 1255 1260

Val Asn Tyr Ser Asp His Val Ile Asp Arg Ser Glu Cys Asp Gln Asp
1265 1270 1275 1280

Tyr Ile Pro Glu Thr Asp Gln Asp Cys Ser Met Ser Pro Cys Pro Gln
1285 1290 1295

Arg Thr Pro Asp Ser Gly Leu Ala Gln His Pro Phe Gln Asn Glu Asp
1300 1305 1310

Tyr Arg Pro Arg Ser Ala Ser Pro Ser Arg Thr His Val Leu Gly Gly
1315 1320 1325

Asn Gln Trp Arg Thr Gly Pro Trp Gly Ala Cys Ser Ser Thr Cys Ala
1330 1335 1340

Gly Gly Ser Gln Arg Arg Val Val Val Cys Gln Asp Glu Asn Gly Tyr
1345 1350 1355 1360

Thr Ala Asn Asp Cys Val Glu Arg Ile Lys Pro Asp Glu Gln Arg Ala
1365 1370 1375

Cys Glu Ser Gly Pro Cys Pro Gln Trp Ala Tyr Gly Asn Trp Gly Glu
1380 1385 1390

Cys Thr Lys Leu Cys Gly Gly Gly Ile Arg Thr Arg Leu Val Val Cys
1395 1400 1405

Gln Arg Ser Asn Gly Glu Arg Phe Pro Asp Leu Ser Cys Glu Ile Leu
1410 1415 1420

Asp Lys Pro Pro Asp Arg Glu Gln Cys Asn Thr His Ala Cys Pro His
1425 1430 1435 1440

Asp Ala Ala Trp Ser Thr Gly Pro Trp Ser Ser Cys Ser Val Ser Cys
1445 1450 1455

Gly Arg Gly His Lys Gln Arg Asn Val Tyr Cys Met Ala Lys Asp Gly

```
                1460                1465                1470

   Ser His Leu Glu Ser Asp Tyr Cys Lys His Leu Ala Lys Pro His Gly
         1475                1480                1485

5
   His Arg Lys Cys Arg Gly Gly Arg Cys Pro Lys Trp Lys Ala Gly Ala
      1490                1495                1500

   Trp Ser Gln Cys Ser Val Ser Cys Gly Arg Gly Val Gln Gln Arg His
10 1505                1510                1515                1520

   Val Gly Cys Gln Ile Gly Thr His Lys Ile Ala Arg Asp Thr Glu Cys
                  1525                1530                1535

15 Asn Pro Tyr Thr Arg Pro Glu Ser Glu Cys Glu Cys Gln Gly Pro Arg
               1540                1545                1550

   Cys Pro Leu Tyr Thr Trp Arg Ala Glu Glu Ser Gln Glu Cys Thr Lys
         1555                1560                1565

20
   Thr Cys Gly Glu Gly Ser Arg Tyr Arg Lys Val Val Cys Val Asp Asp
      1570                1575                1580

   Asn Lys Asn Glu Val His Gly Ala Arg Cys Asp Val Ser Lys Arg Pro
25 1585                1590                1595                1600

   Val Asp Arg Glu Ser Cys Ser Leu Gln Pro Cys Glu Tyr Val Trp Ile
                  1605                1610                1615

30 Thr Gly Glu Trp Ser Glu Cys Ser Val Thr Cys Gly Lys Gly Tyr Lys
               1620                1625                1630

   Gln Arg Leu Val Ser Cys Ser Glu Ile Tyr Thr Gly Lys Glu Asn Tyr
         1635                1640                1645

35
   Glu Tyr Ser Tyr Gln Thr Thr Ile Asn Cys Pro Gly Thr Gln Pro Pro
      1650                1655                1660

   Ser Val His Pro Cys Tyr Leu Arg Glu Cys Pro Val Ser Ala Thr Trp
40 1665                1670                1675                1680

   Arg Val Gly Asn Trp Gly Ser Cys Ser Val Ser Cys Gly Val Gly Val
                  1685                1690                1695

45 Met Gln Arg Ser Val Gln Cys Leu Thr Asn Glu Asp Gln Pro Ser His
               1700                1705                1710

   Leu Cys His Thr Asp Leu Lys Pro Glu Glu Arg Lys Thr Cys Arg Asn
         1715                1720                1725

50
   Val Tyr Asn Cys Glu Leu Pro Gln Asn Cys Lys Glu Val Lys Arg Leu
      1730                1735                1740

   Lys Gly Ala Ser Glu Asp Gly Glu Tyr Phe Leu Met Ile Arg Gly Lys
55 1745                1750                1755                1760

   Leu Leu Lys Ile Phe Cys Ala Gly Met His Ser Asp His Pro Lys Glu
                  1765                1770                1775

60 Tyr Val Thr Leu Val His Gly Asp Ser Glu Asn Phe Ser Glu Val Tyr
               1780                1785                1790

   Gly His Arg Leu His Asn Pro Thr Glu Cys Pro Tyr Asn Gly Ser Arg
         1795                1800                1805

65
   Arg Asp Asp Cys Gln Cys Arg Lys Asp Tyr Thr Ala Ala Gly Phe Ser
```

BNSDOCID: <WO___0111074A2_IA>

```
      1810                1815                1820

   Ser Phe Gln Lys Ile Arg Ile Asp Leu Thr Ser Met Gln Ile Ile Thr
   1825                1830                1835                1840
 5
   Thr Asp Leu Gln Phe Ala Arg Thr Ser Glu Gly His Pro Val Pro Phe
                  1845                1850                1855

   Ala Thr Ala Gly Asp Cys Tyr Ser Ala Ala Lys Cys Pro Gln Gly Arg
10            1860                1865                1870

   Phe Ser Ile Asn Leu Tyr Gly Thr Gly Leu Ser Leu Thr Glu Ser Ala
         1875                1880                1885

15 Arg Trp Ile Ser Gln Gly Asn Tyr Ala Val Ser Asp Ile Lys Lys Ser
      1890                1895                1900

   Pro Asp Gly Thr Arg Val Val Gly Lys Cys Gly Gly Tyr Cys Gly Lys
   1905                1910                1915                1920
20
   Cys Thr Pro Ser Ser Gly Thr Gly Leu Glu Val Arg Val Leu
                  1925                1930


25
```